

**Bibliography database of living/fossil sharks, rays and chimaeras  
(Chondrichthyes: Elasmobranchii, Holocephali)**

**Papers of the year 2009**

**published by**

**Jürgen Pollerspöck, Benediktinerring 34, 94569 Stephansposching,  
Germany**

**ISSN: 2195-6499**



**Abstract:** This collection is the result of research in numerous journals, books and online publications. It contains more than 500 citations of papers about living/fossil sharks, rays and chimaeras (Chondrichthyes: Elasmobranchii, Holocephali).

**Notice:**

This paper is intended to be consulted for advice and information. This information has been compiled to the best of my abilities based on current knowledge and practice, however, please note that possible errors cannot be altogether/entirely excluded.

**Citation:**

Pollerspöck, J. (2011), Bibliography database of living/fossil sharks, rays and chimaeras (Chondrichthyes: Elasmobranchii, Holocephali) - Papers of the year 2009 -, [www.shark-references.com](http://www.shark-references.com), World Wide Web electronic publication, Version 08/2011; **ISSN: 2195-6499**

© Edited By: Jürgen Pollerspöck, Benediktinerring 34, D-94569 Stephansposching; Germany

**Please support [www.shark-references.com](http://www.shark-references.com)**

- ❖ **Please send me missing, not listed references!**
- ❖ **Send me publications that are not incorporated so far (marked in red lettering)!**

## Tabel of Contents

<b>Fossil</b> .....	<b>- 3 -</b>
<b>Complete list (arrange in alphabetical order)</b> .....	<b>- 3 -</b>
- A, B, C- .....	<b>- 3 -</b>
- D, E, F, G - .....	<b>- 4 -</b>
- H, I, J, K - .....	<b>- 6 -</b>
- L, M, N, O - .....	<b>- 7 -</b>
- P, Q, R, S - .....	<b>- 8 -</b>
- T, U, V, W, X, Y, Z - .....	<b>- 10 -</b>
<b>Rezent</b> .....	<b>- 12 -</b>
<b>Complete list (arrange in alphabetical order)</b> .....	<b>- 12 -</b>
- A, B, C- .....	<b>- 12 -</b>
- D, E, F, G - .....	<b>- 19 -</b>
- H, I, J, K - .....	<b>- 26 -</b>
- L, M, N, O - .....	<b>- 32 -</b>
- P, Q, R, S - .....	<b>- 38 -</b>
- T, U, V, W, X, Y, Z - .....	<b>- 46 -</b>
<b>Index</b> .....	<b>- 52 -</b>

### *Fossil*

#### **Complete list (arrange in alphabetical order)**

- A, B, C-

**ADNET, S. & HOSSEINZADEH, R. & ANTUNES, M.T. & BALBINO, A.C. & KOZLOV, V.A. & CAPPETTA, H. (2009)** Review of the enigmatic Eocene shark genus *Xiphodolamia* (Chondrichthyes, Lamniformes) and description of a new species recovered from Angola, Iran and Jordan. *Journal of African Earth Sciences*, 55 (3-4): 197-204

**ADOLFSEN, J. (2009)** Crossing the boundary: insights on an elasmobranch recovery fauna. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 52A

**BERMUDEZ-ROCHAS, D.D. (2009)** New hybodont shark assemblage from the Early Cretaceous of the Basque-Cantabrian Basin. *Geobios*, 42 (6): 675-686  
<http://dx.doi.org/1016/j.geobios.2009.06.004>

**BIENKOWSKA-WASILUK, M. & RADWANSKI, A. (2009)** A new occurrence of sharks in the Menilite Formation (Lower Oligocene) from the Outer (Flysch) Carpathians of Poland. *Acta Geologica Polonica*, 59 (2): 235-243

**BOTELLA, H. & DONOGHUE, P.C.J. & MARTÍNEZ-PÉREZ, C. (2009)** Enameloid microstructure in the oldest known chondrichthyan teeth. *Acta Zoologica (Stockholm)*, 90 (1): 103-108 <http://dx.doi.org/1111/j.1463-6395.2008.00337.x>

- 3 -

**BOTELLA, H. & PLASENCIA, P. & MARQUEZ-ALIAGA, A. & CUNY, G. & DORKA, M. (2009)** Pseudodalatias henarejensis nov. sp. a new pseudodalatiid (Elasmobranchii) from the Middle Triassic of Spain. *Journal of Vertebrate Paleontology*, 29 (4): 1-7

**BOTELLA, H. & VALENZUELA-RÍOS, J.I. & MARTÍNEZ-PÉREZ, C. (2009)** Tooth replacement rates in early chondrichthyans: a qualitative approach. *Lethaia*, 42 (3): 365-376  
<http://dx.doi.org/1111/j.1502-3931.2009.00152.x>

**BURROW, C.J. & TURNER, S. (2009)** CAVEPS 2009, Cartilaginous fish fauna from the Viséan (Carboniferous, Mississippian) Ducabrook Formation, Central Queensland. 12<sup>th</sup> Conference on Australasian Vertebrate Evolution Palaeontology and Systematics, University of New South Wales, Sydney, June 22-26, 2009, Abstracts, 1 p.

**CIGALA-FULGOSI, F. & CASATI, S. & ORLANDINI, A. & PERSICO, D. (2009)** A small fossil fish fauna, rich in Chlamydoselachus teeth, from the Late Pliocene of Tuscany (Siena, central Italy). *Cainozoic Research*, 6 (1-2): 3-23

**CIONE, A.L. & MEDINA, F.A. (2009)** The oldest hexanchiform shark from Southern Hemisphere (Neoselachii; Early Cretaceous, Antarctica). *Antarctic Science*, 21 (5): 501-504

**CLAESON, K. & UNDERWOOD, C. & WARD, D. (2009)** A 3-dimensionally preserved fossil guitarfish from the Turonian of Morocco. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 79A

**COSTA, S. A. F. & RICHTERI, M. & TOLEDO, P.M. & MORAES-SANTOS, H.M. (2009)** Shark teeth from Pirabas Formation (Lower Miocene), northeastern Amazonia, Brazil. *Boletim do Museu Paraense Emílio Goeldi Ciências Naturais*, 4 (3): 221-230

**CUNY, G. (2009)** Evolution of serrated cutting dentition in hybodont sharks. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 83A

**CUNY, G. & BENTON, M.J. & COBBETT, A. (2009)** Vertebrate microremains from the Aptian-Albian of Tunisia. In: *Lundadagarna i historisk geologi och paleontologi XI*, MELLGREN J. & EINARSSON E. (eds), Lund University, Lund.

**CUNY, G. & CAVIN, L. & SUTEETHORN, V. (2009)** Specialized dentition in lower Cretaceous freshwater hybodont sharks. In: *Tribute to Charles Darwin and Bernissart Iguanodonts: New perspectives on vertebrate evolution and Early Cretaceous ecosystems*, GODEFROIT P. & LAMBERT O. (eds), Institut Royal des Sciences naturelles de Belgique, Brussels: 30

**CUNY, G. & SRISUK, P. & KHAMHA, S. & SUTEETHORN, V. & TONG, H. (2009)** A new elasmobranch fauna from the Middle Jurassic of southern Thailand. *Geological Society, London, Special Publications*, 315: 97-113 <http://dx.doi.org/1144/SP315.8>

- D, E, F, G -

**DE SCHUTTER, P. (2009)** The presence of Megachasma (Chondrichthyes: Lamniformes) in the Neogene of Belgium, first occurrence in Europe. *Geologica Belgica*, 12 (3-4): 179-203

- 4 -

**DELSATE, D. (2009)** Microrestes de poissons du Lias et du Rhétien de Moselle et de Meurthe-et-Moselle (N-E France). Bulletin de la Société d'histoire naturelle de la Moselle, 51: 19-33

**DERYCKE, C. & GOUJET, D. (2009)** Early devonian vertebrate from south Ahaggar (southern Algeria): new observations on the histology of early chondrichthyan scales. Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 87A

**DIETRICH, C. (2009)** The vertebrates of the Anisian/Ladinian boundary (Middle Triassic) from Bissendorf (NW Germany) and their contribution to the anatomy, palaeoecology, and palaeobiogeography of the Germanic Basin reptiles. Palaeogeography, Palaeoclimatology, Palaeoecology, 273 (1): 1-16

**EHRET, D. & MACFADDEN, B. & JONES, D. & DEVRIES, T. & SALAS-GISMONDI, R. (2009)** Origin of the white shark (Carcharodon), based on recalibration of the late neogene, Pisco Formation of Peru. Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 92A

**EHRET, D.J. & HUBBELL, G. & MACFADDEN, B.J. (2009)** Exceptional preservation of the white shark Carcharodon (Lamniformes, Lamnidae) from the early Pliocene of Peru. Journal of Vertebrate Paleontology, 29 (1): 1-13

**EHRET, D.J. & MACFADDEN, B.J. & SALAS-GISMONDI, R. (2009)** Caught in the act: trophic interactions between a 4-million-year-old white shark (Carcharodon) and mysticete whale from Peru. Palaios, 24: 329-333

**EVERHART, M.J. (2009)** First occurrence of marine vertebrates in the Early Cretaceous of Kansas: Champion Shell Bed, basal Kiowa Formation. Transactions of the Kansas Academy of Science, 112 (3/4): 201-210

**FARRÉS, F. & FIERSTINE, H.L. (2009)** First record of the extinct sawfish Propristis schweinfurthi Dames, 1883 (Batoidea: Pristiformes: Pristidae) from the middle Eocene of Spain. Paläontologische Zeitschrift, 83 (4): 459-466

**FISCHER, J. & BUCHWITZ, M. & VOIGT, S. & SCHNEIDER, J.W. (2009)** How certain is the assignment of fossil chondrichthyan egg capsule types to potential producer groups? In: Daniela SCHWARZ-WINGS, Oliver WINGS & Franziska SATTLER (Editors); 7th Annual Meeting of the European Association of Vertebrate Palaeontologists: 29

**FISCHER, J. & VOIGT, S. & BUCHWITZ, M. & SCHNEIDER, J.W. (2009)** The selachian fauna from the non-marine middle to late Triassic Madygen Formation (Kyrgyzstan, Central Asia): preliminary results. Abstract. Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 95A-96A

**FISCHER, J. & VOIGT, S. & SCHNEIDER, J.W. & FRANZ, M. & JOACHIMSKI, M.M. (2009)** Reconstructing the palaeoecology of the hybodont shark. Lissodus of the Rhaetian Central European Basin using oxygen isotopes. 79. Jahrestagung der Paläontologischen Gesellschaft, Abstracts: 33-34

**FRAMPTON, E. & HILLS, L. (2009)** Tooth wear of Myledaphus (Chondrichthyes, Rajiformes) as a result of durophagous feeding from the late cretaceous Foremost

Formation, Alberta, Canada. Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 98A

**GARCÍA, E.X.M. & TELLES-ANTUNES, M. & CÁCERES-BALBINO, A. & RUIZ-MUÑOZ, F. & CIVIS-LLOVERA, J. (2009)** Los tiburones Lamniformes (Chondrichthyes, Galeomorphii) del Plioceno inferior de la Formación Arenas de Huelva, suroeste de la cuenca del Guadalquivir, España. Revista Mexicana de Ciencias Geológicas, 26 (3): 674-686

**GINTER, M. (2009)** The dentition of Goodrichthys, a Carboniferous ctenacanthiform shark from Scotland. Acta Zoologica (Stockholm), 90 (1): 152-158 <http://dx.doi.org/1111/j.1463-6395.2008.00339.x>

**GROGAN, E.D. & LUND, R. (2009)** Two new iniopterygians (Chondrichthyes) from the Mississippian (Serpukhovian) Bear Gulch Limestone of Montana with evidence of a new form of chondrichthyan neurocranium. Acta Zoologica (Stockholm), 90 (1): 134-151 <http://dx.doi.org/1111/j.1463-6395.2008.00371.x>

- H, I, J, K -

**HAIRAPETIAN, V. & GINTER, M. (2009)** Famennian chondrichthyan remains from the Chahriseh section, central Iran. Acta Geologica Polonica, 59 (2): 173-200

**IVANOV, A. (2009)** Tooth morphology and distribution of the late paleozoic anachronistid sharks. Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 120A

**IVANOV, A. & LUCAS, S.G. & KRAINER, K. (2009)** Pennsylvanian fishes from the Sandia Formation, Socorro County, New Mexico. New Mexico Geological Society Guidebook, 60th Field Conference, Geology of the Chupadera Mesa Region: 243-248

**JANUS, T. & STIDHAM, T. (2009)** Diversity and mass extinction of chondrichthyans at the k-t boundary: evidence from eastern Texas. Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 122A

**JOHNSON, G.D. & THAYER, D.W. (2009)** Early Pennsylvanian xenacanth chondrichthyans from the Swisshelm Mountains, Arizona, U.S.A. Acta Palaeontologica Polonica, 54 (4): 649-668

**KADDUMI, H.F. (2009)** A new genus and species of sawfishes (Chondrichthyes: Batoidea) from the late Maastrichtian sediments of Harrana. In: Fossils of the Harrana Fauna and the Adjacent Areas. Publications of the Eternal River Museum of Natural History, Amman: 178-187

**KLUG, S. (2009)** A New Palaeospinacid Shark (Chondrichthyes, Neoselachii) From the Upper Jurassic of Southern Germany. Journal of Vertebrate Paleontology, 29 (2): 326-335

**KLUG, S. (2009)** Inter- and intrarelationships of extinct synechodontiform sharks (Chondrichthyes, Elasmobranchii): when is a shark a neoselachian? Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 127A-128A



**KLUG, S. & KRIWET, J. & BÖTTCHER, R. & SCHWEIGERT, G. & DIETL, G. (2009)** Skeletal anatomy of the extinct shark *Paraorthacodus jurensis* (Chondrichthyes; Palaeospinacidae), with comments on synchondontiform and palaeospinacid monophyly. *Zoological Journal of the Linnean Society*, 157 (1): 107-134

**KOGAN, I. & SCHÖNBERGER, K. & FISCHER, J. & VOIGT, S. (2009)** A nearly complete skeleton of *Saurichthys orientalis* (Pisces, Actinopterygii) from the Madygen Formation (Middle to Late Triassic, Kyrgyzstan, Central Asia) - preliminary results. *Freiberger Forschungshefte*, C532: 139-152

**KRIWET, J. & KIESSLING, W. & KLUG, S. (2009)** Diversification trajectories and evolutionary life-history traits in early sharks and batoids. *Proceedings of the Royal Society of London, Series B*, 276: 945-951

**KRIWET, J. & KLUG, S. (2009)** Fossil record and origin of squaliform sharks (Chondrichthyes, Neoselachii). In: Gallucci, V.F. & McFarlane, G.A. & Bargmann, G.G. (eds). *Biology and management of dogfish sharks*. American Fisheries Society. Bethesda, Maryland: 19-38

**KRIWET, J. & KLUG, S. (2009)** Node age estimates of angel and dogfish sharks (Chondrichthyes, Neoselachii) using constrained fossil data and molecular clocks for dating the origin of hyposqualean and derived "orbitostylic" sharks, respectively. *Abstract Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 129A-130A

**KRIWET, J. & NUNN, E.V. & KLUG, S. (2009)** Neoselachians (Chondrichthyes, Elasmobranchii) from the Lower and lower Upper Cretaceous of north-eastern Spain. *Zoological Journal of the Linnean Society*, 155: 316-347

- L, M, N, O -

**LANE, J. (2009)** Cranial morphology in two cretaceous hybodont sharks, *Tribodus limae* and *Egertonodus basanus* (Chondrichthyes: Elasmobranchii), based on digital reconstructions. *Abstract Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 131A-132A

**LANE, J.A. & MAISEY, J.G. (2009)** Pectoral anatomy of *Tribodus limae* (Elasmobranchii: Hybodontiformes) from the Lower cretaceous of Northeastern Brazil. *Journal of Vertebrate Paleontology*, 29 (1): 25-38  
<http://dx.doi.org/1671/039.029.0120>

**LAURINI, C. & LANGER, M. & RICHTER, M. (2009)** Chondrichthyan teeth from the Rio do Rasto Formation, Permian of Brazil. *Abstract Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 133A

**LEBEDEV, O.A. (2009)** A new specimen of *Helicoprion* Karpinsky, 1899 from Kazakhstaniian Cisurals and a new reconstruction of its tooth whorl position and function. *Acta Zoologica (Stockholm)*, 90 (1): 171-182 <http://dx.doi.org/1111/j.1463-6395.2008.00353.x>

- LUCAS, S.G. & SPIELMANN, J.A. (2009)** Low diversity selachian assemblage from the upper cretaceous Greenhorn Limestone, Socorro County, New Mexico. New Mexico Geological Society Guidebook, 60th Field Conference, Geology of the Chupadera Mesa Region: 311-314
- MAISEY, J.G. (2009)** Heslerodidae (Chondrichthyes, Elasmobranchii), a new family of Paleozoic phalacanthous sharks. *Kirtlandia*, 57: 13-21
- MAISEY, J.G. (2009)** The spine-brush complex in symmoriiform sharks (Chondrichthyes; Symmoriiformes), with comments on dorsal fin modularity. *Journal of Vertebrate Paleontology*, 29 (1): 14-24
- MAISEY, J.G. & MILLER, R.F. & TURNER, S. (2009)** The braincase of the chondrichthyan *Doliodus* from the Lower Devonian Campbellton Formation of New Brunswick, Canada. *Acta Zoologica (Stockholm)*, 90 (Suppl. 1): 109-122 <http://dx.doi.org/1111/j.1463-6395.2008.00330.x>
- MANSBY, U. (2009)** Late Cretaceous coprolites from the Kristianstad Basin, southern Sweden. Bachelor Thesis, Department of Geology, Lund University
- MENASCO-DAVIS, L. & STIDHAM, T. (2009)** Earliest paleocene recovery of marine vertebrates: evidence from the basal Kincaid Formation, eastern Texas. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 147A
- MONTELLANO, M. & MONROY, H. & HERNANDEZ-RIVERA, R. & TORRES, E. (2009)** Late cretaceous microvertebrate fauna from the northern state of Coahuila, Mexico. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 151A
- MUTTER, R.J. & NEUMAN, A.G. (2009)** Recovery from the end-Permian extinction event: evidence from "Lilliput *Listracanthus*". *Palaeogeography, Palaeoclimatology, Palaeoecology*, 284 (1-2): 22-28 <http://dx.doi.org/1016/j.palaeo.2009.08.024>
- NÉRAUDEAU, D. & VULLO, R. & GOMEZ, B. & GIRARD, V. & LAK, M. & VIDET, B. & DÉPRÉ, É. & PERRICHOT, V. (2009)** Amber, plant and vertebrate fossils from the Lower Cenomanian paralic facies of Aix Island (Charente-Maritime, SW France). *Geodiversitas*, 31 (1) : 13-27
- NEWBREY, M.G. & COOK, T.D. & WILSON, M.V.H. & NEUMAN, A.G. & TAKEUCHI, G.T. (2009)** Growth characteristics of some late cretaceous Lamniforms (Elasmobranchii) of north America. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 155A
- ODUNZE, S. & STEVENS, N. & OBI, G. & EASTMAN, J. (2009)** Paleocene ichthyofauna and paleoenvironmental setting, imo formation, southeastern Nigeria. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 158A

- P, Q, R, S -

**PEREA, D. & SOTO, M. & VEROSLAVSKY, G. & MARTÍNEZ, S. & UBILLA, M. (2009)** A Late Jurassic fossil assemblage in Gondwana: Biostratigraphy and correlations of the



Tacuarembó Formation, Parana Basin, Uruguay. *Journal of South American Earth Sciences*, 28 (2): 168

**PILGRIM, B.L. & FRANZ-ODENDAAL, T.A. (2009)** A comparative study of the ocular skeleton of fossil and modern chondrichthyans. *Journal of Anatomy*, 214 (6): 848-858 rezent, Devonian (Devon)

**PIMIENTO, C. & EHRET, D. & MACFADDEN, B. (2009)** Panama as a paleo-nursery area for giant shark babies (*C. megalodon*). Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 164A

**POPOV, E. & WARD, D. & LEPAGE, G. (2009)** The diversity and nomenclatural revision of the holocephalian fishes (*Chimaeriformes*) from the Kimmeridgian (late Jurassic) of western Europe. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 166A

**PRADEL, A. & LANGER, M. & MAISEY, J.G. & GEFFARD-KURIYAMA, D. & CLOETENS, P. & JANVIER, P. & TAFFOREAU, P. (2009)** Skull and brain of a 300-million-year-old chimaeroid fish revealed by synchrotron holotomography. *Proceedings of the National Academy of Sciences*, 106 (13): 5224-5228 <http://dx.doi.org/1073/pnas.0807047106>

**PRASAD, G. & SINGH, K. (2009)** New microvertebrate assemblage from the continental upper triassic rocks of peninsular India. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 167A

**PYENSON, N.D. & IRMIS, R.B. & LIPPS, J.H. & BARNES, L.G. & MITCHELL, E.D. & McLEOD, S.A. (2009)** Origin of a widespread marine bonebed deposited during the middle Miocene Climatic Optimum. *Geology*, (2009) (37): 519-522 <http://dx.doi.org/1130/G25509A.1>

**REINECKE, T. WIENRICH, G. (2009)** Elasmobranchii In: *Die Fauna des marinen Miozäns von Kevelaer (Niederrhein): Vol: 5: Vertebraten, Elasmobranchii, Otolithen: 968ff*

**SCHNEIDER, C. (2009)** *Die Haie des Campans von Hannover - Teil 2. Arbeitskreis Paläontologie Hannover*, 37: 71-76

**SCHNEIDER, S. & BERNING, B. & BITNER, M.A. & CARRIOL, R.-P. & JÄGER, M. & KRIWET, J. & KROH, A. & WERNER, W. (2009)** A parautochthonous shallow marine fauna from the Late Burdigalian (early Ottnangian) of Gurlarn (Lower Bavaria, SE Germany): Macrofaunal inventory and paleoecology. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 254: 63-103

**SCHROETER, E. & LACOVARA, K. (2009)** *Cretalamna appendiculata* (Lamniformes: Cretoxyrhinidae) teeth from the Pari Aike Formation (Maastrichtian) of Santa Cruz Province, Argentina. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 177A

**SHIMADA, K. (2009)** The first associated teeth of the Late Cretaceous anacoracid shark, *Pseudocorax laevis* (Lerliche), from the Mooreville Chalk of Alabama. *Transactions of the Kansas Academy of Science*, 112 (3/4): 164-168

**SHIMADA, K. & RIGSBY, C.K. & KIM, S.H. (2009)** Partial Skull of Late Cretaceous Durophagous Shark, *Ptychodus occidentalis* (Elasmobranchii: Ptychodontidae), from Nebraska, U.S.A. *Journal of Vertebrate Paleontology*, 29 (2): 336-349

**SHIMADA, K. & TSUIHIJI, T. & SATO, T. & HASEGAWA, Y. (2009)** A remarkable case of a shark-bitten elasmosaurid plesiosaur from the upper cretaceous of Japan. Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 180A

**SHIN, J.-Y. & MOTANI, R. (2009)** Feeding mechanism of large mesozoic fossil Chimaeroids (Chondrichthyes, Holocephali): how large a shell could they crush? Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 181A

**SPIELMANN, J.A. & PENCE, R. & LUCAS, S.G. (2009)** A nearshore vertebrate assemblage from the late cretaceous (Turonian) Atarque Sandstone, Socorro County, New Mexico. New Mexico Geological Society Guidebook, 60th Field Conference, Geology of the Chupadera Mesa Region: 315-320

**SUÁREZ, M.E. & OTERO, R.A. (2009)** Nuevos hallazgos de vertebrados marinos en el Campaniano-Maastrichtiano de Loanco, VII Región. Libro de Actas, I Simposio - Paleontología en Chile - 2008: 78-82

- T, U, V, W, X, Y, Z -

**TOMITA, T. (2009)** Reconstruction of fossil shark ventilation systems based on gill arch morphology and evolutionary implications. Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 191A

**TULU, Y. (2009)** Experimental taphonomy: implications for the fossil record and paleoenvironmental interpretation. Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 193A

**UNDERWOOD, C. & CUMBAA, S. (2009)** Chondrichthyans from a Canadian Cenomanian bonebed; implications for faunal provinciality of the western interior seaway. Abstract Journal of Vertebrate Paleontology, 29 (Supplement to Number 3): 194A

**VAN DEN ECKHAUT, G. & DE SCHUTTER, P. (2009)** The Elasmobranch Fauna of the Lede Sand Formation at Oosterzele (Lutetian, Middle Eocene of Belgium). Palaeofocus, 1: 1-57, 2 fig., 2 tab., 22 pl.

**VICENS, D. & PONS, G.X. & QUINTANA, J. & ESCALANTE, F. (2009)** Fossil elasmobranchs of the Balearic Islands on scientific collections of Menorca and Mallorca. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 13

**VULLO, R. & ARNAUD, E. (2009)** Presence de *Ptychodus latissimus* Agassiz, 1843 (Elasmobranchii, Hybodontiformes) dans le Crétacé Supérieur des Charentes. Annales de la Société des Sciences Naturelles de la Charente-Maritime, 9 (9) : 962-966

**VULLO, R. & BERNÁRDEZ, E. & BUSCALIONI, A.D. (2009)** Vertebrates from the middle?-late Cenomanian La Cabaña Formation (Asturias, northern Spain): Palaeoenvironmental and palaeobiogeographic implications. Palaeogeography, Palaeoclimatology, Palaeoecology, 276 (1): 120-129

**WANG, N.-Z. & ZHANG, X. & ZHU, M. & ZHAO, W.-J. (2009)** A new articulated hybodontoid from Late Permian of northwestern China. *Acta Zoologica (Stockholm)*, 90 (1): 159-170 <http://dx.doi.org/1111/j.1463-6395.2008.00382.x>

**WASSON, H. & BREED, C. & SANKEY, J. (2009)** Paleoecology of Lonchidion selachos from the latest cretaceous Hell Creek Formation, North Dakota. Abstract *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 198A

**WUERINGER, B.E. & SQUIRE, L. & COLLIN, S.P. (2009)** The biology of extinct and extant sawfish (Batoidea: Sclerorhynchidae and Pristidae). *Reviews in Fish Biology and Fisheries*, 19 (4): 445-464 <http://dx.doi.org/1007/s11160-009-9112-7>

**ZACKE, A. & VOIGT, S. & JOACHIMSKI, M.M. & GALE, A.S. & WARD, D.J. & TÜTKEN, T. (2009)** Surface-water freshening and high-latitude river discharge in the Eocene North Sea. *Journal of the Geological Society*, 166: 969-980 <http://dx.doi.org/1144/0016-76492008-068>

**Rezent**

**Complete list (arrange in alphabetical order)**

- A, B, C-

**ADRIM, F. & ADRIM, M. (2009)** The first record of a shark of the genus *Glyphis* in Indonesia. *Raffles Bulletin of Zoology*, 57 (1): 113-118

**AGUILAR, R. & GREENBERG, R. (2009)** Sharks, rays and chimaeras observed while using an roV in the Western Mediterranean and southern Bay of Biscay. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 58

**AGUILAR, R. & GREENBERG, R. & DE LA TORRIENTE, A. (2009)** Distribution of *Scyliorhinus canicula* in the circalittoral seabeds of Cabrera national park. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 73

**AHONEN, H. & HARCOURT, R.G. & STOW, A.J. (2009)** Nuclear and mitochondrial DNA reveals isolation of imperilled grey nurse shark populations (*Carcharias taurus*). *Molecular Ecology*, 18 (21): 4409-4421 <http://dx.doi.org/10.1111/j.1365-294X.2009.04377.x>

**AIRES-DA-SILVA, A.M. & MAUNDER, M.N. & GALLUCCI, V.F. & KOHLER, N.E. & HOEY, J.J. (2009)** A spatially structured tagging model to estimate movement and fishing mortality rates for the blue shark (*Prionace glauca*) in the North Atlantic Ocean. *Marine and Freshwater Research*, 60 (10): 1029-1043

**AKHILESH, K.V. & MANJEBRAYAKATH, H. & GANGA, U. & PILLAI, N.G.K. & SEBASTINE, M. (2009)** Morphometric characteristics of deepwater stingray *Plesiobatis daviesi* (Wallace, 1967) collected from the Andaman Sea. *Journal of the Marine Biological Association of India*, 51 (2): 246-249

**ALMEIDA, M.P. & BARTHEM, R.B. & VIANA, A.S. & CHARVET-ALMEIDA, P. (2009)** Factors affecting the distribution and abundance of freshwater stingrays (Chondrichthyes: Potamotrygonidae) at Marajó Island, mouth of the Amazon River. *Pan-American Journal of Aquatic Sciences*, 4 (1): 1-11

**ALVARENGA, F.M.S. & LACERDA, A.C.F. & TAKEMOTO, R.M. & PAVANELLI, G.C. (2009)** Absence of metazoan gill parasites on *Potamotrygon falkneri* (Potamotrygonidae) and its ecological implications in the upper Paraná River floodplain, Brazil. *Pan-American Journal of Aquatic Sciences*, 4 (4): 589-592

**AMEZCUA-LINARES F. & AMEZCUA F. (2009)** Occurrence of *Urotrygon cimar* (Urotrygonidae) in the central Pacific coast of Mexico. *Cybium*, 33 (4): 337-338

**ANADÓN, R. & FERREIRO-GALVE, S. & SUEIRO, C. & GRANA, P. & CARRERA, I. & YANEZ, J. & RODRIGUEZ-MOLDES, I. (2009)** Calretinin-immunoreactive systems in the cerebellum and cerebellum-related lateral-line medullary nuclei of an elasmobranch,

Scyliorhinus canicula. Journal of Chemical Neuroanatomy, 37 (1): 46-54  
<http://dx.doi.org/1016/j.jchemneu.2008.09.003>

**ANDERSON, G. & TAYLOR, J.R. & GROSELL, M. & WEIHRAUCH, D. (2009)** Waste not want not - Intestinal handling of solutes and water in elasmobranchs. Abstract. Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology, 153 (2, Supplement 1): S65 <http://dx.doi.org/1016/j.cbpa.2009.04.007>

**ARAUZ, R. & ZANELLA, I. & LÓPEZ, A. & ANTONIOU, A. & REID, A. & FUENTES, N. (2009)** Preliminary results: study on residency and migratory habits of sharks of Coco's Island national park. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 74

**ARI, C. (2009)** On the Brain of Cartilaginous Fishes: Cerebralization, astroglial architecture and blood-brain barrier composition. LAP Lambert Academic Publishing, ISBN 978-3-8383-1610-9

**AWRUCH, C.A. & PANKHURST, N.W. & FRUSHER, S.D. & STEVENS, J.D. (2009)** Reproductive seasonality and embryo development in the draughtboard shark *Cephaloscyllium laticeps*. Marine and Freshwater Research, 60 (12): 1265-1272

**AYBAR, L. & SHIN, D.H. & SMITH, S.L. (2009)** Molecular characterization of the alpha subunit of complement component C8 (GcC8a) in the nurse shark (*Ginglymostoma cirratum*). Fish and Shellfish Immunology, 27 (3): 397-406 <http://dx.doi.org/1016/j.fsi.2009.05.020>

**AZEVEDO, C. & CASAL, G. & GARCIA, P. & MATOS, P. & TELES-GRILLO, L. & MATOS, E. (2009)** Ultrastructural and phylogenetic data of *Chloromyxum riorajum* sp. nov. (Myxozoa), a parasite of the stingray *Rioraja agassizii* in Southern Brazil. Diseases of Aquatic Organisms, 85 (1): 41-51 <http://dx.doi.org/3354/dao02067>

**BAENSCH, H. & ALBRECHT, M. & GRACE, M.A. (2009)** Spatial distribution of benthic chondrichthyans in the us Gulf of Mexico. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 49

**BAENSCH, H. & BRUNNSCHWEILER, J.M. (2009)** Estimating population parameters for bull sharks at a feeding site in a marine protected area in Fiji. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 59

**BARANES, A. (2009)** The red sea sharks: taxonomy, biology and ecology. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 4

**BAREMORE, I.E. & ANDREWS, K.I. & HALE, L.F. (2009)** Difficulties associated with modeling growth in the Atlantic angel shark (*Squatina dumeril*). Fisheries Research, 99 (3): 203-209

**BARNETT, L.A.K. & EARLEY, R.L. & EBERT, D.A. & CAILLIET, G.M. (2009)** Maturity, fecundity, and reproductive cycle of the spotted ratfish, *Hydrolagus coliei*. Marine Biology, 156 (3): 301-316 <http://dx.doi.org/1007/s00227-008-1084-y>

**BARNETT, L.A.K. & EBERT, D.A. & CAILLIET, G.M. (2009)** Assessment of the dorsal fin spine for chimaeroid (Holocephali: Chimaeriformes) age estimation. *Journal of Fish Biology*, 75 (6): 1258-1270 <http://dx.doi.org/1111/j.1095-8649.2009.02362.x>

**BARON, A. & VEO, K. & ANGLESON, J. & DORES, R.M. (2009)** Modeling the evolution of the MC2R and MC5R genes: Studies on the cartilaginous fish, *Heterodontus francisci*. *General and Comparative Endocrinology*, 161 (1): 13-19  
<http://dx.doi.org/1016/j.ygcen.2008.11.026>

**BASTEN, B.L. & SHERMAN, R.L. & LAMETSCHWANDTNER, A. & SPIELER, R.E. (2009)** Development of embryonic gill vasculature in the yellow stingray, *Urobatis jamaicensis*. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S69 <http://dx.doi.org/1016/j.cbpa.2009.04.021>

**BASTEN, B.L. & SHERMAN, R.L. & LAMETSCHWANDTNER, A. & SPIELER, R.E. (2009)** A unique vascular configuration among the efferent branchial arteries and splanchnic arteries in the yellow stingray, *Urobatis jamaicensis*. *Microscopy and microanalysis : the official journal of Microscopy Society of America, Microbeam Analysis Society, Microscopical Society of Canada*, 15 (3): 194-196

**BEJARANO-ÁLVAREZ, M. & TORRES-ROJAS, Y.E. & GALVÁN-MAGAÑA, F. & HERNÁNDEZ-HERRERA, A. (2009)** Reproduction and isotopic characteristics of *Sphyrna lewini* in South of Mexico. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 25

**BERNAL, D. & AALBERS, S. & SEPULVEDA, C. (2009)** The role of the caudal fin in the common thresher shark, it's not just for swimming. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S69-S70  
<http://dx.doi.org/1016/j.cbpa.2009.04.022>

**BERNAL, D. & SEPULVEDA, C.A. & MUSYL, M. & BRILL, R. (2009)** The eco-physiology of swimming and movement patterns of tunas, billfishes, and large pelagic sharks. Chapter 14. In: *Fish Locomotion - an etho-ecological perspective*. (Eds. Domenici, P. Kapoor, D.) Science Publishers: 436-483

**BERNAL, D. & SYME, D. & DONLEY, J. & SEPULVEDA, C. (2009)** Divergent locomotor muscle design among thresher sharks. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S67  
<http://dx.doi.org/1016/j.cbpa.2009.04.013>

**BIZZARRO, J.J. & SMITH, W.D. & CASTILLO-GÉNIZ, J.L. & OCAMPO-TORRES, A. & MÁRQUEZ-FARÍAS, J.F. & HUETER, R.E. (2009)** The seasonal importance of small coastal sharks and rays in the artisanal elasmobranch fishery of Sinaloa, Mexico. *Pan-American Journal of Aquatic Sciences*, 4 (4): 513-531

**BIZZARRO, J.J. & SMITH, W.D. & HUETER, R.E. & VILLAVICENCIO-GARAYZAR, C.J. (2009)** Activities and Catch Composition of Artisanal Elasmobranch Fishing Sites on the Eastern Coast of Baja California Sur, Mexico. *Bulletin of Southern California Academy of Sciences*, 108 (3): 137-151



- BIZZARRO, J.J. & SMITH, W.D. & MARQUEZ-FARIAS, J.F. & TYMINSKI, J. & HUETER, R.E. (2009)** Temporal variation in the artisanal elasmobranch fishery of Sonora, Mexico. *Fisheries Research*, 97 (1-2): 103-117
- BIZZARRO, J.J. & VAUGHN, M.T. (2009)** Aspects of the biology and species composition of skates (Rajiformes) from Insular Waters of Southeastern Alaska. *Northwestern Naturalist*, 90: 247-256
- BLABER, S.J.M. & DICHMONT, C.M. & WHITE, W. & BUCKWORTH, R. & SADIYAH, L. & ISKANDAR, B. & NURHAKIM, S. & PILLANS, R. & ANDAMARI, R. & DHARMADI & FAHMI (2009)** Elasmobranchs in southern Indonesian fisheries: the fisheries, the status of the stocks and management options. *Reviews in Fish Biology and Fisheries*, 19 (3): 367-391  
<http://dx.doi.org/1007/s11160-009-9110-9>
- BONFIL, R. & FRANCIS, M. & DUFFY, C. & MANNING, M. & O'BRIEN, S. & SCOLLEY, K. (2009)** White sharks (*Carcharodon carcharias*) from New Zealand like to vacation in the tropics. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 60
- BORUCINSKA, J.D. & KOTRAN, K. & SHACKETT, M. & BARKER, T. (2009)** Melanomacrophages in three species of free-ranging sharks from the northwestern Atlantic, the blue shark *Prionace glauca* (L.), the shortfin mako, *Isurus oxyrinchus Rafinesque*, and the thresher, *Alopias vulpinus* (Bonnaterre). *Journal of Fish Diseases*, 32 (10): 883-891  
<http://dx.doi.org/1111/j.1365-2761.2009.01067.x>
- BORUCINSKA, J.D. & TAFUR, M. (2009)** Comparison of histological features, and description of histopathological lesions in thyroid glands from three species of free-ranging sharks from the northwestern Atlantic, the blue shark, *Prionace glauca* (L.), the shortfin mako, *Isurus oxyrinchus Rafinesque*, and the thresher, *Alopias vulpinus* (Bonnaterre). *Journal of Fish Diseases*, 32 (9): 785-793  
<http://dx.doi.org/1111/j.1365-2761.2009.01056.x>
- BOTTARO, M. & FORTUNA, C.M. & VALLINI, C. & FILIDEI, E. & RUFFINO, M. & DI MUCCIO, S. & CONSALVO, I. & GION, C. & GIOVANARDI, O. & MOSTARDA, E. & TARULLI, E. & SCACCO, U. & MAZZOLA, A. (2009)** A conservation and management chance for elasmobranchs in the Italian waters: first results from monitoring of cetacean by-catch in the Adriatic Sea. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 36
- BOUGATEF, A. & HAJJI, M. & BALTI, R. & LASSOUED, I. & TRIKI-ELLOUZ, Y. & NASRI, M. (2009)** Antioxidant and free radical-scavenging activities of smooth hound (*Mustelus mustelus*) muscle protein hydrolysates obtained by gastrointestinal proteases. *Food Chemistry*, 114 (4): 1198-1205  
<http://dx.doi.org/1016/j.foodchem.2008.10.075>
- BRILL, R. & BUSHNELL, P. & SUNDARAM, R. & SMITH, L. & STROUD, E. & SPEAKS, C. & WANG, J. (2009)** The repulsive and feeding-deterrent effects of electropositive metals on juvenile sandbar sharks (*Carcharhinus plumbeus*). *Fishery Bulletin*, 107 (3): 298-307
- BRUNNSCHWEILER, J.M. (2009)** Tracking free-ranging sharks with hand-fed intra-gastric acoustic transmitters. *Marine and Freshwater Behaviour and Physiology*, 42: 201-209

**BRUNNSCHWEILER, J.M. (2009)** Species record and mistaken identifications: the case of bull sharks at Chumphon Pinnacle, Thailand. *Marine Biodiversity Records*, 2: e94

**BRUNNSCHWEILER, J.M. & BAENSCH, H. & PIERCE, S.J. & SIMS, D.W. (2009)** Deep-diving behaviour of a whale shark *Rhincodon typus* during long-distance movement in the western Indian Ocean. *Journal of Fish Biology*, 74 (3): 706-714  
<http://dx.doi.org/1111/j.1095-8649.2008.02155.x>

**BRUNNSCHWEILER, J.M. & QUEIROZ, N. & SIMS, D.W. (2009)** Oceans apart? Short-term movements and behaviour of adult bull sharks in Atlantic and Pacific Oceans determined from pop-off satellite archival tagging. Abstract. In: *Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 61

**BUSTAMANTE, C. & CONCHA, F. & BALBONTÍN, F. & LAMILLA, J. (2009)** Southernmost record of *Isurus paucus* Girtart Manday, 1966 (Elasmobranchii: Lamnidae) in the southeast Pacific Ocean. *Revista de Biología Marina y Oceanografía*, 44 (2): 523-526  
<http://dx.doi.org/4067/S0718-19572009000200025>

**CAIRA, J.N. & JENSEN, K. (2009)** Erection of a new onchobothriid genus (Cestoda: Tetraphyllidea) and the description of five new species from whaler sharks (Carcharhinidae). *Journal of Parasitology*, 95 (4): 924-940

**CALDAS, A.J.P. & DIDIER, D.A. & SANTOS-MARTÍNEZ, A. & ACERO, A.P. (2009)** New record of *Chimaera cubana* Howell-Rivero (Chondrichthyes: Holocephali: Chimaeridae) from the western Caribbean Sea. *Pan-American Journal of Aquatic Sciences*, 4 (4): 583-588

**CAMPANA, S.E. & JOYCE, W. & FRANCIS, M.P. & MANNING, M.J. (2009)** Comparability of blue shark mortality estimates for the Atlantic and Pacific longline fisheries. *Marine Ecology Progress Series*, 396: 161-164 <http://dx.doi.org/3354/meps08433>

**CAMPANA, S.E. & JOYCE, W. & KULKA, D.W. (2009)** Growth and reproduction of spiny dogfish off the eastern coast of Canada, including inferences on stock structure In: Gallucci, V.F. & McFarlane, G.A. & Bargmann, G.G. (eds). *Biology and management of dogfish sharks*. American Fisheries Society. Bethesda, Maryland: 195-208

**CAMPANA, S.E. & JOYCE, W. & MANNING, M.J. (2009)** Bycatch and discard mortality in commercially caught blue sharks *Prionace glauca* assessed using archival satellite pop-up tags. *Marine Ecology Progress Series*, 387: 241-253

**CAMPOS, B.R. & FISH, M.A. & JONES, G. & RILEY, R.W. & ALLEN, P.J. & KLIMLEY, P.A. & CECH, J.J. & KELLY, J.T. (2009)** Movements of brown smoothhounds, *Mustelus henlei*, in Tomales Bay, California. *Environmental Biology of Fishes*, 85 (1): 3-13  
<http://dx.doi.org/1007/s10641-009-9462-y>

**CANOURA, J. & VILA, Y. & GIL, J. & SOBRINO, I. & BARO, J. (2009)** Information about four species of chondrichthyes (*Scyliorhinus canicula*, Linnaeus 1758, *Etmopterus spinax*, Linnaeus 1758 and *Galeus melastomus* Rafinesque, 1810 and *Galeus atlanticus* (Vaillant, 1888)) in waters off the Gulf of Cadiz (ices ixa south). Abstract. In: *Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 75

- CARPENTIER, A. & MARTIN, C.S. & VAZ, S. (2009)** Channel Habitat Atlas for marine Resource Management, final report. INTERREG 3a Programme, IFREMER, Boulogne-sur-mer, France. 626 pp.
- CARRERA-FERNÁNDEZ, M. & GALVÁN-MAGAÑA, F. & ESCOBAR-SÁNCHEZ, O. (2009)** Artisanal fishery of sharks landed in Salina Cruz, Oaxaca, Mexico. Abstract. In: Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 54
- CASPER, B.M. & MANN, D.A. (2009)** Field hearing measurements of the Atlantic sharpnose shark *Rhizoprionodon terraenovae*. *Journal of Fish Biology*, 75 (10): 2768-2776  
<http://dx.doi.org/1111/j.1095-8649.2009.02477.x>
- CASTRO, J.I. (2009)** Observations on the reproductive cycles of some viviparous North American sharks. *Aqua, International Journal of Ichthyology*, 15 (4): 205-222
- CERNA, F. & LICANDEO, R. (2009)** Age and growth of the shortfin mako (*Isurus oxyrinchus*) in the south-eastern Pacific off Chile. *Marine and Freshwater Research*, 60 (5): 394-403
- CHABOT, C.L. & ALLEN, L.G. (2009)** Global population structure of the tope (*Galeorhinus galeus*) inferred by mitochondrial control region sequence data. *Molecular Ecology*, 18 (3): 545-552 <http://dx.doi.org/1111/j.1365-294X.2008.04047.x>
- CHANG, J.H. & LIU, K.-M. (2009)** Stock assessment of the shortfin mako shark (*Isurus oxyrinchus*) in the Northwest Pacific Ocean using per recruit and virtual population analyses. *Fisheries Research*, 98 (1-3): 92-101
- CHAPMAN, C.A. & RENSHAW, G.M.C. (2009)** Hematological Responses of the Grey Carpet Shark (*Chiloscyllium punctatum*) and the Epaulette Shark (*Hemiscyllium ocellatum*) to Anoxia and Re-Oxygenation. *Journal of Experimental Zoology Part A: Comparative Experimental Biology*, 311: 422-438
- CHAPMAN, D.D. & BABCOCK, E.A. & GRUBER, S.H. & DIBATTISTA, J.D. & FRANKS, B. & KESSEL, S. & GUTTRIDGE, T.L. & PIKITCH, E.K. & FELDHEIM, K.A. (2009)** Long term natal site-fidelity by immature lemon sharks (*Negaprion brevirostris*) at a subtropical island. *Molecular Ecology*, 18 (16): 3500-3507 <http://dx.doi.org/1111/j.1365-294X.2009.04289.x>
- CHAPMAN, D.D. & PINHAL, D. & SHIVJI, M.S. (2009)** Tracking the fin trade: genetic stock identification in western Atlantic scalloped hammerhead sharks *Sphyrna lewini*. *Endangered Species Research*, 9 (3): 221-228 <http://dx.doi.org/3354/esr00241>
- CHARPENTIER, V. & MÉRY, S. & FORTINI, E. & PELLÉ, E. (2009)** « Un chef est un requin qui voyage par terre » : fonctions et statuts des armatures de projectile en dent de *Carcharhinus leucas* et aiguillon caudal de raie dans l'Arabie des VIe-IIIe millénaires av. notre ère. *Arabian Archaeology and Epigraphy*, 20 (1): 9-17 <http://dx.doi.org/1111/j.1600-0471.2008.00308.x>
- CHEN, H. & KSHIRSAGAR, S. & JENSEN, I. & LAU, K. & COVARRUBIAS, R. & SCHLUTER, S.F. & MARCHALONIS, J.J. (2009)** Characterization of arrangement and

expression of the T cell receptor gamma locus in the sandbar shark. Proceedings of the National Academy of Sciences of the United States of America, 106 (21): 8591-8596

**CHISHOLM, L. & WHITTINGTON, I. (2009)** *Dendromonocotyle urogymni* sp. nov. (Monogenea, Monocotylidae) from *Urogymnus asperrimus* (Elasmobranchii, Dasyatidae) off eastern Australia. *Acta Parasitologica*, 54 (2): 113-118 <http://dx.doi.org/2478/s11686-009-0023-5>

**CHISHOLM, L.A. & WHITTINGTON, I.D. (2009)** *Malalophus jensenae* n. g., n. sp. (Monogenea: Monocotylidae) from the gills of *Aetomylaeus vespertilio* (Myliobatidae) off northern Australia. *Systematic Parasitology*, 73 (2): 81-86 <http://dx.doi.org/1007/s11230-009-9176-8>

**CHO, Y.S. & JUNG, W.K. & LEE, S.H. & MENDIS, E. & KIM, S.K. (2009)** A novel visceral excitatory neuropeptide from the brain tissue of cloudy dogfish (*Scyliorhinus torazame*). *Food Chemistry*, 115 (4): 1306-1311 <http://dx.doi.org/1016/j.foodchem.2009.01.048>

**CICIA, A.M. & DRIGGERS, W.B. & INGRAM, G.W. & KNEEBONE, J. & TSANG, P.C.W. & KOESTER, D.M. & SULIKOWSKI, J.A. (2009)** Size and age estimates at sexual maturity for the little skate *Leucoraja erinacea* from the western Gulf of Maine, U.S.A. *Journal of Fish Biology*, 75 (7): 1648-1666 <http://dx.doi.org/1111/j.1095-8649.2009.02392.x>

**CLAERBOUDT, M.R. & HENDERSON, A.C. (2009)** Rapid morphometric measurement of stingrays using digital photography. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 8

**CLAES, J.M. & MALLEFET, J. (2009)** Hormonal control of luminescence from lantern shark (*Etmopterus spinax*) photophores. *Journal of Experimental Biology*, 212 (22): 3684-3692 <http://dx.doi.org/1242/jeb.034363>

**CLAES, J.M. & MALLEFET, J. (2009)** Ontogeny of photophore pattern in the velvet belly lantern shark, *Etmopterus spinax*. *Zoology*, 112 (6): 433-441 <http://dx.doi.org/1016/j.zool.2009.02.003>

**CLAES, J.M. & MALLEFET, J. (2009)** Complex control of photophores luminescence from a lanternshark, *Etmopterus spinax* (Squaloidea: Etmopteridea). Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 15

**CLARKE, M.W. (2009)** Sharks, skates and rays in the northeast Atlantic: population status, advice and management. *Journal of Applied Ichthyology*, 25 (S1): 3-8

**COETZEE, M.L. & SMIT, N.J. & GRUTTER, A.S. & DAVIES, A.J. (2009)** *Gnathia trimaculata* n. sp. (Crustacea: Isopoda: Gnathiidae), an ectoparasite found parasitising requiem sharks from off Lizard Island, Great Barrier Reef, Australia. *Systematic Parasitology*, 72 (2): 97-112 <http://dx.doi.org/1007/s11230-008-9158-2>

**COLONELLO, J.H. (2009)** Ecología reproductiva de tres batoideos (Chondrichthyes): *Atlantoraja castelnaui* (Rajidae), *Rioraja agassizi* (Rajidae) y *Zapteryx brevirostris* (Rhinobatidae). Implicancias de distintas estrategias adaptativas en un escenario de

explotación comercial intensiva. Ph.D. thesis, Facultad de Ciencias Naturales y Museo, Universidad Nacional de La Plata: 1-183

**CONCEICAO, K. & SANTOS, J.M. & BRUNI, F.M. & KLITZKE, C.F. & MARQUES, E.E. & BORGES, M.H. & MELO, R.L. & FERNANDEZ, J.H. & LOPES-FERREIRA, M. (2009)** Characterization of a new bioactive peptide from Potamotrygon gr. orbignyi freshwater stingray venom. *Peptides*, 30 (12): 2191-2199

**CONCHA, F. & HERNÁNDEZ, S. & ODDONE, M.C. (2009)** Egg capsules of the raspthorn sand skate, *Psammobatis scobina* (Philippi, 1857) (Rajiformes, Rajidae). *Revista de Biología Marina y Oceanografía*, 44 (1): 253-256 <http://dx.doi.org/4067/S0718-19572009000100026>

**COOLEN, M. & MENUET, A. & MAZAN, S. (2009)** Towards a synthetic view of axis specification mechanisms in vertebrates: insights from the dogfish. *Comptes Rendus - Biologies*, 332 (2): 210-218 <http://dx.doi.org/1016/j.crvl.2008.07.008>

**CORRIGAN, S. & BEHEREGARAY, L.B. (2009)** A recent shark radiation: Molecular phylogeny, biogeography and speciation of wobbegong sharks (family: Orectolobidae). *Molecular Phylogenetics and Evolution*, (2009) <http://dx.doi.org/1016/j.ympev.2009.03.007>

**COX, J. & ABEL, R. & XUAN, V.B. & COTTON, R. & YOUNG, P. & BAKER, M. & TABOR, G. & NICKELS, T. (2009)** Fluid flow in and around the olfactory organ of a hammerhead shark. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S68 <http://dx.doi.org/1016/j.cbpa.2009.04.018>

**CUTLER, C.P. & CRAMB, G. (2009)** Immunohistochemical localization and expression of aquaporin water channel membrane transport protein homologues in the osmoregulatory tissues of the dogfish (*Squalus acanthias*). Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S65-S66 <http://dx.doi.org/1016/j.cbpa.2009.04.009>

**CUTMORE, S.C. & BENNETT, M.B. & CRIBB, T.H. (2009)** *Paraorygmatobothrium taylori* n. sp. (Tetraphyllidea: Phyllobothriidae) from the Australian weasel shark *Hemigaleus australiensis* White, Last & Compagno (Carcharhiniformes: Hemigaleidae). *Systematic Parasitology*, 74 (1): 49-58 <http://dx.doi.org/1007/s11230-009-9201-y>

- D, E, F, G -

**DALLAS, L.J. & SHULTZ, A.D. & MOODY, A.J. & DANYLCHUK, A.J. & SLOMAN, K.A. (2009)** Does the stress associated with catch-and-release angling of bonefish (*Albula vulpes*) affect predation by juvenile lemon sharks (*Negaprion brevirostris*)? Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S69 <http://dx.doi.org/1016/j.cbpa.2009.04.020>

**DAVIES, W.L. & CARVALHO, L.S. & TAY, B.-H. & BRENNER, S. & HUNT, D.M. & VENKATESH, B. (2009)** Into the blue: gene duplication and loss underlie color vision adaptations in a deep-sea chimaera, the elephant shark *Callorhynchus milii*. *Genome Research*, 19 (3): 415-426 <http://dx.doi.org/1101/gr.084509.108>



**DAWSON, C.L. & STARR, R.M. (2009)** Movements of subadult prickly sharks *Echinorhinus cookei* in the Monterey Canyon. *Marine Ecology Progress Series*, 386: 253-262  
<http://dx.doi.org/3354/meps08067>

**DE BOECK, G. & EYCKMANS, M. & LARDON, I. & BOBBAERS, R. & SINHA, A.K. & BLUST, R. (2009)** Metal accumulation and metallothionein induction in the spotted dogfish *Scyliorhinus canicula*. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 154 (1, Supplement 1): S14  
<http://dx.doi.org/1016/j.cbpa.2009.05.051>

**DE BOECK, G. & EYCKMANS, M. & LARDON, I. & BOBBAERS, R. & SINHA, A.K. & BLUST, R. (2009)** Metal toxicity in the spotted dogfish *Scyliorhinus canicula*. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S70 <http://dx.doi.org/1016/j.cbpa.2009.04.024>

**DE MADDALENA, A. & ZUFFA, M. (2009)** Historical and contemporary presence of the great white shark, *Carcharodon carcharias* (Linnaeus, 1758), along the Mediterranean coast of France. *Bollettino del Museo civico di Storia Naturale di Venezia*, 59: 81-94

**DE SOUZA VIANNA, G.M. & VOOREN, C.M. (2009)** Distribution and abundance of the Lesser electric ray *Narcine brasiliensis* (Olfers, 1831) (Elasmobranchii: Narcinidae) in southern Brazil in relation to environmental factors. *Brazilian Journal of Oceanography*, 57 (2): 105-112 <http://dx.doi.org/1590/S1679-87592009000200003>

**DEAN, M.N. (2009)** Micromorphology and mechanics of the tessellated skeleton of cartilaginous fishes. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009*, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 16

**DEAN, M.N. & CLAESON, K.M. & SUMMERS, A.P. (2009)** Micromorphology and mechanics of the tessellated skeleton of cartilaginous fishes. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S68-S69 <http://dx.doi.org/1016/j.cbpa.2009.04.019>

**DEAN, M.N. & MULL, C.G. & GORB, S.N. & SUMMERS, A.P. (2009)** Ontogeny of the tessellated skeleton: insight from the skeletal growth of the round stingray *Urobatis halleri*. *Journal of Anatomy*, 215 (3): 227-372

**DEHGHANI, H. & SAJJADI, M.M. & RAJAIAN, H. & SAJEDIANFARD, J. & PARTO, P. (2009)** Study of patient's injuries by stingrays, lethal activity determination and cardiac effects induced by *Himantura gerrardi* venom. *Toxicon*, 54 (6): 881-886

**DEL MONTE-LUNA, P. & CASTRO-AGUIRRE, J.L. & BROOK, B.W. & DE LA CRUZ-AGÜERO, J. & CRUZ-ESCALONA, V.H. (2009)** Putative extinction of two sawfish species in Mexico and the United States: *Neotropical Ichthyology*, 7 (3): 205-212  
<http://dx.doi.org/1590/S1679-62252009000300020>

**DEL PILAR BLANCO-PARRA, M. & MÁRQUEZ-FARÍAS, F. & GALVÁN-MAGAÑA, F. (2009)** Fishery and morphometric relationships of the banded guitarfish, *Zapteryx exasperata* (Elasmobranchii, Rhinobatidae), from the Gulf of California, Mexico. *Pan-American Journal of Aquatic Sciences*, 4 (4): 456-465



- DÍAZ-ANDRADE, M.C. & GALINDEZ, E.J. & ESTECONDO, S. (2009)** The ovary of the bignose fanskate *Sympterygia acuta* Garman, 1877 (Chondrichthyes, Rajidae) in the Bahía Blanca estuary, Argentina: morphology and reproductive features. *Brazilian Journal of Biology*, 69 (2): 405-413
- DIBATTISTA, J.D. (2009)** Evolutionary potential of a large marine vertebrate, the lemon shark (*Negaprion brevirostris*). PhD thesis. McGill University, Canada.
- DIBATTISTA, J.D. & FELDHEIM, K.A. & GARANT, D. & GRUBER, S.H. & HENDRY, A.P. (2009)** Evolutionary potential of a large marine vertebrate: quantitative genetic parameters in a wild population. *Evolution*, 63: 1051-1067 <http://dx.doi.org/1111/j.1558-5646.2008.00605.x>
- DICKEN, M.L. & BOOTH, A.J. & SMALE, M.J. (2009)** Factors affecting recapture rates of raggedtooth sharks *Carcharias taurus* tagged off the east coast of South Africa. *South African Journal of Marine Science*, 31 (3): 365-372  
<http://dx.doi.org/2989/AJMS.2009.31.3.9.997>
- DICKEN, M.L. & HOSKING, S.G. (2009)** Socio-economic aspects of the tiger shark diving industry within the Aliwal Shoal Marine Protected Area, South Africa *African Journal of Marine Science*, 31 (2): 227-232
- DICKEN, M.L. & HOSKING, S.G. (2009)** Socio-economic aspects of the tiger shark diving industry within the Aliwal Shoal Marine Protected Area, South Africa. *South African Journal of Marine Science*, 31 (2): 227-232 <http://dx.doi.org/2989/AJMS.2009.31.2.10.882>
- DIOP, M.S. & DOSSA, S.J. (2009)** A description of the guinean shark fisheries. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 55
- DIOP, M.S. & DOSSA, S.J. (2009)** West african action plan for sharks: where are we?. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 37
- DIPPENAAR, S.M. & VAN TONDER, R.C. & WINTNER, S.P. (2009)** Is there evidence of niche restriction in the spatial distribution of *Kroyeria dispar* Wilson, 1935, *K. papillipes* Wilson, 1932 and *Eudactylina pusilla* Cressey, 1967 (Copepoda: Siphonostomatoida) on the gill filaments of tiger sharks *Galeocerdo cuvier* off KwaZulu-Natal, South Africa? *Hydrobiologia*, 619 (1): 89-101 <http://dx.doi.org/1007/s10750-008-9602-y>
- DOMINGUES, R.R. & GONZALEZ, M.M.B. & AMORIM, A.F. (2009)** First reported occurrence of pregnant and neonate, *Rhinoptera brasiliensis* (Chondrichthyes, Rhinopteridae) caught off Guarujá city, São Paulo state, Brazil. *Pan-American Journal of Aquatic Sciences*, 4 (4): 605-608
- DRAGICEVIC, B. & DULCIC, J. & CAPAPÉ, C. (2009)** Capture of a rare shark, *Oxynotus centrina* (Chondrichthyes: Oxynotidae) in the eastern Adriatic Sea. *Journal of Applied Ichthyology*, 25 (S1): 56-59

- DRIGGERS, W.B. & HOFFMAYER, E.R. (2009)** Variability in the Reproductive Cycle of Finetooth Sharks, *Carcharhinus isodon*, in the Northern Gulf of Mexico. *Copeia*, (2009) (2): 390-393
- DUDGEON, C.L. & BRODERICK, D. & OVENDEN, J.R. (2009)** IUCN classification zones concord with, but underestimate, the population genetic structure of the zebra shark *Stegostoma fasciatum* in the Indo-West Pacific. *Molecular Ecology*, 18 (2): 248-261  
<http://dx.doi.org/1111/j.1365-294X.2008.04025.x>
- DULVY, N.K. & REYNOLDS, J.D. (2009)** Biodiversity: Skates on thin ice. *Nature*, 462 (7272): 417 <http://dx.doi.org/1038/462417a>
- DUNCAN, W.P. & COSTA, O.T.F. & ARAÚJO, M.L.G. & FERNANDES, M.N. (2009)** Ionic regulation and Na<sup>+</sup>-K<sup>+</sup>-ATPase activity in gills and kidney of the freshwater stingray *Paratrygon aiereba* living in white and blackwaters in the Amazon Basin. *Journal of Fish Biology*, 74 (4): 956-960 <http://dx.doi.org/1111/j.1095-8649.2008.02156.x>
- DYMOWSKA, A.K. & GOSS, G.G. (2009)** sAC mediated translocation of V-H<sup>+</sup>-ATPase to the basolateral membrane in the Pacific spiny dogfish gill ionocytes. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S64-S65 <http://dx.doi.org/1016/j.cbpa.2009.04.005>
- EBERT, D.A. & COMPAGNO, L.J.V. (2009)** *Chlamydoselachus africana*, a new species of frilled shark from southern Africa (Chondrichthyes, Hexanchiformes, Chlamydoselachidae). *Zootaxa*, 2173: 1-18
- EBERT, D.A. & COWLEY, P.D. (2009)** Reproduction and embryonic development of the blue stingray, *Dasyatis chrysonota*, in southern African waters. *Journal of the Marine Biological Association of the United Kingdom*, 89 (4): 809-815  
<http://dx.doi.org/1017/S0025315408002907>
- EL KAMEL, O. & MNASRI, N. & BEN SOUISSI, J. & BOUMAÏZA, M. & BEN AMOR, M.M. & CAPAPÉ, C. (2009)** Inventory of elasmobranch species caught in the Lagoon of Bizerte (North-eastern Tunisia, central Mediterranean). *Pan-American Journal of Aquatic Sciences*, 4 (4): 383-412
- ENAJJAR, S. & SAIDI, B. & BRADAI, M.N. & BOUAIN, A. (2009)** The Gulf of Gabès: a nursery area for sharks and rays. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 76
- ENDO, T. & HISAMICHI, Y. & KIMURA, O. & KOTAKI, Y. & KATO, Y. & OHTA, C. & KOGA, N. & HARAGUCHI, K. (2009)** Contamination levels of mercury in the muscle of female and male spiny dogfishes (*Squalus acanthias*) caught off the coast of Japan. *Chemosphere*, 77 (10): 1333-1337 <http://dx.doi.org/1016/j.chemosphere.2009.09.041>
- ENEVER, R. & CATCHPOLE, T.L. & ELLIS, J.R. & GRANT, A. (2009)** The survival of skates (Rajidae) caught by demersal trawlers fishing in UK waters. *Fisheries Research*, 97 (1-2): 72-76 <http://dx.doi.org/1016/j.fishres.2009.01.001>
- ESCOBAR-SÁNCHEZ, O. & GALVÁN-MAGAÑA, F. & ABITIA-CÁRDENAS, L.A. & CARRERA-FERNÁNDEZ, M. (2009)** Trophic level and isotopic composition of  $\delta^{13}C$  and

Ø15n of *Squatina californica* in the southern Gulf of California, Mexico. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 26

**ESTALLES, M. & PEREZ COMESAÑA, J.E. & TAMINI, L.L. & CHIARAMONTE, G.E. (2009)** Reproductive biology of the skate, *Rioraja agassizii* (Müller and Henle, 1841), off Puerto Quequén, Argentina. *Journal of Applied Ichthyology*, 25 (S1): 60-65

**ESTUPIÑÁN-MONTAÑO, C. & CEDEÑO-FIGUEROA, L.G. & GALVÁN-MAGAÑA, F. (2009)** Feeding habits of the scalloped hammerhead shark *Sphyrna lewini* (Griffith & Smith, 1834) (Chondrichthyes) in the Ecuadorian Pacific. *Revista de Biología Marina y Oceanografía*, 44 (2): 379-386

**FANELLI, E. & REY, J. & TORRES, P. & GIL DE SOLA, L. (2009)** Feeding habits of blackmouth catshark *Galeus melastomus* Rafinesque, 1810 and velvet belly lantern shark *Etmopterus spinax* (Linnaeus, 1758) in the western Mediterranean. *Journal of Applied Ichthyology*, 25 (S1): 83-93

**FARIA, V.V. & VENÂNCIO, I.M. & BASILIO, T.H. & SILVEIRA, L.M. & JUCÁ-QUEIROZ, B. & GADIG, O.B.F. & FURTADO-NETO, M.A.A. (2009)** Captura incidental de um tubarão-baleia, *Rhincodon typus* (Orectolobiformes, Rhincodontidae), na costa do Ceará, Nordeste do Brasil. *Pan-American Journal of Aquatic Sciences*, 4 (4): 599-604

**FARRELL, E.D. & CLARKE, M.W. & MARIANI, S. (2009)** A simple genetic identification method for Northeast Atlantic smoothhound sharks (*Mustelus* spp.). *ICES Journal of Marine Science*, 66: 561-565 <http://dx.doi.org/1093/icesjms/fsn218>

**FERRANDO, S. & GAMBARDILLA, C. & RAVERA, S. & BOTTERO, S. & FERRANDO, T. & GALLUS, L. & MANNO, V. & SALATI, A.P. & RAMOINO, P. & TAGLIAFIERRO, G. (2009)** Immunolocalization of G-protein alpha subunits in the olfactory system of the cartilaginous fish *Scyliorhinus canicula*. *Anatomical Record*, 292 (11): 1771-1779 <http://dx.doi.org/1002/ar.21003>

**FIELD, I.C. & MEEKAN, M.G. & BUCKWORTH, R.C. & BRADSHAW, C.J.A. (2009)** Susceptibility of sharks, rays and chimaeras to global extinction. *Advances in Marine Biology*, 56: 275-363 [http://dx.doi.org/1016/S0065-2881\(09\)56004-X](http://dx.doi.org/1016/S0065-2881(09)56004-X)

**FIELD, I.C. & MEEKAN, M.G. & BUCKWORTH, R.C. & BRADSHAW, C.J.A. (2009)** Chapter 4 Susceptibility of Sharks, Rays and Chimaeras to Global Extinction. *Advances in Marine Biology*, 56: 275

**FISCHER, A.F. & HAZIN, F.H.V. & CARVALHO, F. & VIANA, D.L. & RÊGO, M.G. & WOR, C. (2009)** Biological aspects of sharks caught off the Coast of Pernambuco, Northeast Brazil. *Brazilian Journal of Biology*, 69 (4): 1173-1181 <http://dx.doi.org/1590/S1519-69842009000500023>

**FLAJNIK, M.F. & DOOLEY, H. (2009)** The generation and selection of single-domain, v region libraries from nurse sharks. *Methods in molecular biology* (Clifton, N.J.), 562 (.): 71-82

**FORDHAM, S. (2009)** European shark conservation: progress and opportunities. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 38

- FOWLER, G.M. & CAMPANA, S.E. (2009)** Commercial by-catch rates of blue shark (*Prionace glauca*) from longline fisheries in the Canadian Atlantic. *Collect. Vol. Sci. Pap. ICCAT*, 64 (5): 1650-1667
- FOWLER, G.M. & CAMPANA, S.E. (2009)** Commercial by-catch rates of shortfin mako (*Isurus oxyrinchus*) from longline fisheries in the Canadian Atlantic. *Collect. Vol. Sci. Pap. ICCAT*, 64 (5): 1668-1676
- FREITAS, R.H.A. & ROSA, R.S. & WETHERBEE, B.M. & GRUBER, S.H. (2009)** Population size and survivorship for juvenile lemon sharks (*Negaprion brevirostris*) on their nursery grounds at a marine protected area in Brazil. *Neotropical Ichthyology*, 7 (2): 205-212
- FYLER, C.A. & CAIRA, J.N. & JENSEN, K. (2009)** Five new species of *Acanthobothrium* (Cestoda: Tetraphyllidae) from an unusual species of *Himantura* (Rajiformes: Dasyatidae) from northern Australia. *Folia Parasitologica*, 56 (2): 107-128
- GARGIULO, V. & LANZETTA, R. & PARRILLI, M. & DE CASTRO, C. (2009)** Structural analysis of chondroitin sulfate from *Scyliorhinus canicula*: a useful source of this polysaccharide. *Glycobiology*, 19 (12): 1485-1491 <http://dx.doi.org/1093/glycob/cwp123>
- GARIBALDI, F. (2009)** *Prionace glauca* (Linnaeus, 1758) in the Ligurian Sea: catches, population structure and ecology. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 62
- GARRONE NETO, D. (2009)** Considerações sobre a reprodução de duas espécies de raias (Myliobatiformes, Potamotrygonidae) na região do Alto Rio Paraná, Sudeste do Brasil. *Pan-American Journal of Aquatic Sciences*, 5 (1): 101-111
- GARRONE NETO, D. & SAZIMA, I. (2009)** The more stirring the better: cichlid fishes associate with foraging potamotrygonid rays. *Neotropical Ichthyology*, 7 (3): 499-501
- GARRONE NETO, D. & SAZIMA, I. (2009)** Stirring, charging, and picking: hunting tactics of potamotrygonid rays in the upper Paraná River. *Neotropical Ichthyology*, 7 (1): 113-116
- GARRONE NETO, D. & UIEDA, V.S. (2009)** Ingestion of catfish by freshwater stingray: possible mistake or inexperience. *Biota Neotropica*, 9 (4): 1-4
- GENOME 10K COMMUNITY OF SCIENTISTS (2009)** Genome 10K: A proposal to obtain whole-genome sequence for 10,000 vertebrate species. *Journal of Heredity*, 100 (6): 659-674 <http://dx.doi.org/1093/jhered/esp086>
- GEORGE, M.R. (2009)** An annotated checklist of North Sea cartilaginous fish species. *Journal of Applied Ichthyology*, 25 (S1): 33-39
- GERTSEVA, V.V. (2009)** The population dynamics of the longnose skate, *Raja rhina*, in the northeast Pacific Ocean. *Fisheries Research*, 95 (2-3): 139-145 <http://dx.doi.org/1016/j.fishres.2008.08.006>

**GERTSEVA, V.V. (2009)** The population dynamics of the longnose skate, *Raja rhina*, in the northeast Pacific Ocean. *Fisheries Research*, 95 (2-3): 146-153  
<http://dx.doi.org/1016/j.fishres.2008.08.006>

**GIL, J. & CANOURA, J. & VILA, Y. & SOBRINO, I. & BARO, J. (2009)** Distribution and relative abundance of *Chimaera monstrosa* (Chimaeridae, Chimaeriformes) in the spanish Gulf of Cadiz waters. Abstract. In: Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 77

**GIL, J. & CANOURA, J. & VILA, Y. & SOBRINO, I. & BARO, J. (2009)** Information about main batoids species caught from arsa bottom trawl surveys in the spanish Gulf of Cadiz waters. Abstract. In: Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 78

**GILLIS, J.A. & DAHN, R.D. & SHUBIN, N.H. (2009)** Chondrogenesis and homology of the visceral skeleton in the little skate, *Leucoraja erinacea* (Chondrichthyes: Batoidea). *Journal of Morphology*, 270 (5): 628-643 <http://dx.doi.org/1002/jmor.10710>

**GLEISS, A.C. & GRUBER, S.H. & PERKINS, R.P. (2009)** Multi-Channel Data-Logging: Towards Determination of Behaviour and Metabolic Rate in Free-Swimming Sharks. In: J.L. Nielsen et al. (eds.), *Tagging and Tracking of Marine Animals with Electronic Devices, Reviews: Methods and Technologies in Fish Biology and Fisheries* 9,

**GLEISS, A.C. & NORMAN, B. & LIEBSCH, N. & FRANCIS, C. & WILSON, R.P. (2009)** A new prospect for tagging large free-swimming sharks with motion-sensitive data-loggers. *Fisheries Research*, 97 (1-2): 11-16

**GOURAGUINE, A. & HIDALGO, M. & MORANTA, J. & ORDINES, F. & GUIJARRO, B. & QUETGLAS, A. & VALLS, M. & BARBERÁ, C. & DE MESA, A. & RAMÓN, M. & BAILEY, D. (2009)** Spatial and temporal segregation between four elasmobranch species related to biological and environmental factors. Abstract. In: Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 63-64

**GRAHAM, M. & SHIN, D.H. & SMITH, S.L. (2009)** Molecular and expression analysis of complement component C5 in the nurse shark (*Ginglymostoma cirratum*) and its predicted functional role. *Fish and Shellfish Immunology*, 27 (1): 40-49  
<http://dx.doi.org/1016/j.fsi.2009.04.001>

**GUBILI, C. & JOHNSON, R. & GENNARI, E. & OOSTHUIZEN, W.H. & KOTZE, D. & MEYER, M. & SIMS, D.W. & JONES, C.S. & NOBLE, L.R. (2009)** Concordance of genetic and fin photo identification in the great white shark, *Carcharodon carcharias*, off Mossel Bay, South Africa. *Marine Biology*, 156 (10): 2199-2207 <http://dx.doi.org/1007/s00227-009-1233-y>

**GUIJARRO, B. & MASSUTÍ, E. & QUETGLAS, A. & MORANTA, J. & ORDINES, F. & VALLS, M. (2009)** An approach to the diagnosis of elasmobranch populations in the circa-littoral soft bottoms off the Balearic Islands (north-western mediterranean). Abstract. In: Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 65



**GUTIÉRREZ-MEJÍA, E. & LARES, M.L. & SOSA-NISHIZAKI, O. (2009)** Mercury and Arsenic in Muscle and Liver of the Golden Cownose Ray, *Rhinoptera steindachneri*, Evermann and Jenkins, 1891, from the Upper Gulf of California, México. *Bulletin of Environmental Contamination and Toxicology*, 83: 230-234 <http://dx.doi.org/1007/s00128-009-9730-8>

**GUTTRIDGE, T.L. (2009)** The Social Organisation and Behaviour of the juvenile lemon shark, *Negaprion brevirostris* Unpublished PhD thesis, The University of Leeds, Institute of Integrative and Comparative Biology: 1-193

**GUTTRIDGE, T.L. & GRUBER, S.H. & GLEDHILL, K.S. & CROFT, D.P. & SIMS, D.W. & KRAUSE, J. (2009)** Social preferences of juvenile lemon sharks, *Negaprion brevirostris*. *Animal Behaviour*, 78 (2): 543-548 <http://dx.doi.org/1016/j.anbehav.2009.06.009>

**GUTTRIDGE, T.L. & MYRBERG, A.A. & PORCHER, I.F. & SIMS, D.W. & KRAUSE, J. (2009)** The role of learning in shark behaviour. *Fish and Fisheries*, 10 (4): 450-469

**GUZMÁN CASTELLANOS, A.B. & MARTÍNEZ RAMÍREZ, E. & GALVÁN MAGAÑA, F. (2009)** Feeding habits of the chilean round ray *Urotrygon chilensis* (Günther, 1871) (Myliobatiformes: Urolophidae) in the Gulf of Tehuantepec, Mexico. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 17

**GWEE, P.-C. & TAY, B.-H. & BRENNER, S. & VENKATESH, B. (2009)** Characterization of the neurohypophysial hormone gene loci in elephant shark and the Japanese lamprey: origin of the vertebrate neurohypophysial hormone genes. *BMC Evolutionary Biology*, 9: 47 <http://dx.doi.org/1186/1471-2148-9-47>

- H, I, J, K -

**HARAGUCHI, K. & HISAMICHI, Y. & KOTAKI, Y. & KATO, Y. & ENDO, T. (2009)** Halogenated bipyrroles and methoxylated tetrabromodiphenyl ethers in tiger shark (*Galeocerdo cuvier*) from the southern coast of Japan. *Environmental Science & Technology*, 43 (7): 2288-2294 <http://dx.doi.org/1021/es802999k>

**HARAHUSH, B.K. & HART, N.S. & GREEN, KATHRYN. & COLLIN, S.P. (2009)** Retinal neurogenesis and ontogenetic changes in the visual system of the brown banded bamboo shark, *Chiloscyllium punctatum* (Hemiscyllidae, Elasmobranchii). *Journal of Comparative Neurology*, 513 (1): 83-97

**HAZON, N. (2009)** Osmoregulation in elasmobranch fish. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S64 <http://dx.doi.org/1016/j.cbpa.2009.04.004>

**HEITHAUS, M.R. & DELIUS, B.K. & WIRSING, A.J. & DUNPHY-DALY, M.M. (2009)** Physical factors influencing the distribution of a top predator in a subtropical oligotrophic estuary. *Limnology and Oceanography*, 54 (2): 472-482

**HEMIDA, F. & KHERBOUCHE, S. & CAPAPÉ, C. (2009)** On some morphometric characters in carcharhinid species from off the Algerian Coast. Abstract. In: Progtamm and

- 26 -



Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 5-6

**HENDERSON, A.C. & MCILWAIN, J.L. & AL-OUFI, H.S. & AL-SHEILE, S. & AL-ABRI, N. (2009)** Size distributions and sex ratios of sharks caught by Oman's artisanal fishery African Journal of Marine Science, 31 (2): 233-239

**HENDERSON, A.C. & MCILWAIN, J.L. & AL-OUFI, H.S. & AL-SHEILE, S. & AL-ABRI, N. (2009)** Size distributions and sex ratios of sharks caught by Oman's artisanal fishery. South African Journal of Marine Science, 31 (2): 233-239  
<http://dx.doi.org/2989/AJMS.2009.31.2.11.883>

**HERNÁNDEZ-AGUILAR, S.B. & GALVÁN-MAGAÑA, F. & MARKAIDA-ABURTO, U. & ABITIA-CÁRDENAS, L.A. (2009)** Trophic spectrum of the blue shark *Prionace glauca* (Linnaeus, 1758) in the west coast of Baja California sur, Mexico. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 27

**HEUPEL, M.R. & SIMPFENDORFER, C.A. & FITZPATRICK, R. (2009)** Preliminary analysis of grey reef shark movements on the great barrier reef. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 66

**HEUPEL, M.R. & WILLIAMS, A.J. & WELCH, D.J. & BALLAGH, A. & MAPSTONE, B.D. & CARLOS, G. & DAVIES, C. & SIMPFENDORFER, C.A. (2009)** Effects of fishing on tropical reef associated shark populations on the Great Barrier Reef. Fisheries Research, 95 (2-3): 350-361

**HLEAP, J.S. & CARDENAS, H. & GARCÍA-VALLEJO, F. (2009)** Preservación no criogénica de tejido y extracción de ADN: una aplicación para peces cartilagosos. Pan-American Journal of Aquatic Sciences, 4 (4): 545-555

**HOBBS, J-P.A. & FRISCH, A.J. & HAMANAKA, T. & MCDONALD, C.A. & GILLIGAN, J.J. & NEILSON, J. (2009)** Seasonal aggregation of juvenile whale sharks (*Rhincodon typus*) at Christmas Island, Indian Ocean. Coral Reefs, 28 (3): 577 <http://dx.doi.org/1007/s00338-009-0491-y>

**HOFF, G.R. (2009)** Embryo developmental events and the egg case of the Aleutian skate *Bathyraja aleutica* (Gilbert) and the Alaska skate *Bathyraja parmifera* (Bean). Journal of Fish Biology, 74 (3): 483-501 <http://dx.doi.org/1111/j.1095-8649.2008.02138.x>

**HOFF, G.R. (2009)** Skate *Bathyraja* spp. egg predation in the eastern Bering Sea. Journal of Fish Biology, 74 (1): 250-269 <http://dx.doi.org/1111/j.1095-8649.2008.02137.x>

**HOLLAND, K.N. & MEYER, C.G. & DAGORN, L.C. (2009)** Inter-animal telemetry: results from first deployment of acoustic 'business card' tags. Endangered Species Research, 10: 287-293 <http://dx.doi.org/3354/esr00226>

**HOLMBERG, J. & NORMAN, B. & ARZOUMANIAN, Z. (2009)** Estimating population size, structure, and residency time for whale sharks *Rhincodon typus* through collaborative photo-identification. Endangered Species Research, 7: 39-53 <http://dx.doi.org/3354/esr00186>

**HOLMES, B.H. & STEINKE, D. & WARD, R.D. (2009)** Identification of shark and ray fins using DNA barcoding. *Fisheries Research*, 95 (2-3): 280-288

**HOOD, A. (2009)** Skate and ray management and conservation in the UK. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 39

**HUANG, H.-Q. & HU, X.-H. & FANG, X.-P. & CAO, T.-M. & KONG, B. (2009)** Characteristics of H and L Subunits with Mass Spectrometry, Electrophoresis and Transmission Electron Microscopy in Liver Ferritin of *Dasyatis akajei*. *Chinese Journal of Analytical Chemistry*, 37 (5): 631

**HUBER, D.R. & CLAES, J.M. & MALLEFET, J. & HERREL, A. (2009)** Is Extreme Bite Performance Associated with Extreme Morphologies in Sharks? *Physiological and Biochemical Zoology*, 82 (1): 20-28

**HUHN, M. (2009)** The influence of mangrove removal on the growth of juvenile lemon sharks (*Negaprion brevirostris*) in a nursery habitat at Bimini, Bahamas. MS Thesis, Universität Würzburg, Germany.

**HUMPHRIES, N.E. & SIMS, D.W. (2009)** Modelling the movements and behaviour of sharks with Lévy statistics. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S67  
<http://dx.doi.org/1016/j.cbpa.2009.04.015>

**HURST, R. (2009)** The importance of accessible identification materials in fisheries management. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 40

**HUSSEY, N.E. & COCKS, D.T. & DUDLEY, S.F.J. & MCCARTHY, I.D. & WINTNER, S.P. (2009)** The condition conundrum: application of multiple condition indices to the dusky shark *Carcharhinus obscurus*. *Marine Ecology Progress Series*, 380: 199-212  
<http://dx.doi.org/3354/meps07918>

**HUSSEY, N.E. & MCCARTHY, I.D. & DUDLEY, S.F.J. & MANN, B.Q. (2009)** Nursery grounds, movement patterns and growth rates of dusky sharks, *Carcharhinus obscurus*: a long-term tag and release study in South African waters *Marine and Freshwater Research*, 60 (6): 571-583

**HUSSEY, N.E. & WINTNER, S.P. & DUDLEY, S.F.J. & CLIFF, G. & COCKS, D.T. (2009)** Questioning maternal resource allocation in sharks. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S65  
<http://dx.doi.org/1016/j.cbpa.2009.04.006>

**HUVENEERS, C. & LUO, K. & OTWAY, N.M. & HARCOURT, R.G. (2009)** Assessing the distribution and relative abundance of wobbegong sharks (*Orectolobidae*) in New South Wales, Australia, using recreational scuba-divers. *Aquatic Living Resources*, 22 (3): 255-264  
<http://dx.doi.org/1051/alr/2009046>

- IP, Y.K. & LOONG, A.M. & CHING, B. & THAM, G.H.Y. & WONG, W.P. & CHEW, S.F. (2009)** The freshwater Amazonian stingray, *Potamotrygon motoro*, up-regulates glutamine synthetase activity and protein abundance, and accumulates glutamine when exposed to brackish (15 per thousand) water. *Journal of Experimental Biology*, 212 (23): 3828-3836  
<http://dx.doi.org/1242/jeb.034074>
- ISMEN, A. & YIGIN, C.C. & ALTINAGAC, U. & AYAZ, A. (2009)** Length-weight relationships for ten shark species from Saros Bay (North Aegean Sea). *Journal of Applied Ichthyology*, 25 (S1): 109-112
- JACOBSEN, I.P. & BENNETT, M.B. (2009)** A Taxonomic Review of the Australian Butterfly Ray *Gymnura australis* (Ramsay & Ogilby, 1886) and Other Members of the family Gymnuridae (Order Rajiformes) from the Indo-West Pacific. *Zootaxa*, 2228: 1-28
- JACOBSEN, I.P. & JOHNSON, J.W. & BENNETT, M.B. (2009)** Diet and reproduction in the Australian butterfly ray *Gymnura australis* from northern and north-eastern Australia. *Journal of Fish Biology*, 75 (10): 2475-2489  
<http://dx.doi.org/1111/j.1095-8649.2009.02432.x>
- JAMES, K.C. & EBERT, D.A. & LONG, D.J. & DIDIER, D.A. (2009)** A new species of chimaera, *Hydrolagus melanophasma* sp. nov. (Chondrichthyes: Chimaeriformes: Chimaeridae), from the eastern North Pacific. *Zootaxa*, 2218: 59-68
- JANÉZ, J.A. & SUEIRO, M.C. (2009)** Oviposition rate of the fanskate *Sympterygia bonapartii* (Elasmobranchii, Rajidae) (Müller & Henle, 1841) held in captivity. *Pan-American Journal of Aquatic Sciences*, 4 (4): 580-582
- JANOWSKI, E. & DAY, R. & KRAEV, A. & CLEEMANN, L. & MORAD, M. (2009)** Beta-adrenergic Regulation of a Novel Isoform of NCX: Sequence & Expression of Shark Heart NCX in Human Kidney Cells. *Biophysical Journal*, 96 (3 Supplement 1): 686a
- JEFFREE, R.A. & OBERSHANSLI, F. & TEYSSIE, J.-L. (2009)** Phylogenetic consistencies in different patterns of bioaccumulation of multiple trace elements from seawater by chondrichthyan and teleost fishes. Abstract. In: *Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 18-19
- JEFFREE, R.A. & OBERSHANSLI, F. & TEYSSIE, J.-L. (2009)** Contrasting patterns of metal and radionuclide accumulation in the elasmobranch and teleost egg. Abstract. In: *Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 28-29
- JEONG, C.-H. & NAKABO, T. (2009)** *Hongoe*, a new skate genus (Chondrichthyes: Rajidae), with redescription of the type specie. *Ichthyological Research*, 56: 140-155  
<http://dx.doi.org/1007/s10228-008-0083-9>
- JOHNSON, R. & BESTER, M.N. & DUDLEY, S.F.J. & OOSTHUIZEN, W.H. & MEYER, M. & HANCKE, L. & GENNARI, E. (2009)** Coastal swimming patterns of white sharks (*Carcharodon carcharias*) at Mossel Bay, South Africa. *Environmental Biology of Fishes*, 85 (3): 189-200  
<http://dx.doi.org/1007/s10641-009-9477-4>
- JONES, A.A. & POTTER, I.C. (2009)** Description of the reproductive tract and gonad histology of a second form of hermaphroditism in the Port Jackson shark *Heterodontus*

portusjacksoni. Journal of the Marine Biological Association of the United Kingdom, 89: 1403-1407

**JORDAN, L.K. & KAJIURA, S.M. & GORDON, M.S. (2009)** Functional consequences of structural differences in stingray sensory systems. Part II: electrosensory system. Journal of Experimental Biology, 212 (19): 3044-3050 <http://dx.doi.org/1242/jeb.028738>

**JORDAN, L.K. & KAJIURA, S.M. & GORDON, M.S. (2009)** Functional consequences of structural differences in stingray sensory systems. Part I: mechanosensory lateral line canals. Journal of Experimental Biology, 212 (19): 3037-3043 <http://dx.doi.org/1242/jeb.028712>

**JORGENSEN, S.J. & KLIMLEY, A.P. & MUHLIA-MELO, A.F. (2009)** Scalloped hammerhead shark *Sphyrna lewini*, utilizes deep-water, hypoxic zone in the Gulf of California. Journal of Fish Biology, 74 (7): 1682-1687 <http://dx.doi.org/1111/j.1095-8649.2009.02230.x>

**JORGENSEN, S.J. & REEB, C.A. & CHAPPLE, T.K. & ANDERSON, S.D. & PERLE, C. & VAN SOMMERAN, S.R. & FRITZ-COPE, C. & BROWN, A.C. & KLIMLEY, A.P. & BLOCK, B.A. (2009)** Philopatry and migration of Pacific white sharks. Proceedings of the Royal Society of London, Series B, 277: 1-10 <http://dx.doi.org/1098/rspb.2009.1155>

**JUNGE, C. & STIFFEL, M. & BACHMANN, L. (2009)** Genetic diversity of basking sharks (*Cetorhinus maximus*) - a north atlantic perspective and its global relevance. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 20-21

**JUSTINE, J.-L. (2009)** A new species of *Triloculotrema* Kearn, 1993 (Monogenea: Monocotylidae) from a deep-sea shark, the blacktailed spurdog *Squalus melanurus* (Squaliformes: Squalidae), off New Caledonia. Systematic Parasitology, 74 (1): 59-63 <http://dx.doi.org/1007/s11230-009-9202-x>

**KABASAKAL, H. (2009)** Observations on a rare shark, *Oxynotus centrina* (Chondrichthyes: Oxynotidae), in the Sea of Marmara (north-western Turkey). Pan-American Journal of Aquatic Sciences, 4 (4): 609-612

**KADRI, H. & MAROUANI, S. & SAIDI, B. & ENNAJAR, S. & BOUAIN, A. & BRADAI, M.N. (2009)** Age and growth of the brown ray, *Raja miraletus*, off the Gulf of Gabès (south-central Mediterranean Sea). Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 30

**KADRI, H. & MAROUANI, S. & SAIDI, B. & ENNAJAR, S. & BOUAIN, A. & BRADAI, M.N. (2009)** Diet composition of rough ray, *Raja radula* in the Gulf of Gabès (Central Mediterranean Sea). Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 31

**KAIYA, H. & KODAMA, S. & ISHIGURO, K. & MATSUDA, K. & UCHIYAMA, M. & MIYAZATO, M. & KANGAWA, K. (2009)** Ghrelin-like peptide with fatty acid modification and O-glycosylation in the red stingray, *Dasyatis akajei*. BMC Biochemistry, 10: 30, 15p <http://dx.doi.org/1186/1471-2091-10-30>

- KAJIURA, S.M. & FITZGERALD, T.P. (2009)** Response of juvenile scalloped hammerhead sharks to electric stimuli. *Zoology*, 112 (4): 241-250  
<http://dx.doi.org/1016/j.zool.2008.07.001>
- KAJIURA, S.M. & MACESIC, L.J. & MEREDITH, T.L. & COCKS, K.L. & DIRK, L.J. (2009)** Commensal foraging between double-crested cormorants and a Southern stingray. *The Wilson Journal of Ornithology*, 121 (3): 646-648
- KAJIURA, S.M. & TALLACK, S.M.L. (2009)** Pupil dilation in the spiny dogfish, *Squalus acanthias*. *MDI Biological Laboratory Bulletin*, 48: 68
- KAKUMURA, K. & WATANABE, S. & BELL, J.D. & DONALD, J.A. & TOOP, T. & KANEKO, T. & HYODO, S. (2009)** Multiple urea transporter proteins in the kidney of holocephalan elephant fish (*Callorhynchus milii*). *Comparative Biochemistry and Physiology - Part B, Biochemistry and Molecular Biology*, 154 (2): 239-247  
<http://dx.doi.org/1016/j.cbpb.2009.06.009>
- KESSEL, S.T. & GRUBER, S.H. & GEDAMKE, T. & PERKINS, R.G. (2009)** Seasonal residency and migration of mature lemon sharks (*Negaprion brevirostris*) off the southeast Florida Coast. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S66  
<http://dx.doi.org/1016/j.cbpa.2009.04.010>
- KIMBER, J.A. & SIMS, D.W. & BELLAMY, P.H. & GILL, A.B. (2009)** Male-female interactions affect foraging behaviour within groups of small-spotted catshark, *Scyliorhinus canicula*. *Animal Behaviour*, 77 (6): 1435-1440  
<http://dx.doi.org/1016/j.anbehav.2009.02.014>
- KIMURA, A. & NONAKA, M. (2009)** Molecular cloning of the terminal complement components C6 and C8b of cartilaginous fish. *Fish and Shellfish Immunology*, 27 (6): 768-772  
<http://dx.doi.org/1016/j.fsi.2009.08.008>
- KINNEY, M.J. & SIMPFENDORFER, C.A. (2009)** Reassessing the value of nursery areas to shark conservation and management. *Conservation Letters*, 2 (2): 53-60  
<http://dx.doi.org/1111/j.1755-263X.2008.00046.x>
- KOLMANN, M.A. & HUBER, D.R. (2009)** Scaling of feeding biomechanics in the horn shark *Heterodontus francisci*: ontogenetic constraints on durophagy. *Zoology*, 112 (5): 351-361  
<http://dx.doi.org/1016/j.zool.2008.11.002>
- KRSTULOVIC SIFNER, S. & VRGOC, N. & DADIC, V. & ISAJLOVIC, I. & PEHARDA, M. & PICCINETTI, C. (2009)** Long-term changes in distribution and demographic composition of thornback ray, *Raja clavata*, in the northern and central Adriatic Sea. *Journal of Applied Ichthyology*, 25 (S1): 40-46
- KUME, G. & FURUMITSU, K. & TANAKA, S. & YAMAGUCHI, A. (2009)** Reproductive biology of the guitarfish *Rhinobatos hynnicephalus* (Batoidea: Rhinobatidae) in Ariake Bay, Japan. *Environmental Biology of Fishes*, 85 (4): 289-298  
<http://dx.doi.org/1007/s10641-009-9487-2>



**KWAK, K.-S. & CHO, S.-M. & JI, C.-I. & LEE, Y.-B. & KIM, S.-B. (2009)** Changes in functional properties of shark (*Isurus oxyrinchus*) cartilage gelatin produced by different drying methods. *International Journal of Food Science & Technology*, 44 (8): 1480-1484  
<http://dx.doi.org/1111/j.1365-2621.2007.01603.x>

- L, M, N, O -

**LACERDA, A.C.F. & TAKEMOTO, R.M. & PAVANELLI, G.C. (2009)** Ecology of endoparasites of the fluvial stingray *Potamotrygon falkneri* (Chondrichthyes: Potamotrygonidae) from the upper Paraná River floodplain, Brazil. *Brazilian Journal of Biology*, 69 (2): 297-303  
<http://dx.doi.org/1590/S1519-69842009000200009>

**LARSSON, T.A. & TAY, B.-H. & SUNDSTRÖM, G. & FREDRIKSSON, R. & BRENNER, S. & LARHAMMAR, D. & VENKATESH, B. (2009)** Neuropeptide Y-family peptides and receptors in the elephant shark, *Callorhynchus milii* confirm gene duplications before the gnathostome radiation. *Genomics*, 93 (3): 254-260  
<http://dx.doi.org/1016/j.ygeno.2008.10.001>

**LAST, P.R. (2009)** The elasmobranchs of Borneo: an investigation of the fauna based on field and market surveys. Abstract. In: *Progrtamm and Abstracts, 13th EEA Conference 2009*, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 1

**LAST, P.R. & STEVENS, J.D. (2009)** *Sharks and Rays of Australia*. CSIRO Publishing, Collingwood, Vic.

**LESSA, R. & SANTANA, F.M. & DE ALMEIDA, Z.S. (2009)** Age and growth of the Brazilian sharpnose shark, *Rhizoprionodon lalandii* and Caribbean sharpnose shark, *R. porosus* (Elasmobranchii, Carcharhinidae) on the northern coast of Brazil (Maranhão). *Pan-American Journal of Aquatic Sciences*, 4 (4): 532-544

**LIMPISOPHON, K. & TANAKA, M. & WENG, W. & ABE, S. & OSAKO, K. (2009)** Characterization of gelatin films prepared from under-utilized blue shark (*Prionace glauca*) skin. *Food Hydrocolloids*, 23 (7): 1993-2000  
<http://dx.doi.org/1016/j.foodhyd.2009.03.014>

**LIPEJ, L. & MAVRIC, B. & DULCIC, J. (2009)** Size of the bull ray, *Pteromylaeus bovinus* (Geoffroy Saint-Hilaire, 1817), from the northern Adriatic. *Journal of Applied Ichthyology*, 25 (S1): 103-105

**LITHERLAND, L. & COLLIN, S.P. & FRITSCHES, K.A. (2009)** Visual optics and ecomorphology of the growing shark eye: a comparison between deep and shallow water species. *Journal of Experimental Biology*, 212 (21): 3583-3594  
<http://dx.doi.org/1242/jeb.028589>

**LITHERLAND, L. & COLLIN, S.P. & FRITSCHES, K.A. (2009)** Eye growth in sharks: ecological implications for changes in retinal topography and visual resolution. *Visual Neuroscience*, 26 (4): 397-409  
<http://dx.doi.org/1017/S0952523809990150>

**LONARDONI, A.P. & DE OLIVEIRA, E.F. & GOULART, E. (2009)** Trophic ecomorphology of *Potamotrygon falkneri* and *Potamotrygon motoro* (Chondrichthyes - Potamotrygonidae) on the upper Paraná river floodplain, Brazil. *Pan-American Journal of Aquatic Sciences*, 4 (4): 436-445



- LÓPEZ, J.G. (2009)** Aspectos biológicos de la raya látigo *Dasyatis longa* (Pisces: Dasyatidae) de la zona central del Pacífico colombiano. Thesis, Universidad del Valle, Facultad de Ciencias, PROGRAMA ACADEMICO DE BIOLOGIA
- LOPEZ, S. & MELÉNDEZ, R. & BARRÍA, P. (2009)** Feeding of the shortfin mako shark *Isurus oxyrinchus* Rafinesque, 1810 (Lamniformes: Lamnidae) in the Southeastern Pacific. *Revista de Biología Marina y Oceanografía*, 44 (2): 439-451
- LOWRY, D. & CASTRO, A.L.F. & MARA, K.R. & WHITENACK, L.B. & DELIUS, B. & BURGESS, G.H. & MOTTA, P.J. (2009)** Determining shark size from forensic analysis of bite damage. *Marine Biology*, 156 (12): 2483-2492 <http://dx.doi.org/1007/s00227-009-1273-3>
- LOZANO, G. & BRITO, A. & HARDISSON, A. & GUTIÉRREZ, A. & GONZÁLEZ-WELLER, D. & LOZANO, I.J. (2009)** Content of lead and cadmium in barred hogfish, *Bodianus scrofa*, island grouper, *Mycteroperca fusca*, and Portuguese dogfish, *Centroscymnus coelolepis*, from Canary Islands, Spain. *Bulletin of Environmental Contamination and Toxicology*, 83 (4): 591-594 <http://dx.doi.org/1007/s00128-009-9809-2>
- LUIZ, O.J. & BALBONI, A.P. & KODJA, G. & ANDRADE, M. & MARUM, H. (2009)** Seasonal occurrences of *Manta birostris* (Chondrichthyes: Mobulidae) in southeastern Brazil. *Ichthyological Research*, 56: 96-99 <http://dx.doi.org/1007/s10228-008-0060-3>
- MacDONALD, E.E. & VOLKOFF, H. (2009)** Neuropeptide Y (NPY), cocaine- and amphetamine-regulated transcript (CART) and cholecystinin (CCK) in winter skate (*Raja ocellata*): cDNA cloning, tissue distribution and mRNA expression responses to fasting. *General and Comparative Endocrinology*, 161 (2): 252-261 <http://dx.doi.org/1016/j.ygcen.2009.01.021>
- MACESIC, L.J. & KAJIURA, S.M. (2009)** Electric organ morphology and function in the lesser electric ray, *Narcine brasiliensis*. *Zoology*, 112 (6): 442-450 <http://dx.doi.org/1016/j.zool.2009.02.002>
- MacNEIL, M.A. & CARLSON, J.K. & BEERKIRCHER, L.R. (2009)** Shark depredation rates in pelagic longline fisheries: a case study from the Northwest Atlantic. *ICES Journal of Marine Science*, 66: 1-12
- MADEJCZYK, M.S. & BOYER, J.L. & BALLATORI, N. (2009)** Hepatic uptake and biliary excretion of manganese in the little skate, *Leucoraja erinacea*. *Comparative Biochemistry and Physiology - Part C, Toxicology & Pharmacology*, 149 (4): 566-571 <http://dx.doi.org/1016/j.cbpc.2008.12.009>
- MALLOL, S. & MOREY, G. & REÑONES, O. & ÁLVAREZ, D. & GOÑI, R. (2009)** Incidental catches and fishing impacts on elasmobranchs in small-scale multigear, multispecies fisheries of the northwestern Mediterranean (Balearic Islands). Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 50-51
- MANCUSI, C. & BAINO, R. & MOREY, G. & SERENA, F. (2009)** Egg cases morphometry used for specific determination of some mediterranean skates. Abstract. In: *Program and*

Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 9

**MANDELMAN, J.W. & SKOMAL, G.B. (2009)** Differential sensitivity to capture stress assessed by blood acid-base status in five carcharhinid sharks. *Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology*, 179: 267-277

**MARA, K.R. & MOTTA, P.J. & HUBER, D.R. (2009)** Bite Force and Performance in the Durophagous Bonnethead Shark, *Sphyrna tiburo*. *Journal of Experimental Biology*, 311A: 1-11

**MARIGUELA, T.C. & DE-FRANCO, B. & ALMEIDA, T.V.V. & MENDONÇA, F.F. & GADIG, O.B.F. & FORESTI, F. & OLIVEIRA, C. (2009)** Identification of guitarfish species *Rhinobatos percellens*, *R. horkelii*, and *Zapteryx brevirostris* (Chondrichthyes) using mitochondrial genes and RFLP technique. *Conservation Genetics Resources*, 1 (1): 393-396  
<http://dx.doi.org/1007/s12686-009-9091-y>

**MARSHALL, A.D. & COMPAGNO, L.J.V. & BENNETT, M.B. (2009)** Redescription of the genus *Manta* with resurrection of *Manta alfredi* (Krefft, 1868) (Chondrichthyes; Myliobatoidei; Mobulidae). *Zootaxa*, 2301: 1-28

**MARTINS, P.R.M. & ASSUNÇÃO, R. & SCHWINGEL, P.R. (2009)** Distribuição e abundância de *Narcine brasiliensis* (Olfers, 1931) (Elasmobranchii, Narcinidae) no litoral norte do Estado de Santa Catarina, Brasil. *Pan-American Journal of Aquatic Sciences*, 4 (4): 423-435

**MATEY, V. & WOOD, C.M. & DOWD, W.W. & KÜLTZ, D. & WALSH, P.J. (2009)** Morphology of the rectal gland of the spiny dogfish (*Squalus acanthias*) shark in response to feeding. *Canadian Journal of Zoology*, 87: 440-452  
<http://dx.doi.org/10.1139/Z09-030>

**MATHEWS, T. & FISHER, N.S. (2009)** Dominance of dietary intake of metals in marine elasmobranch and teleost fish. *Science of the Total Environment*, 407 (18): 5156-5161

**MAXWELL, D.L. & STELZENMULLER, V. & EASTWOOD, P.D. & ROGERS, S.I. (2009)** Modelling the spatial distribution of plaice (*Pleuronectes platessa*), sole (*Solea solea*) and thornback ray (*Raja clavata*) in UK waters for marine management. *Journal of Sea Research*, 61 (4): 258-267

**McCOMB, D.M. & TRICAS, T.C. & KAJIURA, S.M. (2009)** Enhanced visual fields in hammerhead sharks. *Journal of Experimental Biology*, 212 (24): 4010-4018  
<http://dx.doi.org/10.1242/jeb.032615>

**McCORD, M.E. & LAMBERTH, S.J. (2009)** Catching and tracking the world's largest Zambezi (bull) shark *Carcharhinus leucas* in the Breede Estuary, South Africa: the first 43 hours. *African Journal of Marine Science*, 31 (1): 107-111

**McGOWAN, D.W. & KAJIURA, S.M. (2009)** Electroreception in the euryhaline stingray, *Dasyatis sabina*. *Journal of Experimental Biology*, 212 (10): 1544-1552  
<http://dx.doi.org/10.1242/jeb.025247>

**MCMEANS, B.C. & OLIN, J.A. & BENZ, G.W. (2009)** Stable-isotope comparisons between embryos and mothers of a placental shark species. *Journal of Fish Biology*, 75 (10): 2464-2474 <http://dx.doi.org/1111/j.1095-8649.2009.02402.x>

**MCPHERSON, J.M. & MYERS, R.A. (2009)** How to infer population trends in sparse data: examples with opportunistic sighting records for great white sharks. *Diversity and Distributions*, 15 (5): 880-890 <http://dx.doi.org/1111/j.1472-4642.2009.00596.x>

**McPHIE, R.P. & CAMPANA, S.E. (2009)** Reproductive characteristics and population decline of four species of skate (Rajidae) off the eastern coast of Canada. *Journal of Fish Biology*, 75 (1): 223-246 <http://dx.doi.org/1111/j.1095-8649.2009.02282.x>

**McPHIE, R.P. & CAMPANA, S.E. (2009)** Bomb dating and age determination of skates (Family Rajidae) off the eastern coast of Canada. *ICES Journal of Marine Science*, 66: 546-560

**MEEKAN, M.G. & JARMAN, S.N. & McLEAN, C. & SCHULTZ, M.B. (2009)** DNA evidence of whale sharks (*Rhincodon typus*) feeding on red crab (*Gecarcoidea natalis*) larvae at Christmas Island, Australia. *Marine and Freshwater Research*, 60 (6): 607-609

**MEGALOFONOU, P. (2009)** New records of the basking shark, *Cetorhinus maximus*, in the Aegean Sea. Abstract. In: Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 80

**MEGALOFONOU, P. & DAMALAS, D. & DEFLORIO, M. & DE METRIO, G. (2009)** Modeling environmental, spatial, temporal, and operational effects on blue shark by-catches in the Mediterranean long-line fishery. *Journal of Applied Ichthyology*, 25 (S1): 47-55

**MEJÍA-FALLA, P.A. & NAVIA, A.F. (2009)** New records of *Urobatis tumbesensis* (Chirichigno & McEachran, 1979) in the Tropical Eastern Pacific. *Pan-American Journal of Aquatic Sciences*, 4 (3): 255-258

**MEJÍA-FALLA, P.A. & NAVIA, A.F. & MUÑOZ, L.A. (2009)** First record of morphological abnormality in embryos of *Urotrygon rogersi* (Jordan & Starks, 1895) (Myliobatiformes: Urotrygonidae) in the Tropical Eastern Pacific. *Latin American Journal of Aquatic Research*, 39 (1): 184-188 <http://dx.doi.org/3856/vol39-issue1-fulltext-19>

**MELLO, W. (2009)** The electrosensorial pore system of the cephalofoil in the four most common species of hammerhead shark (Elasmobranchii: Sphyrnidae) from the Southwestern Atlantic. *Comptes Rendus - Biologies*, 332 (4): 404-412 <http://dx.doi.org/1016/j.crv.2008.11.003>

**MENDONÇA, F.F. & HASHIMOTO, D.T. & DE-FRANCO, B. & PORTO-FORESTI, F. & GADIG, O.B.F. & OLIVEIRA, C. & FORESTI, F. (2009)** Genetic identification of lamniform and carcharhiniform sharks using multiplex-PCR. *Conservation Genetics Resources*: 2 (1): 31-35 <http://dx.doi.org/1007/s12686-009-9131-7>

**MENDONÇA, F.F. & OLIVEIRA, C. & GADIG, O.B.F. & FORESTI, F. (2009)** Populations analysis of the Brazilian Sharpnose Shark *Rhizoprionodon lalandii* (Chondrichthyes: Carcharhinidae) on the São Paulo coast, Southern Brazil: inferences from mt DNA sequences. *Neotropical Ichthyology*, 7 (2): 213-216

- MENORET, A. & IVANOV, V.A. (2009)** A new species of tetraphyllidean (Cestoda) from the Largespot River stingray, *Potamotrygon falkneri* (Potamotrygonidae: Chondrichthyes), from the Parana basin. *Journal of Parasitology*, 95 (4): 994-999
- MENORET, A. & IVANOV, V.A. (2009)** New name for *Progrillotia dollfusi* Carvajal et Rego, 1983 (Cestoda: Trypanorhyncha): description of adults from *Squatina guggenheim* (Chondrichthyes: Squatiniformes) off the coast of Argentina. *Folia Parasitologica*, 56 (4): 284-294
- MEYER, C.G. & CLARK, T.B. & PAPASTAMATIOU, Y.P. & WHITNEY, N.M. & HOLLAND, K.N. (2009)** Long-term movement patterns of tiger sharks *Galeocerdo cuvier* in Hawaii. *Marine Ecology Progress Series*, 381: 223-235 <http://dx.doi.org/3354/meps07951>
- MEYER, C.G. & DALE, J.J. & PAPASTAMATIOU, Y.P. & WHITNEY, N.M. & HOLLAND, K.N. (2009)** Seasonal cycles and long-term trends in abundance and species composition of sharks associated with cage diving ecotourism activities in Hawaii. *Environmental Conservation*, 36 (2): 104-111 <http://dx.doi.org/1017/S0376892909990038>
- MICARELLI, P. & SPINETTI, S. & ANDREOTTI, S. & MUIA, C. & VITARO, M. & LEONE, A. & CAMIGLIANO, G. & ANTONUCCI, G. & SPERONE, E. & TRIPEPI, S. (2009)** Is it good-looking or does it smell good? Preliminary observations about great white shark's discriminatory patterns. Abstract. In: *Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 81
- MINELLI, D. & SABELLI, B. & GATTELLI, R. & COLLEVECCHIO, V. (2009)** Comparative aspects of habenular nuclei in different species of fishes. Abstract. In: *Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 10
- MNASRI, N. & BOUMAÏZA, M. & BEN AMOR, M.M. & CAPAPÉ, C. (2009)** Polychromatism in the thornback ray, *Raja clavata* (Chondrichthyes: Rajidae) off northern Tunisian coast (central Mediterranean). *Pan-American Journal of Aquatic Sciences*, 4 (4): 572-579
- MNASRI, N. & BOUMAÏZA, M. & CAPAPÉ, C. (2009)** Morphological data, biological observations and occurrence of a rare skate, *Leucoraja circularis* (Chondrichthyes: Rajidae), off the northern coast of Tunisia (central Mediterranean). *Pan-American Journal of Aquatic Sciences*, 4 (1): 70-78
- MOLTENO, T.C.A. & KENNEDY, W.L. (2009)** Navigation by Induction-Based Magnetoreception in Elasmobranch Fishes. *Journal of Biophysics*, (2009) (.): 1-7 <http://dx.doi.org/1155/2009/380976>
- MONTEALEGRE-QUIJANO, S. & VOOREN, C.M. (2009)** Estimativas de mortalidade e tabelas de vida do tubarão-azul, *Prionace glauca* (Carcharhinidae), no sul do Brasil e águas internacionais adjacentes. *Pan-American Journal of Aquatic Sciences*, 4 (4): 476-489
- MORENO, F. & ACEVEDO, K. & GRIJALBA-BENDECK, M. & POLO-SILVA, C. & ACERO, A.P. (2009)** Espectro trófico de la raya eléctrica *Narcine bancroftii* (Griffith & Smith 1834) (Elasmobranchii, Narcinidae) en playa Salguero, Santa Marta, Caribe Colombiano. *Pan-American Journal of Aquatic Sciences*, 4 (4): 413-422

**MOREY, G. & REÑONES, O. & ÁLVAREZ, D. & MALLOL, S. & RIERA, F. & MORANTA, J. & GOÑI, R. & GRAU, A.M. (2009)** Distribution of coastal elasmobranchs in the balearic islands (nw mediterranean) based on artisanal fisheries surveys. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed.Morey, G. & Yuste, L. and Pons, G.X.): 67

**MORGAN, A. & COOPER, P.W. & CURTIS, T. & BURGESS, G.H. (2009)** Overview of the U.S. East Coast Bottom Longline Shark Fishery, 1994-2003 Marine Fisheries Review, 71 (1): 23-38

**MOTTA, F.S. & MOURA, R.L. & FRANCINI FILHO, R.B. & NAMORA, R.C. (2009)** Notas sobre a biologia reprodutiva e alimentar de elasmobrânquios no Parque Estadual Marinho Parcel Manoel Luís, Maranhão - Brasil. Pan-American Journal of Aquatic Sciences, 4 (4): 593-598

**MUCIENTES, G.R. & QUEIROZ, N. & SOUSA, L.L. & TARROSO, P. & SIMS, D.W. (2009)** Sexual segregation of pelagic sharks and the potential threat from fisheries. Biology Letters, 5 (2): 156-159 <http://dx.doi.org/1098/rsbl.2008.0761>

**MUCIENTES, G.R. & SABORIDO-REY, F. (2009)** Morphological and developmental stages of embryos of mako shark, *Isurus oxyrinchus*, in the South Pacific. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed.Morey, G. & Yuste, L. and Pons, G.X.): 32

**MUCIENTES, G.R. & SABORIDO-REY, F. (2009)** Preliminary results of fishing effort based on real catch of two spanish fishing-vessels of mako shark and blue shark. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed.Morey, G. & Yuste, L. and Pons, G.X.): 56

**MULAS, A. & FOLLESA, M.C. & CAU, AL. & GASTONI, A. & CAU, A. (2009)** Trophic interactions among three rajids, *Raja asterias*, *Raja brachyura*, and *Raja miraletus* in the Central-Western Mediterranean. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed.Morey, G. & Yuste, L. and Pons, G.X.): 33

**MULLEY, J.F. & ZHONG, Y.-F. & HOLLAND, P.W. (2009)** Comparative genomics of chondrichthyan Hoxa clusters. BMC Evolutionary Biology, 9: 218  
<http://dx.doi.org/1186/1471-2148-9-218>

**MULVEY, J.M. & RENSHAW, G.M.C. (2009)** GABA is not elevated during neuroprotective neuronal depression in the hypoxic epaulette shark (*Hemiscyllium ocellatum*). Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology, 152 (2): 273-277  
<http://dx.doi.org/1016/j.cbpa.2008.10.017>

**MURADO, M.A. & DEL PILAR GONZÁLEZ, M. & VÁZQUEZ, J.A. (2009)** Recovery of Proteolytic and Collagenolytic Activities from Viscera By-products of Rayfish (*Raja clavata*). Marine Drugs, 7 (4): 803-815

**MUSICK, J.A. (2009)** Chondrichthyan reproduction - viviparity came first. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed.Morey, G. & Yuste, L. and Pons, G.X.): 2-3



**NASBY-LUCAS, N. & DEWAR, H. & LAM, C.H. & GOLDMAN, K.J. & DOMEIER, M.L. (2009)** White Shark Offshore Habitat: A Behavioral and Environmental Characterization of the Eastern Pacific Shared Offshore Foraging Area. PLoS ONE, 4 (12): e8163  
<http://dx.doi.org/1371/journal.pone.0008163>

**NAVIA, A.F. (2009)** Hábitos alimentarios, relaciones tróficas e importancia ecológica de *Urotrygon rogersi* (Elasmobranchii: Batoidea) en la zona central del oceano pacífico colombiano. Thesis, Universidad del Valle, FACULTAD DE CIENCIAS, NATURALES Y EXACTAS, MAESTRÍA EN CIENCIAS BIOLÓGIA

**NAZEMROAYA, S. & SAHARI, M.A. & REZAEI, M. (2009)** Effect of frozen storage on fatty acid composition and changes in lipid content of *Scomberomorus commersoni* and *Carcharhinus dussumieri*. Journal of Applied Ichthyology, 25 (1): 91-95

**OKAMURA, H. & SEMBA, Y. (2009)** A novel statistical method for validating the periodicity of vertebral growth band formation in elasmobranch fishes. Canadian Journal of Fisheries and Aquatic Sciences, 66: 771-780 <http://dx.doi.org/1139/F09-039>

**O'NEILL, P. & MCCOLE, R.B. & BAKER, C.V.H. (2009)** Corrigendum to "A molecular analysis of neurogenic placode and cranial sensory ganglion development in the shark, *Scyliorhinus canicula*" [Dev. Biol. 304 (2007) 156-181]. Developmental Biology, 332 (1): 186-188 <http://dx.doi.org/1016/j.ydbio.2009.05.551>

**ORDINES, F. & MORANTA, J. & GUIJARRO, B. & VALLS, M. & MASSUTÍ, E. (2009)** Balearic Islands vs. Algeria: two nearby western mediterranean elasmobranch populations with different oceanographic scenarios and fishing histories. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 68-69

**ORLOV, A.M. & SAVINYKH, V.F. & PELENEV, D.V. & KULISH, E.F. (2009)** Size composition and distribution of spiny dogfish *Squalus acanthias* in the North Pacific. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 82

**ORTEGA, L.A. & HEUPEL, M.R. & VAN BEYNEN, P. & MOTTA, P.J. (2009)** Movement patterns and water quality preferences of juvenile bull sharks (*Carcharhinus leucas*) in a Florida estuary. Environmental Biology of Fishes, 84 (4): 361-373  
<http://dx.doi.org/1007/s10641-009-9442-2>

**OVENDEN, J.R. & KASHIWAGI, T. & BRODERICK, D. & GILES, J. & SALINI, J. (2009)** The extent of population genetic subdivision differs among four co-distributed shark species in the Indo-Australian archipelago. BMC Evolutionary Biology, 9: 40  
<http://dx.doi.org/1186/1471-2148-9-40>

- P, Q, R, S -

**PADE, N.G. & QUEIROZ, N. & HUMPHRIES, N.E. & WITT, M.J. & JONES, C.S. & NOBLE, L.R. & SIMS, D.W. (2009)** First results from satellite-linked archival tagging of porbeagle shark, *Lamna nasus*: Area fidelity, wider-scale movements and plasticity in diel depth changes. Journal of Experimental Marine Biology and Ecology, 370 (1): 64-74



- PAESCH, L. & ODDONE, M.C. (2009)** Size at maturity and egg capsules of the softnose skates *Bathyraja brachyurops* (Fowler, 1910) and *Bathyraja macloviana* (Norman, 1937) (Elasmobranchii: Rajidae) in the SW Atlantic (37°00'-39°30'S). *Journal of Applied Ichthyology*, 25 (S1): 66-71
- PAPASTAMATIOU, Y.P. & CASELLE, J.E. & FRIEDLANDER, A.M. & LOWE, C.G. (2009)** Distribution, size frequency, and sex ratios of blacktip reef sharks *Carcharhinus melanopterus* at Palmyra Atoll: a predator-dominated ecosystem. *Journal of Fish Biology*, 75 (3): 647-654 <http://dx.doi.org/1111/j.1095-8649.2009.02329.x>
- PAPASTAMATIOU, Y.P. & LOWE, C.G. & CASELLE, J.E. & FRIEDLANDER, A.M. (2009)** Scale-dependent effects of habitat on movements and path structure of reef sharks at a predator-dominated atoll. *Ecology*, 90 (4): 996-1008
- PARENTE, L. & GUALLAR, J. & MOREY, G. (2009)** Elasmobranch bycatch in artisanal bottom fisheries around cabrera archipelago (Balearic Islands, Western Mediterranean). Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 57
- PEACH, M.B. & MARSHALL, N.J. (2009)** The comparative morphology of pit organs in elasmobranchs. *Journal of Morphology*, 270 (6): 688-701  
<http://dx.doi.org/1002/jmor.10715>
- PETERSEN, S.L. & HONIG, M.B. & RYAN, P.G. & UNDERHILL, L.G. & COMPAGNO, L.J.V. (2009)** Pelagic shark bycatch in the tuna- and swordfish-directed longline fishery off southern Africa. *South African Journal of Marine Science*, 31 (2): 215-225  
<http://dx.doi.org/2989/AJMS.2009.31.2.9.881>
- PIERCE, S.J. & BENNETT, M.B. (2009)** Validated annual band-pair periodicity and growth parameters of blue-spotted maskray *Neotrygon kuhlii* from south-east Queensland, Australia. *Journal of Fish Biology*, 75 (10): 2490-2508 <http://dx.doi.org/1111/j.1095-8649.2009.02435.x>
- PIERCE, S.J. & PARDO, S.A. & BENNETT, M.B. (2009)** Reproduction of the blue-spotted maskray *Neotrygon kuhlii* (Myliobatoidei: Dasyatidae) in south-east Queensland, Australia. *Journal of Fish Biology*, 74 (6): 1291-1308 <http://dx.doi.org/1111/j.1095-8649.2009.02202.x>
- PILGRIM, B.L. & FRANZ-ODENDAAL, T.A. (2009)** A comparative study of the ocular skeleton of fossil and modern chondrichthyans. *Journal of Anatomy*, 214 (6): 848-858  
<http://dx.doi.org/1111/j.1469-7580.2009.01077.x>
- PILLANS, R.D. & STEVENS, J.D. & KYNE, P.M. & SALINI, J. (2009)** Observations on the distribution, biology, short-term movements and habitat requirements of river sharks *Glyphis* spp. in northern Australia. *Endangered Species Research*, 10: 321-332  
<http://dx.doi.org/3354/esr00206>
- PINHAL, D. & ARAKI, C.S. & GADIG, O.B.F. & MARTINS, C. (2009)** Molecular organization of 5S rDNA in sharks of the genus *Rhizoprionodon*: insights into the

evolutionary dynamics of 5S rDNA in vertebrate genomes. *Genetical Research*, 91 (1): 61-72  
<http://dx.doi.org/1017/S0016672308009993>

**PINHAL, D. & GADIG, O.B.F. & MARTINS, C. (2009)** Genetic identification of the sharks *Rhizoprionodon porosus* and *R. landii* by PCR-RFLP and nucleotide sequence analyses of 5S rDNA. *Conservation Genetics Resources*, 1 (1): 35-38 <http://dx.doi.org/1007/s12686-009-9008-9>

**POLO-SILVA, C. & RENDÓN, L. & GALVÁN-MAGAÑA, F. (2009)** Descripción de la dieta de los tiburones zorro (*Alopias pelagicus*) y (*Alopias superciliosus*) durante la época lluviosa en aguas ecuatorianas. *Pan-American Journal of Aquatic Sciences*, 4 (4): 556-571

**PORTER, M.E. & ROQUE, C.M. & LONG, J.H. (2009)** Turning Maneuvers in Sharks: Predicting Body Curvature From Axial Morphology. *Journal of Morphology*, 270 (8): 954-965  
<http://dx.doi.org/1002/jmor.10732>

**PORTNOY, D.S. & McDOWELL, J.R. & McCANDLESS, C.T. & MUSICK, J.A. & GRAVES, J.E. (2009)** Effective size closely approximates the census size in the heavily exploited western Atlantic population of the sandbar shark, *Carcharhinus plumbeus*. *Conservation Genetics*, 10 (6): 1697-1705 <http://dx.doi.org/1007/s10592-008-9771-2>

**PRECIADO, I. & CARTES, J.E. & SERRANO, A. & VELASCO, F. & OLASO, I. & SÁNCHEZ, F. & FRUTOS, I. (2009)** Resource utilization by deep-sea sharks at the Le Danois Bank, Cantabrian Sea, north-east Atlantic Ocean. *Journal of Fish Biology*, 75 (6): 1331-1355 <http://dx.doi.org/1111/j.1095-8649.2009.02367.x>

**PRIEDE, I.G. & MILLER, P.I. (2009)** A basking shark (*Cetorhinus maximus*) tracked by satellite together with simultaneous remote sensing II: New analysis reveals orientation to a thermal front. *Fisheries Research*, 95 (2-3): 370-372

**PRISCO, M. & DEL GIUDICE, G. & AGNESE, M. & RICCHIARI, L. & CAMPANELLA, C. & ANDREUCCETTI, P. (2009)** Organization of the Vitelline Envelope in Ovarian Follicles of *Torpedo marmorata* Risso, 1810 (Elasmobranchii: Torpediniformes) *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution*, 312: 714-721  
<http://dx.doi.org/1002/jez.b.21289>

**PRISCO, M. & DONIZETTI, A. & ANIELLO, F. & LOCASCIO, A. & DEL GIUDICE, G. & AGNESE, M. & ANGELINI, F. & ANDREUCCETTI, P. (2009)** Expression of Prothymosin alpha during the spermatogenesis of the spotted ray *Torpedo marmorata*. *General and Comparative Endocrinology*, 164 (1): 70-76 <http://dx.doi.org/1016/j.yggen.2009.05.005>

**PROKOFIEV, A.M. & KUKUEV, E.I. (2009)** New findings of rare fish species from families Mitsukurinidae (Chondrichthyes), Muraenidae, Lophiidae, Macrouridae, and Psychrolutidae (Teleostei) on raises of the atlantic ocean with the description of *Gymnothorax walvisensis* sp. nova. *Journal of Ichthyology*, 49 (3): 215-227  
<http://dx.doi.org/1134/S0032945209030023>

**PUZDROWSKI, R.L. & GRUBER, S. (2009)** Morphologic features of the cerebellum of the Atlantic stingray, and their possible evolutionary significance. *Integrative Zoology*, 4 (1): 110-122 <http://dx.doi.org/1111/j.1749-4877.2008.00127.x>

**QUIROZ, J.C. & WIFF, R. & CÉSPEDES, R. (2009)** Reproduction and population aspects of the yellownose skate, *Dipturus chilensis* (Pisces, Elasmobranchii: Rajidae), from southern Chile. *Journal of Applied Ichthyology*, 25 (S1): 72-77

**RABEHAGASOA, N. & BACH, P. & LORRAIN, A. & MORIZE, E. & CAMPANA, S.E. & BRUGGEMANN, H. & ROMANOV, E.V. (2009)** Comparative analysis of the individual age of the blue shark, *Prionace glauca* in the southwest Indian Ocean. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 22-23

**RAJE, S.G. & ZACHARIA, P.U. (2009)** Investigations on fishery and biology of nine species of rays in Mumbai waters. *Indian Journal of Fisheries*, 56 (2): 95-101

**RAMÍREZ-MACÍAS, D. & DE LA PARRA, R. & MEEKAN, M. & REMOLINA, F. & TRIGO, M. & VÁZQUEZ-JUÁREZ, R. (2009)** Population size and structure of whale sharks *Rhincodon typus* at Holbox Island, México. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 70

**RASALATO, E. & MAGINNITY, V. & BRUNNSCHWEILER, J.M. (2009)** Where there is water there are sharks: a case study using local ecological knowledge (lek) to identify shark river habitats in Fiji, South Pacific. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 45

**RAVI, V. & LAM, K. & TAY, B.-H. & TAY, A. & BRENNER, S. & VENKATESH, B. (2009)** Elephant shark (*Callorhynchus milii*) provides insights into the evolution of Hox gene clusters in gnathostomes. *Proceedings of the National Academy of Sciences of the United States of America*, 106 (38): 16327-16332 <http://dx.doi.org/1073/pnas.0907914106>

**REEVE, A. & HANDY, R.D. & GRUBER, S.H. (2009)** Prey selection and functional response of juvenile lemon sharks *Negaprion brevirostris*. *Journal of Fish Biology*, 75 (1): 276-281 <http://dx.doi.org/1111/j.1095-8649.2009.02265.x>

**RELINI, G. & BOTTARO, M. & BARONE, M. & PSOMADAKIS, P.N. & CONSALVO, I. & MANCUSI, C. & SERENA, F. (2009)** The elasmobranch project. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 41

**REVILL, A.T. & YOUNG, J.W. & LANSDELL, M. (2009)** Stable isotopic evidence for trophic groupings and bio-regionalization of predators and their prey in oceanic waters off eastern Australia. *Marine Biology*, 156 (6): 1241-1253 <http://dx.doi.org/1007/s00227-009-1166-5>

**RIBEIRO-PRADO, C.C. & ODDONE, M.C. & DE AMORIM, A.F. & CAPAPÉ, C. (2009)** An abnormal hermaphrodite pelagic stingray *Pteroplatytrygon violacea* (Dasyatidae) captured off the southern coast of Brazil. *Cahiers de Biologie Marine*, 50: 91-96

**RICHARDS, V.P. & HENNING, M. & WITZELL, W. & SHIVJI, M.S. (2009)** Species Delineation and Evolutionary History of the Globally Distributed Spotted Eagle Ray (*Aetobatus narinari*). *Journal of Heredity*, 100 (3): 273-283 <http://dx.doi.org/1093/jhered/esp005>

**RICHARDSON, J. (2009)** Conserving UK marine biodiversity: elasmobranchs and the UK biodiversity action plan. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 46

**RILEY, M.J. & HARMAN, A. & REES, R.G. (2009)** Evidence of continued hunting of whale sharks *Rhincodon typus* in the Maldives. *Environmental Biology of Fishes*, 86 (3): 371-374  
<http://dx.doi.org/1007/s10641-009-9541-0>

**ROCCO, L. & BENCIVENGA, S. & ARCHIMANDRITIS, A. & STINGO, V. (2009)** Molecular characterization and chromosomal localization of spermatogenesis related sequences in *Torpedo torpedo* (Chondrichthyes, Torpediniformes). *Marine Genomics*, 2 (2): 99-102  
<http://dx.doi.org/1016/j.margen.2009.06.001>

**RODRÍGUEZ-MOLDES, I. (2009)** A developmental approach to forebrain organization in elasmobranchs: new perspectives on the regionalization of the telencephalon. *Brain, Behavior and Evolution*, 74 (1): 20-29  
<http://dx.doi.org/10.1159/000229010>

**ROMANOV, E.V. & WARD, P. & LEVESQUE, J.C. & LAWRENCE, E. (2009)** Preliminary analysis of crocodile shark (*Pseudocarcharias kamoharai*) distribution and abundance trends in pelagic longline fisheries. IOTC Working Party on Environment and Bycatch (WPEB) Bangkok, Thailand.

**ROMINE, J.G. & MUSICK, J.A. & BURGESS, G.H. (2009)** Demographic analyses of the dusky shark, *Carcharhinus obscurus*, in the Northwest Atlantic incorporating hooking mortality estimates and revised reproductive parameters. *Environmental Biology of Fishes*, 84 (3): 277-289  
<http://dx.doi.org/1007/s10641-008-9435-6>

**ROSA, M.R. & GADIG, O.B.F. (2009)** Taxonomic comments and an identification key to species for the Smooth-hound sharks genus *Mustelus* Link, 1790 (Chondrichthyes: Triakidae) from the Western South Atlantic. *Pan-American Journal of Aquatic Sciences*, 5 (3): 401-413

**ROSA, R.S. (2009)** Elasmobranchii. In: Da ROCHA, R.M. & BOEGER, W.A. (eds) Estado da arte e perspectivas para a Zoologia no Brasil, Curitiba, 17/02 a. 21/02/2008; Sociedade Brasileira de Zoologia: 203-210

**ROTENSTEIN, L. & MILANES, A. & JUAREZ, M. & REYES, M. & DE BELLARD, M.E. (2009)** Embryonic development of glial cells and myelin in the shark, *Chiloscyllium punctatum*. *Gene Expression Patterns*, 9 (8): 572-585  
<http://dx.doi.org/1016/j.gep.2009.09.001>

**ROWAT, D. & GORE, M. & MEEKAN, M.G. & LAWLER, I.R. & BRADSHAW, C.J.A. (2009)** Aerial survey as a tool to estimate whale shark abundance trends. *Journal of Experimental Marine Biology and Ecology*, 368 (1): 1-8

**ROWAT, D. & SPEED, C.W. & MEEKAN, M.G. & GORE, M.A. & BRADSHAW, C.J.A. (2009)** Population abundance and apparent survival of the vulnerable whale shark *Rhincodon typus* in the Seychelles aggregation. *Oryx*, 43 (4): 591-598

**RUHNKE, T.R. & CAIRA, J.N. (2009)** Two new species of *Anthobothrium* van Beneden, 1850 (tetraphyllidea: phyllobothriidae) from carcharhinid sharks, with a redescription of

Anthobothrium laciniatum Linton, 1890. Systematic Parasitology, 72 (3): 217-227  
<http://dx.doi.org/1007/s11230-008-9168-0>

**RUHNKE, T.R. & SEAMAN, H.B. (2009)** Three new species of Anthocephalum Linton, 1890 (Cestoda: Tetrphyllidea) from dasyatid stingrays of the Gulf of California. Systematic Parasitology, 72 (2): 81-95 <http://dx.doi.org/1007/s11230-008-9170-6>

**RUOCCO, N.L. & LUCIFORA, L.O. & DÍAZ DE ASTARLOA, J.M. & BREMEC, C. (2009)** Diet of the white-dotted skate, Bathyraja albomaculata, in waters of Argentina. Journal of Applied Ichthyology, 25 (S1): 94-97

**SABELLI, B. & COLLEVECCHIO, V. & GATTELLI, R. & MINELLI, D. (2009)** The Chlamydoselachus anguineus in the Zoological Museum of the University of Bologna. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 11

**SAÏDI, B. & BRADAÏ, M.N. & BOUAÏN, A. (2009)** Reproductive biology and diet of Mustelus punctulatus (Risso, 1826) (Chondrichthyes: Triakidae) from the Gulf of Gabès, central Mediterranean Sea. Scientia Marina, 73 (2): 249-258

**SAÏDI, B. & CHOUIKI, K. & ENNAJAR, S. & BRADAÏ, M.N. (2009)** Artisanal elasmobranch fishery in the Gulf of Gabès (southern Tunisia). Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 52

**SAÏDI, B. & ENAJJAR, S. & BRADAÏ, M.N. & BOUAÏN, A. (2009)** Diet composition of smooth-hound shark, Mustelus mustelus (Linnaeus, 1758), in the Gulf of Gabès, southern Tunisia. Journal of Applied Ichthyology, 25 (S1): 113-118

**SALOMÓN-AGUILAR, C.A. & VILLAVICENCIO-GARAYZAR, C.J. & REYES-BONILLA, H. (2009)** Shark breeding grounds and seasons in the Gulf of California: Fishery management and conservation strategy. Ciencias Marinas, 35 (4): 369-388

**SANDBLOM, E. & COX, G.K. & PERRY, S.F. & FARRELL, A.P. (2009)** The role of venous capacitance, circulating catecholamines, and heart rate in the hemodynamic response to increased temperature and hypoxia in the dogfish. American Journal of Physiology. Regulatory, Integrative and Comparative Physiology, 296 (5): 1547-1556  
<http://dx.doi.org/1152/ajpregu.90961.2008>

**SANTANA, F.M. & DUARTE-NETO, P. & LESSA, R. (2009)** Demographic analysis of the night shark (Carcharhinus signatus, Poey, 1868) in the equatorial Southwestern Atlantic.... Fisheries Research, 100 (3): 210-214 <http://dx.doi.org/1016/j.fishres.2009.07.009>

**SCHLUESSEL, V. & BENNETT, M.B. & COLLIN, S.P. (2009)** Life history of the white spotted eagle ray Aetobatus narinari. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 34

**SCHMIDT, J.V. & SCHMIDT, C.L. & OZER, F. & ERNST, R.E. & FELDHEIM, K.A. & ASHLEY, M.V. & LEVINE, M. (2009)** Low Genetic Differentiation across Three Major Ocean Populations of the Whale Shark, Rhincodon typus. PLoS ONE, 4 (4): e4988  
<http://dx.doi.org/1371/journal.pone.000498>



**SCHWINGEL, P.R. & ASSUNÇÃO, R. (2009)** Hábitos alimentares da raia Atlantoraja platana (Günther, 1880) (Elasmobranchii, Rajidae) no litoral norte de Santa Catarina, Brasil. Pan-American Journal of Aquatic Sciences, 4 (4): 446-455

**SEGURA, A.M. & MILESSI, A.C. (2009)** Biological and reproductive characteristics of the Patagonian smoothhound *Mustelus schmitti* (Chondrichthyes, Triakidae) as documented from an artisanal fishery in Uruguay. Journal of Applied Ichthyology, 25 (S1): 78-82

**SEMBA, Y. & NAKANO, H. & AOKI, I. (2009)** Age and growth analysis of the shortfin mako, *Isurus oxyrinchus*, in the western and central North Pacific Ocean. Environmental Biology of Fishes, 84 (4): 377-391 <http://dx.doi.org/1007/s10641-009-9447-x>

**SENOU, H. & SAKIYAMA, T. (2009)** Records of Tiger Shark, *Galeocerdo cuvier* (Carcharhiniformes: Carcharhinidae) from Sagami Bay. Bulletin of the Kanagawa Prefectural Museum. Natural Science, 30: 65-67

**SENTHIL, K.K. & ZUSHI, Y. & MASUNAGA, S. & GILLIGAN, M. & PRIDE, C. & SAJWAN, K.S. (2009)** Perfluorinated organic contaminants in sediment and aquatic wildlife, including sharks, from Georgia, USA. Marine Pollution Bulletin, 58 (4): 621-629  
<http://dx.doi.org/1016/j.marpolbul.2008.12.006>

**SÉRET, B. & BLAISON, A. (2009)** Sharks and rays of french fisheries. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 42

**SÉRET, B. & LAST, P.R. (2009)** *Notoraja sapphira* sp. nov. (Rajoidei: Arhynchobatidae), a new deepwater skate from the slopes of the Norfolk Ridge (South-West Pacific). Zootaxa, 2153: 24-34

**SEVERINO, R.B. & AFONSO-DIAS, I. & DELGADO, J. & AFONSO-DIAS, M. (2009)** Aspects of the biology of the leaf-scale gulper shark *Centrophorus squamosus* (Bonnaterre, 1788) off Madeira archipelago. Arquipélago. Life and Marine Sciences, 26: 57-61

**SHIBUYA, A. & ARAÚJO, M.L.G. & ZUANON, J.A.S. (2009)** Analysis of stomach contents of freshwater stingrays (Elasmobranchii, Potamotrygonidae) from the middle Negro River, Amazonas, Brazil. Pan-American Journal of Aquatic Sciences, 4 (4): 466-475

**SHIMADA, K. & RIGSBY, C.K. & KIM, S.H. (2009)** Labial Cartilages in the Smalltooth Sandtiger Shark, *Odontaspis ferox* (Lamniformes: Odontaspidae) and Their Significance to the Phylogeny of Lamniform Sharks. Anatomical Record, 292 (6): 813-817  
<http://dx.doi.org/1002/ar.20903>

**SHIN, D.H. & WEBB, B.M. & NAKAO, M. & SMITH, S.L. (2009)** Characterization of shark complement factor I gene(s): Genomic analysis of a novel shark-specific sequence. Molecular Immunology, 46 (11): 2299-2308

**SILVA, C.E.D.A.E. & AZEREDO, A. & DIAS, A.D.C.L. & COSTA, P. & LAILSON-BRITO, J. & MALM, O. & GUIMARAES, J.R.D. & TORRES, J.P.M. (2009)** Organochlorine compounds in sharks from the Brazilian coast. Marine Pollution Bulletin, 58 (2): 294-298  
<http://dx.doi.org/1016/j.marpolbul.2008.11.003>



- SILVA, J. & ELLIS, J. & BURT, G. & COX, L. & KULKA, D. & PAYNE, A. (2009)** The status and management of thornback ray *Raja clavata* in the south-western North Sea. Abstract. In: Programm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 43
- SIMPFENDORFER, C.A. & KYNE, P.M. (2009)** Limited potential to recover from overfishing raises concerns for deep-sea sharks, rays and chimaeras. *Environmental Conservation*, 36 (2): 97-103 <http://dx.doi.org/10.1007/s10641-009-9990-1>
- SIMPFENDORFER, C.A. & TOBIN, A.J. & WELCH, D.J. (2009)** Shark catches in the inshore waters of the great barrier reef world heritage area. Abstract. In: Programm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 53
- SISNEROS, J.A. & FAY, RICHARD.R. (2009)** Auditory saccular potentials of the little skate, *Raja erinacea*. *Journal of the Acoustical Society of America*, 125 (4): 2506-
- SKOMAL, G.B. & ZEEMAN, S.I. & CHISHOLM, J.H. & SUMMERS, E.L. & WALSH, J.H. & McMAHON, K.W. & THORROLD, S.R. (2009)** Transequatorial Migrations by Basking Sharks in the Western Atlantic Ocean. *Current Biology*, 19 (12): 1019-1022  
<http://dx.doi.org/10.1016/j.cub.2009.04.019>
- SLEEMAN, J.C. & MEEKAN, M.G. & FITZPATRICK, B.J. & STEINBERG, C.R. & ANCEL, R. & BRADSHAW, C.J.A. (2009)** Oceanographic and atmospheric phenomena influence the abundance of whale sharks at Ningaloo Reef, Western Australia. *Journal of Experimental Marine Biology and Ecology*, 382 (2): 77-81
- SMITH, W.D. & BIZZARRO, J.J. & CAILLIET, G.M. (2009)** The artisanal elasmobranch fishery on the east coast of Baja California, Mexico: Characteristics and management considerations. *Ciencias Marinas*, 35 (2): 209-236
- SMITH, W.D. & BIZZARRO, J.J. & RICHARDS, V.P. & NIELSEN, J. & MÁRQUEZ-FARÍAS, J.F. & SHIVJI, M.S. (2009)** Morphometric convergence and molecular divergence: the taxonomic status and evolutionary history of *Gymnura crebripunctata* and *Gymnura marmorata* in the eastern Pacific Ocean. *Journal of Fish Biology*, 75 (4): 761-783  
<http://dx.doi.org/10.1111/j.1095-8649.2009.02300.x>
- SONDES, M. & HASNA, K. & BECHIR, S. & RAJA, C. & ABDERRAHMEN, B. & MALTAGLIATI, F. & LAST, P. & SÉRET, B. & BRADAI, M.N. (2009)** Occurrence of *Squalus megalops* (Chondrichthyes: Squalidae) in the Mediterranean Sea. Abstract. In: Programm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 79
- SPEED, C.W. & MEEKAN, M.G. & RUSSELL, B.C. & BRADSHAW, C.J.A. (2009)** Recent whale shark (*Rhincodon typus*) beach strandings in Australia. *Marine Biodiversity Records*, 2: 1-3
- SPEEDIE, C.D. & JOHNSON, L.A. & WITT, M.J. & HENDERSON, S.A. (2009)** Basking shark hotspot sites in Western Scotland: developing appropriate protection measures for the species on a site specific basis. Abstract. In: Programm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 44

**SPEERS-ROESCH, B. (2009)** The unusual energy metabolism of elasmobranch. Abstract. Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology, 153 (2, Supplement 1): S66 <http://dx.doi.org/1016/j.cbpa.2009.04.011>

**SPERONE, E. & PARISE, G. & LEONE, A. & PAOLILLO, G. & MICARELLI, P. & TRIPEPI, S. (2009)** Spatiotemporal patterns of distribution of pelagic sharks in Calabria (Central Mediterranean, south Italy). Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 83

**STEHMANN, M. & THIEL, R. & ROSENTHAL, H. (2009)** Research on Elasmobranchs (sharks, skates and rays) - improving our knowledge base to conserve and manage these highly endangered and ancient fish. Journal of Applied Ichthyology, 25 (S1): 1-2

**STORRIE, M.T. & WALKER, T.I. & LAURENSEN, L.J. & HAMLETT, W.C. (2009)** Gestational Morphogenesis of the Uterine Epithelium of the Gummy Shark (*Mustelus antarcticus*). Journal of Morphology, 270 (3): 319-336 <http://dx.doi.org/1002/jmor.10693>

**STRAUBE, N. & IGLESIAS, S.P. & SELLOS, D.Y. & KRIWET, J. & SCHLIEWEN, U.K. (2009)** Molecular phylogeny and node age estimation of lantern sharks (Elasmobranchii: Etmopteridae). Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 12

**STRAUBE, N. & KRIWET, J. & SCHLIEWEN, U.K. (2009)** Population structure of the luminescent deep-sea shark *Etmopterus granulosus* (Squaliformes: Etmopteridae). Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 7

**SULIKOWSKI, J.A. & CICIA, A.M. & KNEEBONE, J.R. & NATANSON, L.J. & TSANG, P.C.W. (2009)** Age and size at sexual maturity of the smooth skate *Malacoraja senta* from the western Gulf of Maine. Journal of Fish Biology, 75 (10): 2832-2838 <http://dx.doi.org/1111/j.1095-8649.2009.02443.x>

**SWAIN, D.P. & JONSEN, I.D. & SIMON, J.E. & MYERS, R.A. (2009)** Assessing threats to species at risk using stage-structured state-space models: mortality trends in skate populations. Ecological Applications, 19 (5): 1347-1364 <http://dx.doi.org/1890/08-1699.1>

- T, U, V, W, X, Y, Z -

**TAN, R.-H. & ZHOU, L. & YANG, W.-C. (2009)** A new cestode (Tetraphyllidea: Phyllobothriidae) in elasmobranchs from the Taiwan Strait. Journal of Parasitology, 95 (3): 739-742

**TARRANT, H. (2009)** Conservation and art: the power of an image. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 47

**TAVARES, R. (2009)** Fishery biology of the Caribbean reef sharks, *Carcharhinus perezii* (Poey, 1876), in a Caribbean insular platform: Los Roques Archipelago National Park, Venezuela. Pan-American Journal of Aquatic Sciences, 4 (4): 500-512

- TAYLOR, E.W. (2009)** Elasmobranch models that have furthered our understanding of neural control of physiological function in vertebrates. Abstract. Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology, 153 (2, Supplement 1): S68  
<http://dx.doi.org/1016/j.cbpa.2009.04.016>
- TAZEROUTI, F. & KECHEMIR-ISSAD, N. & EUZET, L. (2009)** (*Acanthobothrium minus* n. sp. (Tetraphyllidea: Onchobotriidae) parasite of c (Elasmobranchii: Rajidae) in Mediterranean Sea). Parasite (Paris, France), 16 (3): 203-207
- THEISS, S.M. & HART, N.S. & COLLIN, S.P. (2009)** Morphological indicators of olfactory capability in Wobbegong sharks (Orectolobidae, Elasmobranchii). Brain, Behavior and Evolution, 73 (2): 91-101 <http://dx.doi.org/1159/000209865>
- THIEL, R. & EIDUS, I. & NEUMANN, R. (2009)** The Zoological Museum Hamburg (ZMH) fish collection as a global biodiversity archive for elasmobranchs and actinopterygians as well as other fish taxa. Journal of Applied Ichthyology, 25 (S1): 9-32
- THORPE, T. & FRIERSON, D. (2009)** Bycatch mitigation assessment for sharks caught in coastal anchored gillnets. Fisheries Research, 98 (1-3): 102-112  
<http://dx.doi.org/1016/j.fishres.2009.04.003>
- THORSON, J.T. & SIMPFENDORFER, C.A. (2009)** Gear selectivity and sample size effects on growth curve selection in shark age and growth studies. Fisheries Research, 98 (1-3): 75-84
- TOVAR-ÁVILA, J. & ARENAS-FUENTES, V. & CHIAPPA-CARRARA, X. (2009)** Edad y crecimiento del tiburón puntas negras, *Carcharhinus limbatus*, en el Golfo de México. Ciencia Pesquera, 17 (1): 47-58
- TOVAR-ÁVILA, J. & IZZO, C. & WALKER, T.I. & BRACCINI, J.M. & DAY, R.W. (2009)** Assessing growth band counts from vertebrae and dorsal-fin spines for ageing sharks: comparison of four methods applied to *Heterodontus portusjacksoni*. Marine and Freshwater Research, 60 (9): 898-903
- TOVAR-ÁVILA, J. & TROYNIKOV, V.S. & WALKER, T.I. & DAY, R.W. (2009)** Use of stochastic models to estimate the growth of the Port Jackson shark, *Heterodontus portusjacksoni*, off eastern Victoria, Australia. Fisheries Research, 95 (2-3): 230-235
- TRICAS, T.C. & KAJIURA, S.M. & SUMMERS, A.P. (2009)** Response of the hammerhead shark olfactory epithelium to amino acid stimuli. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 195 (1): 947-954  
<http://dx.doi.org/1007/s00359-009-0470-3>
- TSUTSUI, S. & YAMAGUCHI, M. & HIRASAWA, A. & NAKAMURA, O. & WATANABE, T. (2009)** Common skate (*Raja kenoei*) secretes pentraxin into the cutaneous secretion: The first skin mucus lectin in cartilaginous fish. Journal of Biochemistry, 146 (2): 295-306
- UBEDA, A.J. & SIMPFENDORFER, C.A. & HEUPEL, M.R. (2009)** Movements of bonnetheads, *Sphyrna tiburo*, as a response to salinity change in a Florida estuary. Environmental Biology of Fishes, 84 (3): 293-303 <http://dx.doi.org/1007/s10641-008-9436-5>

- VALLS, M. & QUETGLAS, A. & ORDINES, F. & MORANTA, J. (2009)** Feeding ecology of elasmobranch species in the Western Mediterranean. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 24
- VAN DIJK, S. (2009)** Social learning of an operant conditioning task by juvenile lemon shark (*Negaprion brevirostris*). MSc Thesis. University of Groningen, Netherlands.
- VASKE, T. & VOOREN, C.M. & LESSA, R.P. (2009)** Feeding strategy of the night shark (*Carcharhinus signatus*) and scalloped hammerhead shark (*Sphyrna lewini*) near seamounts off northeastern Brazil. *Brazilian Journal of Oceanography*, 57 (2): 97-104
- VAUDO, J.J. & HEITHAUS, M.R. (2009)** Spatiotemporal variability in a sandflat elasmobranch fauna in Shark Bay, Australia. *Marine Biology*, 156 (12): 2579-2590  
<http://dx.doi.org/1007/s00227-009-1282-2>
- VAUGHAN, D.B. & CHISHOLM, L.A. (2009)** Three *Dendromonocotyle* species (Monogenea: Monocotylidae) reported from captive rays, including *D. lotteri* sp. n. from *Himantura gerrardi* (Elasmobranchii: Dasyatidae) in the public aquarium at the Atlantis resort, Dubai. *Folia Parasitologica*, 56 (2): 99-106
- VÉLEZ-MARÍN, R. & MÁRQUEZ-FARÍAS, J.F. (2009)** Distribution and size of the shortfin mako (*Isurus oxyrinchus*) in the Mexican Pacific Ocean. *Pan-American Journal of Aquatic Sciences*, 4 (4): 490-499
- VÉRAS, D.P. & VASKE, T. & HAZIN, F.H.V. & LESSA, R.P. & TRAVASSOS, P.E. & TOLOTTI, M.T. & BARBOSA, T.M. (2009)** Stomach contents of the pelagic stingray (*Pteroplatytrygon violacea*) (Elasmobranchii: Dasyatidae) from the tropical atlantic. *Brazilian Journal of Oceanography*, 57 (4): 339-343
- VÖGLER, R. & BEIER, E. & ORTEGA, S. (2009)** Population structure and spatio-temporal distribution of blue shark (*Prionace glauca*) at the eastern tropical Pacific off Mexico. Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 71
- VÖGLER, R. & MILESSI, A.C. & DUARTE, L.O. (2009)** Changes in trophic level of *Squatina guggenheim* with increasing body length: relationships with type, size and trophic level of its prey. *Environmental Biology of Fishes*, 84 (4): 41-52  
<http://dx.doi.org/1007/s10641-008-9387-x>
- WALIGORA, J. & STRAUBE, N. & KRIWET, J. (2009)** Ontogenetic and sexual variability of dental and placoid scales in two species of lantern sharks, (Chondrichthyes, Etmopteridae). Abstract. In: Progrtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 35
- WALLACE, S.S. & McFARLANE, G.A. & CAMPANA, S.E. & KING, J.R. (2009)** Status of spiny dogfish in Atlantic and Pacific Canada. In: Gallucci, V.F. & McFarlane, G.A. & Bargmann, G.G. (eds). *Biology and management of dogfish sharks*. American Fisheries Society. Bethesda, Maryland: 313-334

- WANG, J. & LEE, A.P. & KODZIUS, R. & BRENNER, S. & VENKATESH, B. (2009)** Large number of ultraconserved elements were already present in the jawed vertebrate ancestor. *Molecular Biology and Evolution*, 26 (3): 487-490 <http://dx.doi.org/1093/molbev/msn278>
- WATANABE, T. & INOUE, K. & TAKEI, Y. (2009)** Identification of angiotensinogen genes with unique and variable angiotensin sequences in chondrichthyans. *General and Comparative Endocrinology*, 161 (1): 115-122 <http://dx.doi.org/1016/j.yggen.2008.11.021>
- WEARMOUTH, V.J. & SIMS, D.W. (2009)** Movement and behaviour patterns of the critically endangered common skate *Dipturus batis* revealed by electronic tagging. *Journal of Experimental Marine Biology and Ecology*, 380 (1): 77-87
- WEARMOUTH, V.J. & SOUTHALL, E.J. & MORRITT, D. & THOMPSON, R.C. & BUDD, G.C. & CUTHILL, I.C. & PARTRIDGE, J.C. & SIMS, D.W. (2009)** Sexual segregation as a behavioural mediator of elasmobranch population dynamics. Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S67 <http://dx.doi.org/1016/j.cbpa.2009.04.014>
- WEINER, L. & SHNYROV, V.L. & KONSTANTINOVSKII, L. & ROTH, E. & ASHANI, Y. & SILMAN, I. (2009)** Stabilization of *Torpedo californica* acetylcholinesterase by reversible inhibitors. *Biochemistry*, 48 (3): 563-574 <http://dx.doi.org/1021/bi801196y>
- WHITE, W.T. (2009)** Biodiversity and biogeography of tropical marine chondrichthyans. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 72
- WHITE, W.T. & COMPAGNO, L.J.V. & DHARMADI (2009)** *Hemitriakis indroyonoi* sp. nov., a new species of houndshark from Indonesia (Carcharhiniformes: Triakidae). *Zootaxa*, 2110: 41-57
- WHITTINGTON, I.D. & KEARN, G.C. (2009)** Two new species of entobdelline skin parasites (Monogenea, Capsalidae) from the blotched fantail ray, *Taeniura meyeni*, in the Pacific Ocean, with comments on spermatophores and the male copulatory apparatus. *Acta Parasitologica*, 54 (1): 12-21 <http://dx.doi.org/2478/s11686-009-0013-7>
- WHITTINGTON, I.D. & KEARN, G.C. (2009)** Two new species of Neotentobdella (Monogenea: Capsalidae: Entobdellinae) from the skin of Australian stingrays (Dasyatidae). *Folia Parasitologica*, 56 (1): 29-35
- WIRSING, A.J. & HEITHAUS, M.R. (2009)** Olive-headed sea snakes *Disteria major* shift seagrass microhabitats to avoid shark predation. *Marine Ecology Progress Series*, 387: 287-293 <http://dx.doi.org/3354/meps08127>
- WONG, E.H.-K. & SHIVJI, M.S. & HANNER, R.H. (2009)** Identifying sharks with DNA barcodes: assessing the utility of a nucleotide diagnostic approach. *Molecular Ecology Resources*, 9: 243-256
- WONG, M.K.S. & TAKEI, Y. (2009)** Cyclostome and chondrichthyan adrenomedullins reveal ancestral features of the adrenomedullin family. *Comparative Biochemistry and Physiology - Part B, Biochemistry and Molecular Biology*, 154 (3): 317-325 <http://dx.doi.org/1016/j.cbpb.2009.07.006>



**WOOD, A.D. & WETHERBEE, B.M. & JUANES, F. & KOHLER, N.E. & WILGA, C. (2009)** Recalculated diet and daily ration of the shortfin mako (*Isurus oxyrinchus*), with a focus on quantifying predation on bluefish (*Pomatomus saltatrix*) in the northwest Atlantic Ocean. *Fishery Bulletin*, 107 (1): 76-88

**WOOD, C.M. & SCHULTZ, A.G. & MUNGER, R.S. & WALSH, P.J. (2009)** Using omeprazole to link the components of the post-prandial alkaline tide in the spiny dogfish, *Squalus acanthias*. *Journal of Experimental Biology*, 212 (5): 684-692  
<http://dx.doi.org/1242/jeb.026450>

**WOOD, C.M. & WALSH, P.J. & KAJIMURA, M. & McCLELLAND, G. & CHEW, S.F. (2009)** The influence of feeding and fasting on plasma metabolites in the dogfish shark (*Squalus acanthias*). Abstract. *Comparative Biochemistry and Physiology - Part A, Molecular & Integrative Physiology*, 153 (2, Supplement 1): S66-S67  
<http://dx.doi.org/1016/j.cbpa.2009.04.012>

**WUERINGER, B.E. & TIBBETTS, I.R. & WHITEHEAD, D.L. (2009)** Ultrastructure of the ampullae of Lorenzini of *Aptychotrema rostrata* (Rhinobatidae). *Zoomorphology*, 128 (2): 45-52  
<http://dx.doi.org/1007/s00435-008-0073-5>

**WUNDERER, L. (2009)** Fashion endangering stingrays? - trade in ray leather. Abstract. In: *Program and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain* (ed. Morey, G. & Yuste, L. and Pons, G.X.): 48

**WYNEN, L. & LARSON, H. & THORBURN, D. & PEVERELL, S.C. & MORGAN, D. & FIELD, I. & GIBB, K. (2009)** Mitochondrial DNA supports the identification of two endangered river sharks (*Glyphis glyphis* and *Glyphis garricki*) across northern Australia. *Marine and Freshwater Research*, 60 (6): 554-562

**YAMAGUCHI, A. & KUME, G. (2009)** Reproductive biology of the fanray, *Platyrrhina sinensis* (Batoidea: Platyrrhinidae) in Ariake Bay, Japan. *Ichthyological Research*, 56 (2): 133-139  
<http://dx.doi.org/1007/s10228-008-0078-6>

**YAMAGUCHI, Y. & TAKAKI, S. & HYODO, S. (2009)** Subcellular Distribution of Urea Transporter in the Collecting Tubule of Shark Kidney is Dependent on Environmental Salinity. *Journal of Experimental Zoology Part A: Comparative Experimental Biology*, 311: 705-718

**YELDAN, H. & AVSAR, D. & MANASIRLI, M. (2009)** Age, growth and feeding of the common stingray (*Dasyatis pastinaca*, L., 1758) in the Cilician coastal basin, northeastern Mediterranean Sea. *Journal of Applied Ichthyology*, 25 (S1): 98-102

**YIGIN, C.C. & ISMEN, A. (2009)** Length-weight relationships for seven rays from Saros Bay (North Aegean Sea). *Journal of Applied Ichthyology*, 25 (S1): 106-108

**YOPAK, K.E. & FRANK, L.R. (2009)** Brain size and brain organization of the whale shark, *Rhincodon typus*, using magnetic resonance imaging. *Brain, Behavior and Evolution*, 74 (2): 121-142  
<http://dx.doi.org/1159/000235962>



**ZAERA, D. (2009)** The presence of the cookiecutter shark, *Isistius brasiliensis* (Quoy & Gaimard, 1824) in angolan waters. Abstract. In: Progtamm and Abstracts, 13th EEA Conference 2009, Palma de Mallorca, Spain (ed. Morey, G. & Yuste, L. and Pons, G.X.): 84

**ZARBALIS, K. & CHOE, Y. & MAUTE, R.L. & PETERSON, A.S. & PLEASURE, S.J. (2009)** Manta ray a novel ENU mutant with brain and craniofacial defects. Abstract. *Developmental Biology*, 331 (2): 494-495 <http://dx.doi.org/10.1016/j.ydbio.2009.05.407>

## Index

Aetobatus	- 41 -, - 42 -
Aetomylaeus	- 17 -
Alopias	- 15 -, - 39 -
Arhynchobatidae	- 43 -
Atlantoraja	- 18 -, - 43 -
Bathyraja	- 27 -, - 38 -, - 42 -
Batoidea	- 5 -, - 6 -, - 10 -, - 24 -, - 31 -, - 37 -, - 49 -
Callorhynchus	- 19 -, - 30 -, - 31 -, - 40 -
Carcharhinidae	- 16 -, - 31 -, - 35 -, - 36 -, - 43 -
Carcharhinus	- 15 -, - 17 -, - 21 -, - 28 -, - 34 -, - 37 -, - 38 -, - 39 -, - 41 -, - 42 -, - 45 -, - 46 -, - 47 -
Carcharias	- 12 -, - 20 -
Carcharodon	- 5 -, - 15 -, - 20 -, - 25 -, - 29 -
Centrophorus	- 43 -
Centroscyrnus	- 32 -
Cephaloscyllium	- 13 -
Cetorhinus	- 29 -, - 34 -, - 39 -
Chiloscyllium	- 17 -, - 26 -, - 41 -
Chimaera	- 16 -, - 24 -
Chimaeridae	- 16 -, - 24 -, - 28 -
Chlamydoselachus	- 4 -, - 22 -, - 42 -
Cretalamna	- 9 -
Dasyatidae	- 17 -, - 23 -, - 32 -, - 38 -, - 40 -, - 47 -, - 48 -
Dasyatis	- 22 -, - 27 -, - 30 -, - 32 -, - 34 -, - 49 -
Dipturus	- 40 -, - 48 -
Doliodus	- 8 -
Echinorhinus	- 19 -
Etmopteridae	- 45 -, - 47 -
Etmopteridea	- 18 -
Etmopterus	- 16 -, - 18 -, - 22 -, - 45 -
Galeocerdo	- 21 -, - 26 -, - 35 -, - 43 -
Galeorhinus	- 17 -
Galeus	- 16 -, - 22 -
Ginglymostoma	- 13 -, - 25 -
Glyphis	- 12 -, - 39 -, - 49 -
Goodrichthys	- 6 -
Gymnura	- 28 -, - 44 -
Helicoprion	- 7 -
Hemigaleus	- 19 -
Hemiscyllidae	- 26 -
Hemiscyllium	- 17 -, - 36 -
Hemitriakis	- 48 -
Heslerodidae	- 7 -
Heterodontus	- 14 -, - 29 -, - 31 -, - 46 -
Himantura	- 20 -, - 23 -, - 47 -
Hongoe	- 29 -
Hydrolagus	- 13 -, - 28 -
Isistius	- 49 -
Isurus	- 15 -, - 16 -, - 17 -, - 23 -, - 31 -, - 32 -, - 36 -, - 43 -, - 47 -, - 48 -
Lamna	- 38 -
Lamnidae	- 5 -, - 16 -, - 32 -
Lamniformes	- 3 -, - 4 -, - 5 -, - 6 -, - 9 -, - 32 -, - 43 -
Leucoraja	- 18 -, - 24 -, - 33 -, - 35 -
Lissodus	- 5 -
Malacoraja	- 45 -
	- 52 -

Manta	- 32 -, - 33 -, - 49 -
Megachasma	- 4 -
Mitsukurinidae	- 39 -
Mobulidae	- 32 -, - 33 -
Mustelus	- 15 -, - 16 -, - 23 -, - 41 -, - 42 -, - 43 -, - 45 -
Myledaphus	- 5 -
Myliobatidae	- 17 -
Narcine	- 20 -, - 32 -, - 33 -, - 36 -
Narcinidae	- 20 -, - 33 -, - 36 -
Negaprion	- 17 -, - 19 -, - 20 -, - 23 -, - 25 -, - 27 -, - 30 -, - 40 -, - 47 -
Neotrygon	- 38 -
Notoraja	- 43 -
Orectolobidae	- 19 -, - 28 -, - 46 -
Oxynotidae	- 21 -, - 30 -
Oxynotus	- 21 -, - 30 -
Palaeospinacidae	- 6 -
Paraorthacodus	- 6 -
Paratrygon	- 21 -
Platyrhina	- 49 -
Plesiobatis	- 12 -
Potamotrygon	- 12 -, - 18 -, - 28 -, - 31 -, - 32 -, - 35 -
Potamotrygonidae	- 12 -, - 24 -, - 31 -, - 32 -, - 35 -, - 43 -
Prionace	- 12 -, - 15 -, - 16 -, - 23 -, - 24 -, - 26 -, - 31 -, - 36 -, - 40 -, - 47 -
Pristidae	- 5 -, - 10 -
Propristis	- 5 -
Psammobatis	- 18 -
Pseudocarcharias	- 41 -
Pseudocorax	- 9 -
Pseudodalatias	- 4 -
Pteromylaeus	- 32 -
Pteroplatytrygon	- 40 -, - 47 -
Ptychodus	- 9 -, - 10 -
Raja	- 24 -, - 30 -, - 31 -, - 32 -, - 34 -, - 35 -, - 36 -, - 37 -, - 44 -, - 46 -
Rajidae	- 18 -, - 20 -, - 22 -, - 28 -, - 29 -, - 34 -, - 35 -, - 38 -, - 40 -, - 43 -, - 46 -
Rajiformes	- 5 -, - 14 -, - 18 -, - 23 -, - 28 -
Rhincodon	- 15 -, - 23 -, - 27 -, - 34 -, - 40 -, - 41 -, - 43 -, - 44 -, - 49 -
Rhincodontidae	- 23 -
Rhinobatidae	- 18 -, - 20 -, - 31 -, - 49 -
Rhinobatos	- 31 -, - 33 -
Rhinoptera	- 21 -, - 25 -
Rhinopteridae	- 21 -
Rhizoprionodon	- 17 -, - 31 -, - 35 -, - 39 -
Rioraja	- 13 -, - 18 -, - 22 -
Saurichthys	- 7 -
Sclerorhynchidae	- 10 -
Scyliorhinus	- 12 -, - 16 -, - 18 -, - 19 -, - 23 -, - 30 -, - 37 -
Sphyrna	- 14 -, - 17 -, - 22 -, - 29 -, - 33 -, - 46 -, - 47 -
Sphyrnidae	- 35 -
Squalidae	- 29 -, - 44 -
Squaloidea	- 18 -
Squalus	- 19 -, - 22 -, - 29 -, - 30 -, - 33 -, - 37 -, - 44 -, - 49 -
Squatina	- 13 -, - 22 -, - 35 -, - 47 -
Sympterygia	- 20 -, - 28 -
Taeniura	- 48 -
Torpedo	- 39 -, - 41 -, - 48 -
Tribodus	- 7 -
Urobatis	- 14 -, - 20 -, - 34 -
Urogymnus	- 17 -
Urolophidae	- 25 -
	- 53 -



Urotrygon  
Xiphodolamia  
Zapteryx

[www.shark-references.com](http://www.shark-references.com)

Version 09.01.2012

- 12 -, - 25 -, - 34 -, - 37 -  
- 3 -  
- 18 -, - 20 -, - 33 -