


**Bibliography database of living/fossil sharks, rays and chimaeras  
(Chondrichthyes: Elasmobranchii, Holocephali)**

**Papers of the year 2010**

**published by**

**Jürgen Pollerspöck, Benediktinerring 34, 94569 Stephansposching,  
Germany**

**ISSN: 2195-6499**



**Abstract:** This collection is the result of research in numerous journals, books and online publications. It contains more than 350 citations of papers about living/fossil sharks, rays and chimaeras (Chondrichthyes: Elasmobranchii, Holocephali).

**Notice:**

This paper is intended to be consulted for advice and information. This information has been compiled to the best of my abilities based on current knowledge and practice, however, please note that possible errors cannot be altogether/entirely excluded.

**Citation:**

Pollerspöck, J. (2011), Bibliography database of living/fossil sharks, rays and chimaeras (Chondrichthyes: Elasmobranchii, Holocephali) - Papers of the year 2010 -, [www.shark-references.com](http://www.shark-references.com), World Wide Web electronic publication, Version 03/2011; **ISSN: 2195-6499**

© Edited By: Jürgen Pollerspöck, Benediktinererring 34, D-94569 Stephansposching; Germany

**Please support [www.shark-references.com](http://www.shark-references.com)**

- ❖ **Please send me missing, not listed references!**
- ❖ **Send me publications that are not incorporated so far (marked in red lettering)!**

## Tabel of Contents

### Inhalt

<b>Fossil</b> .....	<b>- 3 -</b>
<b>Complete list (arrange in alphabetical order)</b> .....	<b>- 3 -</b>
- A, B, C- .....	- 3 -
- D, E, F, G - .....	- 5 -
- H, I, J, K - .....	- 6 -
- L, M, N, O - .....	- 7 -
- P, Q, R, S - .....	- 8 -
- T, U, V, W, X, Y, Z - .....	- 9 -
<b>Rezent</b> .....	<b>- 10 -</b>
<b>Complete list (arrange in alphabetical order)</b> .....	<b>- 10 -</b>
- A, B, C- .....	- 10 -
- D, E, F, G - .....	- 15 -
- H, I, J, K - .....	- 21 -
- L, M, N, O - .....	- 24 -
- P, Q, R, S - .....	- 29 -
- T, U, V, W, X, Y, Z - .....	- 34 -
<b>Index</b> .....	<b>- 37 -</b>

### **Fossil**

#### **Complete list (arrange in alphabetical order)**

- A, B, C-

**ADNET, S. & BALBINO, A.C. & ANTUNES, M.T. & MARÍN-FERRER, J.M. (2010):** New fossil teeth of the White Shark (*Carcharodon carcharias*) from the Early Pliocene of Spain. Implication for its paleoecology in the Mediterranean. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 256 (1): 7-16  
 Abstract: <http://dx.doi.org/10.1127/0077-7749/2009/0029>

**ADNET, S. & CAPPETTA, H. & TABUCE, R. (2010):** A Middle-Late Eocene vertebrate fauna (marine fish and mammals) from southwestern Morocco; preliminary report: age and palaeobiogeographical

implications. *Geological Magazine*, 147 (6): 860-870  
Abstract: <http://dx.doi.org/10.1017/S0016756810000348>

**AMIOT, R. & WANG, X. & LÉCUYER, C. & BUFFETAUT, E. & BOUDAD, L. & CAVIN, L. & DING, Z. & FLUTEAU, F. & KELLNER, A.W.A. & TONG, H. & ZHANG, F. (2010):** Oxygen and carbon isotope compositions of middle Cretaceous vertebrates from North Africa and Brazil: Ecological and environmental significance. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 297 (2): 439-451  
Abstract: <http://dx.doi.org/10.1016/j.palaeo.2010.08.027>

**ANDREEV, P.S. (2010):** Enameloid Microstructure of the Serrated Cutting Edges in Certain Fossil Carcharhiniform and Lamniform Sharks. *Microscopy Research and Technique*, 73 (7): 704-713  
Abstract: <http://dx.doi.org/10.1002/jemt.20811>

**BECKER, M.A. & WELLNER, R.W. & MALLERY, C.S. & CHAMBERLAIN, J.A. (2010):** Chondrichthyans from the Lower Ferron Sandstone Member of the Mancos Shale (upper Cretaceous: Middle Turonian) of Emery and Carbon Counties, Utah, USA. *Journal of Paleontology*, 84 (2): 248-266

**BÖTTCHER, R. (2010):** Description of the shark egg capsule *Palaeoxyris friessi* n. sp. from the Ladinian (Middle Triassic) of SW Germany and discussion of all known egg capsules from the Triassic of the Germanic Basin. *Palaeodiversity*, 3: 123-139

**BOURDON, J. & EVERHART, M.J. (2010):** Occurrence of the extinct Carpet shark, *Orectoloboides*, in the Dakota Formation (Late Cretaceous; Middle Cenomanian) of Kansas. *Transactions of the Kansas Academy of Science*, 113 (3-4): 237-242

**CAVIN, L. & TONG, H. & BOUDAD, L. & MEISTER, C. & PIUZ, A. & TABOUELLE, J. & AARAB, M. & AMIOT, R. & BUFFETAUT, E. & DYKE, G. & HUA, S. & LE LOEUFF, J. (2010):** Vertebrate assemblages from the early Late Cretaceous of southeastern Morocco: An overview. *Journal of African Earth Sciences*, 57 (5): 391-412  
Abstract: <http://dx.doi.org/10.1016/j.jafrearsci.2009.12.007>

**CHAHUD, A. & FAIRCHILD, T.R. & PETRI, S. (2010):** Chondrichthyans from the base of the Irati Formation (Early Permian, Paraná Basin), São Paulo, Brazil. *Gondwana Research*, 18 (2-3): 528-537  
Abstract: <http://dx.doi.org/10.1016/j.gr.2010.01.006>

**CICIMURRI, D.J. & KNIGHT, J.L. (2010):** Late Oligocene sharks and rays from the Chandler Bridge Formation, Dorchester County, South Carolina, USA. *Acta Palaeontologica Polonica*, 54 (4): 627-647  
Abstract: <http://dx.doi.org/10.4202/app.2008.0077>

**CIONE, A.L. & ACOSTA HOSPITALECHE, C. & PÉREZ, L. & LAZA, J. & CÉSAR, I. (2010):** Trace fossils on penguin bones from the Miocene of Chubut, southern Argentina. *Alcheringa*, 34 (4): 433-454  
Abstract: <http://dx.doi.org/10.1080/03115511003793470>

**CIONE, A.L. & GOIRIC-CAVALLI, S. & MENNUCCI, J.A. & CABRERA, D.A. & FREIJE, R.H. (2010):** First vertebrate body remains from the Permian of Argentina (Elasmobranchii and Actinopterygii). *Proceedings of the Geologists' Association*, 121: 301-312  
Abstract: <http://dx.doi.org/10.1016/j.pgeola.2010.04.003>

**CLAESON, K.M. & O'LEARY, M.A. & ROBERTS, E.M. & SISSOKO, F. & BOUARÉ, M. & TAPANILA, L. & GOODWIN, D. & GOTTFRIED, M.D. (2010):** First Mesozoic Record of the Stingray *Myliobatis wurnoensis* from Mali and a Phylogenetic Analysis of Myliobatidae Incorporating Dental Characters. *Acta Palaeontologica Polonica*, 55 (4): 655-674  
Abstract: <http://dx.doi.org/10.4202/app.2009.1117>

**CLAESON, K.M. & WARD, D.J. & UNDERWOOD, C.J. (2010):** 3D digital imaging of a concretion-preserved batoid (Chondrichthyes, Elasmobranchii) from the Turonian (Upper Cretaceous) of Morocco. *Comptes Rendus Palevol*, 9 (6-7): 283-287  
Abstract: <http://dx.doi.org/10.1016/j.crpv.2010.07.013>

**COOK, T.D. & WILSON, M.V.H. & NEWBREY, M.G. (2010):** The first record of the large Cretaceous lamniform shark, *Cardabiodon ricki*, from North America and a new empirical test for its presumed antitropical distribution. *Journal of Vertebrate Paleontology*, 30 (3): 643-669  
Abstract: : <http://dx.doi.org/10.1080/02724631003758052>

**CUNY, G. & COBBETT, A.M. & MEUNIER, F.J. & BENTON, M.J. (2010):** Vertebrate microremains from the Early Cretaceous of southern Tunisia. *Geobios*, 43: 615-628  
Abstract: <http://dx.doi.org/10.1016/j.geobios.2010.07.001>

**CUNY, G. & LAOJUMPON, C. & CHEYCHIW, O. & LAUPRASERT, K. (2010):** Fossil vertebrate remains from Kut Island (Gulf of Thailand, Early Cretaceous). *Cretaceous Research*, 31: 415-423  
Abstract: <http://dx.doi.org/10.1016/j.cretres.2010.05.007>

- D, E, F, G -

**DE CARVALHO, M.R. (2010):** Morphology and phylogenetic relationships of the giant electric ray from the Eocene of Monte Bolca, Italy (Chondrichthyes: Torpediniformes). In: *ELLIOTT, D.K. & MAISEY, J.G. & YU, X. & Desui MIAO (editors): Morphology, Phylogeny and Paleobiogeography of Fossil Fishes*, Verlag Dr. Friedrich Pfeil: 183-198, 9 figs.

**DELSATE, D. & WEIS, R. (2010):** La Couche à Crassum (Toarcien moyen) au Luxembourg: stratigraphie et faunes de la coupe de Dudelange-Zoufftgen. In: *Robert Weis & Simone Guérin-Franiate (éditeurs) 2010. - Le Jurassique inférieur et moyen au Luxembourg - Nouvelles données paléontologiques et biostratigraphiques*. *Ferrantia* 62, Musée national d'histoire naturelle, Luxembourg: 35-62

**FISCHER, J. & AXSMITH, B.J. & ASH, S.R. (2010):** First unequivocal record of the hybodont shark egg capsule *Palaeoxyris* in the Mesozoic of North America. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 255 (3): 327-344, 7 fig., 3 tab.  
Abstract: <http://dx.doi.org/10.1127/0077-7749/2009/0028>

**FISCHER, J. & SCHNEIDER, J.W. & RONCHI, A. (2010):** New hybodontoid shark from the Permocarboniferous (Gzhelian-Asselian) of Guardia Pisano (Sardinia, Italy). *Acta Palaeontologica Polonica*, 55 (2): 241-264  
Abstract: <http://dx.doi.org/10.4202/app.2009.0019>

**FISCHER, J. & VOIGT, S. & SCHNEIDER, J.W. & FRANZ, M. & JOACHIMSKI, M.M. & TICHOMIROVA, M. (2010):** Oxygen isotopes from hybodont shark tooth enameloid - Palaeoenvironmental implications for the late Triassic Central European Basin. Abstract *Geophysical Research Abstracts*, 12, EGU2010-11782

**FISCHER, J. & VOIGT, S. & SCHNEIDER, J.W. & JOACHIMSKI M.M. & BERNER, U. (2010):** Oxygen isotopes from non-marine shark tooth enameloid - environmental and ecological implications for the Late Palaeozoic of Central Europe. Abstract. *Zitteliana*, 29: 36

**GINTER, M. (2010):** Teeth of Late Famennian ctenacanth sharks from the Cleveland Shale. In: *ELLIOTT, D.K. & MAISEY, J.G. & YU, X. & Desui MIAO (editors): Morphology, Phylogeny and Paleobiogeography of Fossil Fishes, Verlag Dr. Friedrich Pfeil: 145-158, 6 figs.*

**GINTER, M. & HAMPE, O. & DUFFIN, C.J. (2010):** Handbook of Paleoichthyology, Vol. 3D: Chondrichthyes Paleozoic Elasmobranchii: Teeth Verlag Dr. Friedrich Pfeil, pp. 168, 154 fig., 4 Tab.

**GINTER, M. & TURNER, S. (2010):** The middle Paleozoic Selachian genus *Thrinacodus*. *Journal of Vertebrate Paleontology*, 30 (6): 1666-1672  
Abstract: <http://dx.doi.org/10.1080/02724634.2010.520785>

**GODFREY, S.J. & SMITH, J.B. (2010):** Shark-bitten vertebrate coprolites from the Miocene of Maryland. *Naturwissenschaften*, 97 (5): 461-467  
Abstract: <http://dx.doi.org/10.1007/s00114-010-0659-x>

- H, I, J, K -

**HAMM, S.A. (2010):** The Late Cretaceous shark, *Ptychodus rugosus*, (Ptychodontidae) in the Western Interior Sea. *Transactions of the Kansas Academy of Science*, 113 (1/2): 45-55  
Abstract: <http://dx.doi.org/10.1660/062.113.0203>

**HAMM, S.A. (2010):** The Late Cretaceous shark *Ptychodus marginalis* in the Western Interior Seaway. *Journal of Paleontology*, 84 (3): 537-547

**HANKE, G.F. & WILSON, M.V.H. (2010):** The putative stem-group chondrichthyans *Kathemacanthus* and *Seretolepis* from the Lower Devonian MOTH locality, Mackenzie Mountains, Canada. In: *ELLIOTT, D.K. & MAISEY, J.G. & YU, X. & Desui MIAO (editors): Morphology, Phylogeny and Paleobiogeography of Fossil Fishes, Verlag Dr. Friedrich Pfeil: 159-182, 14 figs.*

**HERMAN, J. & VAN DEN EECKHAUT, G. (2010):** Inventaire systématique des Invertebrata, Vertebrata, Plantae et Fungi des Sables de Bruxelles. *Geominpal Belgica Découvertes géologiques, minéralogiques et paléontologiques en Belgique*, 1 (2): 35-65

**HOVESTADT, D.C. & HOVESTADT-EULER, M. (2010):** *Urobatis molleni* nov.sp. (Chondrichthyes, Myliobatiformes, Urolophidae) in the Eocene of Belgium. *Geominpal Belgica Découvertes géologiques, minéralogiques et paléontologiques en Belgique*, 1 (3): 67-69

**HOVESTADT, D.C. & HOVESTADT-EULER, M. (2010):** A partial skeleton of *Carcharias gustrowensis* (Winkler, 1875) (Chondrichthyes, Odontaspidae) including embryos, a chimaeroid dorsal fin spine and a myliobatoid tail spine from the Oligocene of Germany. *Cainozoic Research*, 7 (1-2): 83-97

**HOVESTADT, D.C. & HOVESTADT-EULER, M. & MICKLICH, N. (2010):** A review of the chondrichthyan fauna of Grube Unterfeld (Frauenweiler) clay pit. *Kaupia, Darmstädter Beiträge zur Naturgeschichte*, 17: 57-71

**HÜBNER, T. & MÜLLER, A. (2010):** Selachian teeth from Campanian sediments (Upper Cretaceous) of the Münsterland Cretaceous Basin (NW-Germany). *Paläontologische Zeitschrift*, 84 (4): 437-455  
Abstract: <http://dx.doi.org/10.1007/s12542-010-0056-y>

**KLUG, C. & KRÖGER, B. & KIESSLING, W. & MULLINS, G.L. & SERVAIS, T. & FRÝDA, J. & KORN, D. & TURNER, S. (2010):** The Devonian ecological revolution, an underrated radiation.

*Lethaia*, 43 (4): 465-477

Abstract: <http://dx.doi.org/10.1111/j.1502-3931.2009.00206.x>

**KLUG, S. (2010):** Monophyly, Phylogeny and Systematic Position of the Synechodontiformes (Chondrichthyes, Neoselachii). *Zoologica Scripta*, 39 (1): 37-49

Abstract: <http://dx.doi.org/10.1111/j.1463-6409.2009.00399.x>

**KLUG, S. & KRIWET, J. (2010):** A new Late Jurassic species of the rare synechodontiform shark, Welcommia (Chondrichthyes, Neoselachii). *Paläontologische Zeitschrift*, 84: 413-419

Abstract: <http://dx.doi.org/10.1007/s12542-010-0058-9>

**KLUG, S. & KRIWET, J. (2010):** Timing of deep-sea adaptation in dogfish sharks: insights from a supertree of extinct and extant taxa. *Zoologica Scripta*, 39 (4): 331-342

Abstract: <http://dx.doi.org/10.1111/j.1463-6409.2010.00427.x>

**KLUG, S. & TÜTKEN, T. & WINGS, O. & PFRETZSCHNER, H.-U. & MARTIN, T. (2010):** A Late Jurassic freshwater shark assemblage (Chondrichthyes, Hybodontiformes) from the southern Junggar Basin, Xinjiang, Northwest China. *Palaeobiodiversity and Palaeoenvironments*, 90 (3): 241-257

Abstract: <http://dx.doi.org/10.1007/s12549-010-0032-2>

**KOGAN, I. & FISCHER, J. & VOIGT, S. & LICHT, M. & SCHNEIDER, J.W. (2010):** The Madygen lake deposits a unique multi-taxa kindergarten for Triassic fishes?

Abstract. *Zitteliana*, 29: 61

- L, M, N, O -

**LANE, J.A. (2010):** Morphology of the Braincase in the Cretaceous Hybodont Shark *Tribodus limae* (Chondrichthyes: Elasmobranchii), Based on CT Scanning. *American Museum Novitates*, 3681: 1-70

**LE LOEUFF, J. & MÉTAIS, E. & DUTHEIL, D.B. & RUBINO, J.L. & BUFFETAUT, E. & LAFONT, F. & CAVIN, L. & MOREAU, F. & TONG, H. & BLANPIED, C. & SBETA, A. (2010):** An Early Cretaceous vertebrate assemblage from the Cabao Formation of NW Libya. *Geological Magazine*, 147 (5): 750-759

Abstract: <http://dx.doi.org/10.1017/S0016756810000178>

**MAISEY, J.G. & LANE, J.A. (2010):** Labyrinth morphology and the evolution of low-frequency phonoreception in elasmobranchs. *Comptes Rendus Palevol*, 9 (6-7): 289-309

Abstract: <http://dx.doi.org/10.1016/j.crpv.2010.07.021>

**MARTÍNEZ-PÉREZ, C. & DUPRET, V. & MANZANARES, E. & BOTELLA, H. (2010):** New data on the Lower Devonian chondrichthyan fauna from Celtiberia (Spain). *Journal of Vertebrate Paleontology*, 30 (5): 1622-1627

Abstract: <http://dx.doi.org/10.1080/02724634.2010.501451>

**MOLLEN, F.H. (2010):** A partial rostrum of the porbeagle shark *Lamna nasus* (Lamniformes, Lamnidae) from the Miocene of the North Sea Basin and the taxonomic importance of rostral morphology in extinct sharks. *Geologica Belgica*, 13: 61-76

**MYERS, C.E. & LIEBERMAN, B.S. (2010):** Sharks that pass in the night: using Geographical Information Systems to investigate competition in the Cretaceous Western Interior Seaway.

*Proceedings of the Royal Society of London, Series B*, 278 (1706): 681-689

Abstract: <http://dx.doi.org/10.1098/rspb.2010.1617>

## - P, Q, R, S -

**PIMIENTO, C. (2010):** Systematics, paleobiology, and paleoecology of late Miocene sharks (Elasmobranchii, Selachii) from Panama: integration of research and education. *Master Thesis: Gainesville: University of Florida. 131 p.*

**PIMIENTO, C. & EHRET, D.J. & MacFADDEN, B.J. & HUBBELL, G. (2010):** Ancient Nursery Area for the Extinct Giant Shark Megalodon from the Miocene of Panama. *PLoS ONE 5(5): e10552*  
*Abstract:* <http://dx.doi.org/10.1371/journal.pone.0010552>

**PRADEL, A. (2010):** Skull and brain anatomy of Late Carboniferous Sibirhynchidae (Chondrichthyes, Iniopterygia) from Kansas and Oklahoma (USA). *Geodiversitas, 32 (4): 595-661*  
*Abstract:* <http://dx.doi.org/10.5252/g2010n4a2>

**PRADEL, A. & TAFFOREAU, P. & JANVIER, P. (2010):** Study of the pectoral girdle and fins of the Late Carboniferous sibirhynchid iniopterygians (Vertebrata, Chondrichthyes, Iniopterygia) from Kansas and Oklahoma (USA) by means of microtomography, with comments on iniopterygian relationships. *Comptes Rendus Palevol, 9 (6-7): 377-387*  
*Abstract:* <http://dx.doi.org/10.1016/j.crpv.2010.07.015>

**ROMANO, C. & BRINKMANN, W. (2010):** A new specimen of the hybodont shark *Palaeobates polaris* with three-dimensionally preserved Meckel's cartilage from the Smithian (Early Triassic) of Spitsbergen. *Journal of Vertebrate Paleontology, 30 (6): 1673-1683*  
*Abstract:* <http://dx.doi.org/10.1080/02724634.2010.521962>

**SHIMADA, K. & EVERHART, M.J. & DECKER, R. & DECKER, P.D. (2010):** A new skeletal remain of the durophagous shark, *Ptychodus mortoni*, from the Upper Cretaceous of North America: an indication of gigantic body size. *Cretaceous Research, 31 (2): 249-254*  
*Abstract:* <http://dx.doi.org/10.1016/j.cretres.2009.11.005>

**SHIMADA, K. & NAGRODSKI, M. (2010):** Occurrence of the Fossil Lamniform Shark, *Cretoxyrhina mantelli*, from the Upper Cretaceous Hartland Shale, Central Kansas. *Transactions of the Kansas Academy of Science, 113 (3-4): 235-236*  
*Abstract:* <http://dx.doi.org/10.1660/062.113.0313>

**SHIMADA, K. & TSUIHIJI, T. & SATO, T. & HASEGAWA, Y. (2010):** A Remarkable Case of a Shark-Bitten Elasmosaurid Plesiosaur. *Journal of Vertebrate Paleontology, 30 (2): 592-597*

**SHIN, J.-Y. (2010):** A New Species of *Edaphodon* (Chondrichthyes: Holocephali) from the Upper Cretaceous Haslam Formation, Vancouver Island, British Columbia, Canada. *Journal of Vertebrate Paleontology, 30 (4): 1012-1018*  
*Abstract:* <http://dx.doi.org/10.1080/02724634.2010.483538>



- T, U, V, W, X, Y, Z -

**TOMITA, T. & OJI, T. (2010):** Habitat Reconstruction of Oligocene Elasmobranchs from Yamaga Formation, Ashiya Group, Western Japan. *Paleontological Research*, 14 (1): 69-80  
Abstract: <http://dx.doi.org/10.2517/1342-8144-14.1.069>

**TURNER, S. & MILLER, R.F. (2010):** Reassessment of "Protodus" scoticus from the Early Devonian of Scotland. In: ELLIOTT, D.K. & MAISEY, J.G. & YU, X. & Desui MIAO (editors): *Morphology, Phylogeny and Paleobiogeography of Fossil Fishes*, Verlag Dr. Friedrich Pfeil: 123-144, 8 figs., 2 apps.

**UNDERWOOD, C.J. & WARD, D.J. & KING, C. & ANTAR, S.M. & ZALMOUT, I.S. & GINGERICH, P.D. (2010):** Shark and ray faunas in the Middle and Late Eocene of the Fayum Area, Egypt. *Proceedings of the Geologists' Association*, 122 (1): 47-66  
Abstract: <http://dx.doi.org/10.1016/j.pgeola.2010.09.004>

**VISAGGI, C.C. & GODFREY, S.J. (2010):** Variation in Composition and Abundance of Miocene Shark Teeth from Calvert Cliffs, Maryland. *Journal of Vertebrate Paleontology*, 30 (1): 26-35  
Abstract: <http://dx.doi.org/10.1080/02724630903409063>

**WHITENACK, L.B. & GOTTFRIED, M.D. (2010):** A Morphometric Approach for Addressing Tooth-Based Species Delimitation in Fossil Mako Sharks, *Isurus* (Elasmobranchii: Lamniformes). *Journal of Vertebrate Paleontology*, 30 (1): 17-25  
Abstract: <http://dx.doi.org/10.1080/02724630903409055>

## Rezent

### Complete list (arrange in alphabetical order)

- A, B, C-

**AALBERS, S.A. & BERNAL, D. & SEPULVEDA, C.A. (2010):** The functional role of the caudal fin in the feeding ecology of the common thresher shark *Alopias vulpinus*. *Journal of Fish Biology*, 76 (7): 1863-1868

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02616.x>

**ABEL, R.L. & MACLAINE, J.S. & COTTON, R. & XUAN, V.B. & NICKELS, T.B. & CLARK, T.H. & WANG, Z. & COX, J.P.L. (2010):** Functional morphology of the nasal region of a hammerhead shark? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 464-475

Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.10.029>

**AKHILESH, K.V. & HASHIM, M. & BINEESH, K.K. & SHANIS, C.P.R. & GANGA, U. (2010):** New distributional records of deep-sea sharks from Indian waters. *Journal of the Marine Biological Association of India*, 52 (1): 29-34

**ALLEN, G.R. & DUDGEON, C.L. (2010):** *Hemiscyllium michaeli*, a new species of bamboo shark (Hemiscyllidae) from Papua New Guinea. *Aqua, International Journal of Ichthyology*, 16 (1): 19-30

**ALMEIDA, M.P. & LINS, P.M.O. & CHARVET-ALMEIDA, P. & BARTHEM, R.B. (2010):** Diet of the freshwater stingray *Potamotrygon motoro* (Chondrichthyes: Potamotrygonidae) on Marajó Island (Pará, Brazil). *Revista Brasileira de Biologia*, 70 (1): 155-162

**ANDERSON, W.G. & DASIEWICZ, P.J. & LIBAN, S. & RYAN, C. & TAYLOR, J.R. & GROSELL, M. & WEIHRAUCH, D. (2010):** Gastro-intestinal handling of water and solutes in three species of elasmobranch fish, the white-spotted bamboo shark, *Chiloscyllium plagiosum*, little skate, *Leucoraja erinacea* and the clear nose skate *Raja eglanteria*? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 493-502

Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.09.020>

**ANDREEVA, A.M. & FEDOROV, R.A. (2010):** Features of the organization of low-molecular weight proteins from the blood and tissue fluid of the common stingray *Dasyatis pastinaca* (Chondrichthyes: Trygonidae). *Russian Journal of Marine Biology*, 36 (6): 469-472

Abstract: <http://dx.doi.org/10.1134/S1063074010060106>

**ANDREWS, K.S. & WILLIAMS, G.D. & LEVIN, P.S. (2010):** Seasonal and ontogenetic changes in movement patterns of sixgill sharks. *PLoS ONE*, 5 (9): e12549

Abstract: <http://dx.doi.org/10.1371/journal.pone.0012549>

**ASCHLIMAN, N. & EBERT, D.A. & COMPAGNO, L.J.V. (2010):** A New Legskate (Rajoidei: Genus *Cruriraja*) from Southern Africa. *Copeia*, 2010 (3): 364-372

Abstract: <http://dx.doi.org/10.1643/CI-09-215>

- BAETA, F. & BATISTA, M. & MAIA, A. & COSTA, M.J. & CABRAL, H. (2010):** Elasmobranch bycatch in a trammel net fishery in the Portuguese west coast. *Fisheries Research*, 102 (1-2): 123-129  
Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.10.016>
- BALLANTYNE, J.S. & ROBINSON, J.W. (2010):** Freshwater elasmobranchs: a review of their physiology and biochemistry. *Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology*, 180 (4): 475-493  
Abstract: <http://dx.doi.org/10.1007/s00360-010-0447-0>
- BANSEMER, C.S. & BENNETT, M.B. (2010):** Retained fishing gear and associated injuries in the east Australian grey nurse sharks (*Carcharias taurus*): implications for population recovery. *Marine and Freshwater Research*, 61 (1): 97-103  
Abstract: <http://dx.doi.org/10.1071/MF08362>
- BARBUTO, M. & GALIMBERTI, A. & FERRI, E. & LABRA, M. & MALANDRA, R. & GALLI, P. & CASIRAGHI, M. (2010):** DNA barcoding reveals fraudulent substitutions in shark seafood products: The Italian case of "palombo" (*Mustelus* spp.). *Food Research International*, 43 (1): 376-381  
Abstract: <http://dx.doi.org/10.1016/j.foodres.2009.10.009>
- BAREMORE, I.E. (2010):** Reproductive aspects of the Atlantic angel shark *Squatina dumeril*. *Journal of Fish Biology*, 76 (7): 1682-1695  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02608.x>
- BAREMORE, I.E. & MURIE, D.J. & CARLSON, J.K. (2010):** Seasonal and size-related differences in diet of the Atlantic angel shark *Squatina dumeril* in the northeastern Gulf of Mexico. *Aquatic Biology*, 8: 125-136  
Abstract: <http://dx.doi.org/10.3354/ab00214>
- BARKER, S.M. & WILLIAMSON, J.E. (2010):** Collaborative photo-identification and monitoring of grey nurse sharks (*Carcharias taurus*) at key aggregation sites along the eastern coast of Australia. *Marine and Freshwater Research*, 61 (9): 971-979  
Abstract: <http://dx.doi.org/10.1071/MF09215>
- BARNETT, A. & ABRANTES, K.G. & STEVENS, J.D. & BRUCE, B.D. & SEMMENS, J.M. (2010):** Site fidelity and movements of sharks associated with ocean-farming. *PLoS ONE*, 5 (12): e15464  
Abstract: <http://dx.doi.org/10.1371/journal.pone.0015464>
- BARNETT, A. & ABRANTES, K.G. & STEVENS, J.D. & BRUCE, B.D. & SEMMENS, J.M. (2010):** Fine-Scale Movements of the Broadnose Sevengill Shark and Its Main Prey, the Gummy Shark. *PLoS ONE*, 5 (12): e15464  
Abstract: <http://dx.doi.org/10.1371/journal.pone.0015464>
- BARNETT, A. & STEVENS, J.D. & FRUSHER, S.D. & SEMMENS, J.M. (2010):** Seasonal occurrence and population structure of the broadnose sevengill shark *Notorynchus cepedianus* in coastal habitats of south-east Tasmania. *Journal of Fish Biology*, 77 (7): 1688-1701  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02810.x>
- BENJAMINS, S. & KULKA, D.W. & LAWSON, J. (2010):** Recent incidental catch of sharks in gillnet fisheries of Newfoundland and Labrador, Canada. *Endangered Species Research*, 11: 133-146  
Abstract: <http://dx.doi.org/10.3354/esr00268>
- BERNAL, D. (2010):** Pelagic Fishes. Chapter 112 In: *Encyclopedia of Fish Physiology*. (Eds. Cech, J., Farrell, A.). Elsevier Publishers. In press

**BERNAL, D. & DONLEY, J.M. & MCGILLIVRAY, D.G. & AALBERS, S.A. & SYME, D.A. & SEPULVEDA, C.A. (2010):** Function of the medial red muscle during sustained swimming in common thresher sharks: Contrast and convergence with thunniform swimmers? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 454-463  
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2010.01.005>

**BLACKBURN, J.K. & MITCHELL, M.A. & BLACKBURN, M.-C.H. & CURTIS, A. & THOMPSON, B.A. (2010):** Evidence of Antibiotic Resistance in Free-Swimming, Top-Level Marine Predatory Fishes. *Journal of Zoo and Wildlife Medicine*, 41 (1): 7-16  
Abstract: <http://dx.doi.org/10.1638/2007-0061.1>

**BOOMER, J.J. & PEDDEMORS, V. & STOW, A.J. (2010):** Genetic data show that *Carcharhinus tilstoni* is not confined to the tropics, highlighting the importance of a multifaceted approach to species identification. *Journal of Fish Biology*, 77 (5): 1165-1172  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02770.x>

**BOUGATEF, A. & BALTI, R. & NASRI, R. & JELLOULI, K. & SOUISSI, N. & NASRI, M. (2010):** Biochemical properties of anionic trypsin acting at high concentration of NaCl purified from the intestine of a carnivorous fish: smooth hound (*Mustelus mustelus*). *Journal of Agricultural and Food Chemistry*, 58 (9): 5763-5769  
Abstract: <http://dx.doi.org/10.1021/jf100534a>

**BOUGATEF, A. & RAVALLEC, R. & NEDJAR-ARROUME, N. & BARKIA, A. & GUILLOCHON, D. & NASRI, M. (2010):** Evidence of in vivo satietogen effect and control of food intake of smooth hound (*Mustelus mustelus*) muscle protein hydrolysate in rats. *Journal of Functional Foods*, 2 (1): 10-16  
Abstract: <http://dx.doi.org/10.1016/j.jff.2009.11.001>

**BRACCINI, J.M. & TROYNIKOV, V.S. & WALKER, T.I. & MOLLET, H.F. & EBERT, D.A. & BARNETT, A. & KIRBY, N. (2010):** Incorporating heterogeneity into growth analyses of wild and captive broadnose sevengill sharks *Notorynchus cepedianus*. *Aquatic Biology*, 9: 131-138  
Abstract: <http://dx.doi.org/10.3354/ab00246>

**BROAD, A. & KNOTT, N. & TURON, X. & DAVIS, A.R. (2010):** Effects of a shark repulsion device on rocky reef fishes: no shocking outcomes. *Marine Ecology Progress Series*, 408: 295-298  
Abstract: <http://dx.doi.org/10.3354/meps08591>

**BROWN, A.C. & LEE, D.E. & BRADLEY, R.W. & ANDERSON, S. (2010):** Dynamics of White Shark Predation on Pinnipeds in California: Effects of Prey Abundance *Copeia*, 2010 (2): 232-238  
Abstract: <http://dx.doi.org/10.1643/CE-08-012>

**BRUNNSCHWEILER, J.M. & MCKENZIE, J. (2010):** Baiting sharks for marine tourism: Comment on Ciua et al. (2010). *Marine Ecology Progress Series*, 420: 283-284  
Abstract: <http://dx.doi.org/10.3354/meps08877>

**BRUNNSCHWEILER, J.M. & QUEIROZ, N. & SIMS, D.W. (2010):** Oceans apart? Short-term movements and behaviour of adult bull sharks *Carcharhinus leucas* in Atlantic and Pacific Oceans determined from pop-off satellite archival tagging. *Journal of Fish Biology*, 77 (6): 1343-1358  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02757.x>

**BURGESS, G.H. & BUCH, R.H. & CARVALHO, F. & GARNER, B.A. & WALKER, C.J. (2010):** Factors Contributing to Shark Attacks on Humans: A Volusia County, Florida, Case Study. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 541-566

**CABALLERO-RIVERA, D. & CRUZ-NIEVES, O.A. & OYOLA-CINTRÓN, J. & OTERO-CRUZ, J.D. & TORRES-NÚÑEZ, D.A. & RODRÍGUEZ-ESPADA, D. & HOYO-RIVERA, N.D. & LASALDE-**

**DOMINICCI, J.A. (2010):** Fourier Transform Coupled Tryptophan Scanning Mutagenesis of the Lipid Exposed DM3 And DM4 Transmembrane Domains of the Torpedo Californica Acetylcholine Receptor. *Biophysical Journal*, 98 (3 Supplement 1): 132a  
Abstract: <http://dx.doi.org/10.1016/j.bpj.2009.12.712>

**CABRERA-CHÁVEZ-COSTA, A.A. & GALVÁN-MAGAÑA, F. & ESCOBAR-SÁNCHEZ, O. (2010):** Food habits of the silky shark *Carcharhinus falciformis* (Müller & Henle, 1839) off the western coast of Baja California Sur, Mexico. *Journal of Applied Ichthyology*, 26 (4): 499-503  
Abstract: <http://dx.doi.org/10.1111/j.1439-0426.2010.01482.x>

**CANNAS, R. & FOLLESA, M.C. & CABIDDU, S. & PORCU, C. & SALVADORI, S. & IGLEACUTESIAS, S.P. & DEIANA, A.M. & CAU, A. (2010):** Molecular and morphological evidence of the occurrence of the Norwegian skate *Dipturus nidarosiensis* (Storm, 1881) in the Mediterranean Sea. *Marine Biology Research*, 6: 341-350  
Abstract: <http://dx.doi.org/10.1080/17451000903428496>

**CAPAPÉ, C. & DIATTA, Y. & NDIAYE, P. & REYNAUD, C. & ODDONE, M.C. (2010):** New biological data on the brown ray, *Raja miraletus* (Chondrichthyes: Rajidae), off the coast of Senegal (eastern tropical Atlantic). *Ciencias Marinas*, 36 (3): 369-388

**CÁRDENAS-PALOMO, N. & HERRERA-SILVEIRA, J. & REYES, O. (2010):** (Spatial and temporal distribution of physicochemical features in the habitat of whale shark *Rhincodon typus* (Orectolobiformes: Rhincodontidae) in the north of Mexican Caribbean). *Revista de Biología Tropical*, 58 (1): 399-412

**CARLSON, J.K. & RIBERA, M.M. & CONRATH, C.L. & HEUPEL, M.R. & BURGESS, G.H. (2010):** Habitat use and movement patterns of bull sharks *Carcharhinus leucas* determined using pop-up satellite archival tags. *Journal of Fish Biology*, 77 (3): 661-675  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02707.x>

**CARRERA, I. & ANADÓN, R. & QUINTANA-URZAINQUI, I. & POSE-MÉNDEZ, S. & RODRÍGUEZ-MOLDES, I. (2010):** Development of descending supraspinal pathways in a shark and neurochemical characterization of projection neurons.  
Abstract. *International Journal of Developmental Neuroscience*, 28 (8): 668  
Abstract: <http://dx.doi.org/10.1016/j.ijdevneu.2010.07.080>

**CARTAMIL, D. & WEGNER, N.C. & KACEV, D. & BEN-ADERET, N. & KOHIN, S. & GRAHAM, J.B. (2010):** Movement patterns and nursery habitat of juvenile thresher sharks *Alopias vulpinus* in the Southern California Bight. *Marine Ecology Progress Series*, 404: 249-258  
Abstract: <http://dx.doi.org/10.3354/meps08495>

**CARTAMIL, D.P. & WEGNER, N.C. & AALBERS, S. & SEPULVEDA, C.A. & BAQUERO, A. & GRAHAM, J.B. (2010):** Diel movement patterns and habitat preferences of the common thresher shark (*Alopias vulpinus*) in the Southern California Bight. *Marine and Freshwater Research*, 61 (5): 596-604  
Abstract: <http://dx.doi.org/10.1071/MF09153>

**CATLIN, J. & JONES, R. (2010):** Whale shark tourism at Ningaloo Marine Park: A longitudinal study of wildlife tourism. *Tourism Management*, 31 (3): 386-394

**CHEN, H. & KSHIRSAGAR, S. & JENSEN, I. & LAU, K. & SIMONSON, C. & SCHLUTER, S.F. (2010):** Characterization of arrangement and expression of the beta-2 microglobulin locus in the sandbar and nurse shark. *Developmental and Comparative Immunology*, 34 (2): 189-195  
Abstract: <http://dx.doi.org/10.1016/j.dci.2009.09.008>

**CHEN, H.-G. & CHEN, H.-Y. & WANG, C.-S. & CHEN, S.-N. & SHIH, H.-H. (2010):** Effects of various treatments on egg hatching of *Dendromonocotyle pipinna* (Monogenea: Monocotylidae) infecting the blotched fantail ray, *Taeniurops meyeri*, in Taiwan. *Veterinary Parasitology*, 171 (40271): 229-237

**CLAES, J.M. & AKSNES, D.L. & MALLEFET, J. (2010):** Phantom hunter of the fjords: Camouflage by counterillumination in a shark (*Etmopterus spinax*). *Journal of Experimental Marine Biology and Ecology*, 388 (1-2): 28-32

Abstract: <http://dx.doi.org/10.1016/j.jembe.2010.03.009>

**CLAES, J.M. & KRÖNSTRÖM, J. & HOLMGREN, S. & MALLEFET, J. (2010):** Nitric oxide in the control of luminescence from lantern shark (*Etmopterus spinax*) photophores. *Journal of Experimental Biology*, 213 (17): 3005-3011

Abstract: <http://dx.doi.org/10.1242/jeb.040410>

**CLAES, J.M. & MALLEFET, J. (2010):** The lantern shark's light switch: turning shallow water cryptic into midwater camouflage. *Biology Letters*, 6: 685-687

Abstract: <http://dx.doi.org/10.1098/rsbl.2010.0167>

**CLAES, J.M. & MALLEFET, J. (2010):** Functional physiology of lantern shark (*Etmopterus spinax*) luminescent pattern: differential hormonal regulation of luminous zones. *Journal of Experimental Biology*, 213 (11): 1852-1858

Abstract: <http://dx.doi.org/10.1242/jeb.041947>

**CLUA, E. & BURAY, N. & LEGENDRE, P. & MOURIER, J. & PLANES, S. (2010):** Behavioural response of sicklefin lemon sharks *Negaprion acutidens* to underwater feeding for ecotourism purposes. *Marine Ecology Progress Series*, 414: 257-266

Abstract: <http://dx.doi.org/10.3354/meps08746>

**CLUA, E. & BURAY, N. & LEGENDRE, P. & MOURIER, J. & PLANES, S. (2010):** Effects of provisioning on shark behaviour: Reply to Brunnschweiler & McKenzie (2010). *Marine Ecology Progress Series*, 420: 285-288

Abstract: <http://dx.doi.org/10.3354/meps08940>

**CLUA, E. & SÉRET, B. (2010):** Unprovoked fatal shark attack in Lifou Island (Loyalty Islands, New Caledonia, South Pacific) by a great white shark, *Carcharodon carcharias*. *American Journal of Forensic Medicine and Pathology*, 31 (3): 281-286

Abstract: <http://dx.doi.org/10.1097/PAF.0b013e3181ec7cb8>

**COELHO, J.P. & SANTOS, H. & REIS, A.T. & FALCÃO, J. & RODRIGUES, E.T. & PEREIRA, M.E. & DUARTE, A.C. & PARDAL, M.A. (2010):** Mercury bioaccumulation in the spotted dogfish (*Scyliorhinus canicula*) from the Atlantic Ocean. *Marine Pollution Bulletin*, 60 (8): 1372-1375

Abstract: <http://dx.doi.org/10.1016/j.marpolbul.2010.05.008>

**COELHO, R. & ERZINI, K. (2010):** Depth distribution of the velvet belly, *Etmopterus spinax*, in relation to growth and reproductive cycle: The case study of a deep-water lantern shark with a wide-ranging critical habitat. *Marine Biology Research*, 6: 381-389

Abstract: <http://dx.doi.org/10.1080/17451000802644706>

**COELHO, R. & REY, J. & GIL-DE-SOLA, L. & FERNANDEZ-DE-CARVALHO, J. & ERZINI, K. (2010):** Comparing Atlantic and Mediterranean populations of the velvet belly lanternshark, *Etmopterus spinax*, with comments on the efficiency of density-dependent compensatory mechanisms. *Marine Biology Research*, 6: 373-380

Abstract: <http://dx.doi.org/10.1080/17451000903300885>

**COLAUTTI, D. & BAIGUN, C. & CAZORLA, A.L. & DE VERTEBRADOS, Z. & LLOMPART, F. & MOLINA, J.M. & SUQUELE, P. & CALVO, S. (2010):** Population biology and fishery characteristics

of the smoothhound *Mustelus schmitti* in Anegada Bay, Argentina. *Fisheries Research*, 106 (3): 351-357

Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.09.004>

**COMPAGNO, L.J.V. & LAST, P.R. (2010):** A new species of wedgefish, *Rhynchobatus springeri* (Rhynchobatoidei, Rhynchobatidae), from the Western Pacific. *CSIRO Marine and Atmospheric Research Paper*, 32: 77-88

**COMPAGNO, L.J.V. & WHITE, W.T. & CAVANAGH, R.D. (2010):** *Glyphis fowlerae* sp. nov., a new species of river shark (Carcharhiniformes; Carcharhinidae) from northeastern Borneo. *CSIRO Marine and Atmospheric Research Paper*, 32: 29-44

**CONCHA, F. & BUSTAMANTE, C. & ODDONE, M.C. & HERNÁNDEZ, S. & LAMILLA, J. (2010):** Egg capsules of the dusky catshark *Bythaelurus canescens* (Carcharhiniformes, Scyliorhinidae) from the south-eastern Pacific Ocean. *Journal of Fish Biology*, 77 (4): 963-971

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02736.x>

**CONRATH, C.L. & MUSICK, J.A. (2010):** Residency, space use and movement patterns of juvenile sandbar sharks (*Carcharhinus plumbeus*) within a Virginia summer nursery area. *Marine and Freshwater Research*, 61 (2): 223-235

Abstract: <http://dx.doi.org/10.1071/MF09078>

**CURTIN, N.A. & LOU, F. & WOLEDGE, R.C. (2010):** Sustained performance by red and white muscle fibres from the dogfish *Scyliorhinus canicula*. *Journal of Experimental Biology*, 213 (11): 1921-1929

Abstract: <http://dx.doi.org/10.1242/jeb.036012>

**CUTMORE, S.C. & BENNETT, M.B. & CRIBB, T.H. (2010):** A new tetraphyllidean genus and species, *Caulopatera pagei* n. g., n. sp. (Tetraphyllidea: Phyllobothriidae), from the grey carpetshark *Chiloscyllium punctatum* Müller & Henle (Orectolobiformes: Hemiscylliidae). *Systematic Parasitology*, 77 (1): 13-21

Abstract: <http://dx.doi.org/10.1007/s11230-010-9252-0>

**CUTMORE, S.C. & BENNETT, M.B. & CRIBB, T.H. (2010):** *Staphylorchis cymatodes* (Gorgoderidae: Anaporrhutinae) from carcharhiniform, orectolobiform and myliobatiform elasmobranchs of Australasia: Low host specificity, wide distribution and morphological plasticity. *Parasitology International*, 59 (4): 579-586

Abstract: <http://dx.doi.org/10.1016/j.parint.2010.08.003>

- D, E, F, G -

**DAGLEISH, M.P. & BAILY, J.L. & FOSTER, G. & REID, R.J. & BARLEY, J. (2010):** The First Report of Disease in a Basking Shark (*Cetorhinus maximus*). *Journal of Comparative Pathology*, 143 (4): 284-288

Abstract: <http://dx.doi.org/10.1016/j.jcpa.2010.02.001>

**DALLAS, L.J. & SHULTZ, A.D. & MOODY, A.J. & SLOMAN, K.A. & DANYLCHUK, A.J. (2010):** Chemical excretions of angled bonefish *Albula vulpes* and their potential use as predation cues by juvenile lemon sharks *Negaprion brevirostris*. *Journal of Fish Biology*, 77 (4): 947-962

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02738.x>

**DAMALAS, D. & MEGALOFONO, P. (2010):** Environmental effects on blue shark (*Prionace glauca*) and oilfish (*Ruvettus pretiosus*) distribution based on fishery-dependent data from the eastern Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 90: 467-480  
Abstract: <http://dx.doi.org/10.1017/S0025315409991214>

**DE BOECK, G. & EYCKMANS, M. & LARDON, I. & BOBBAERS, R. & SINHA, A.K. & BLUST, R. (2010):** Metal accumulation and metallothionein induction in the spotted dogfish *Scyliorhinus canicula*. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 503-508  
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.12.014>

**DE BOECK, G. & WOOD, C.M. (2010):** Biology of elasmobranchs: From genes to ecophysiology and behaviour? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 415-416  
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2010.01.012>

**DE MADDALENA, A. & HEIM, W. (2010):** Sharks of New England. *Down East, Rockport*, 184 pp. Paperback, ISBN: 978-089272-813-8.

**DEAN, B. & BHUSHAN, B. (2010):** Shark-skin surfaces for fluid-drag reduction in turbulent flow: a review. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 368 (1929): 4775-4806  
Abstract: <http://dx.doi.org/10.1098/rsta.2010.0201>

**DEAN, M.N. & SOCHA, J.J. & HALL, B.K. & SUMMERS, A.P. (2010):** Canaliculi in the tessellated skeleton of cartilaginous fishes. *Journal of Applied Ichthyology*, 26 (2): 263-267  
Abstract: <http://dx.doi.org/10.1111/j.1439-0426.2010.01417.x>

**DENIAU, A.-L. & MOSSET, P. & PÉDRONO, F. & MITRE, R. & LE BOT, D. & LEGRAND, A.B. (2010):** Multiple Beneficial Health Effects of Natural Alkylglycerols from Shark Liver Oil. *Marine Drugs*, 8 (7): 2175-2184  
Abstract: <http://dx.doi.org/10.3390/md8072175>

**DHAHRI, M. & MANSOUR, M.B. & BERTHOLON, I. & OLLIVIER, V. & BOUGHATTAS, N.A. & HASSINE, M. & JANDROT-PERRUS, M. & CHAUBET, F. & MAAROUFI, R.M. (2010):** Anticoagulant activity of a dermatan sulfate from the skin of the shark *Scyliorhinus canicula*. *Blood coagulation & fibrinolysis : an international journal in haemostasis and thrombosis*, 21 (6): 547-557  
Abstract: <http://dx.doi.org/10.1097/MBC.0b013e32833b643b>

**DIAMANT, A. & GOREN, M. & YOKEŞ M.B. & GALIL, B.S. & KLOPMAN, Y. & HUCHON, D. & SZITENBERG, A. & KARHAN, S.Ü. (2010):** *Dasyatispora levantinae* gen. et sp. nov., a new microsporidian parasite from the common stingray *Dasyatis pastinaca* in the eastern Mediterranean. *Diseases of Aquatic Organisms*, 91 (2): 137-150  
Abstract: <http://dx.doi.org/10.3354/dao02256>

**DOWD, W.W. & HARRIS, B.N. & CECH, J.J. & KÜLTZ, D. (2010):** Proteomic and physiological responses of leopard sharks (*Triakis semifasciata*) to salinity change. *Journal of Experimental Biology*, 213 (2): 210-224  
Abstract: <http://dx.doi.org/10.1242/jeb.031781>

**DRIGGERS, W.B. & BURGESS, G.H. & HAMILTON, A.N. & HOPKINS, N.M. & SCHOBERND, C.M. (2010):** *Squaliolus laticaudus* in the Western North Atlantic Ocean: Distributional and Life History Observations. *Bulletin of Marine Science*, 86 (4): 831-838  
Abstract: <http://dx.doi.org/10.5343/bms.2010.1009>



- DUDLEY, S.F.J. & CLIFF, G. (2010):** Shark Control: Methods, Efficacy, and Ecological Impact. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 567-592
- DULVY, N.K. & FORREST, R.E. (2010):** Life Histories, Population Dynamics, and Extinction Risks in Chondrichthyans. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 639-680
- DUNCAN, W.P. & DA COSTA, O.T.F. & SAKURAGUI, M.M. & FERNANDES, M.N. (2010):** Functional morphology of the gill in amazonian freshwater stingrays (Chondrichthyes: Potamotrygonidae): implications for adaptation to freshwater. *Physiological and Biochemical Zoology*, 83 (1): 19-32  
Abstract: <http://dx.doi.org/10.1086/605458>
- DUNN, M.R. & SZABO, A. & MCVEAGH, M.S. & SMITH, P.J. (2010):** The diet of deepwater sharks and the benefits of using DNA identification of prey. *Deep Sea Research Part I: Oceanographic Research Papers*, 57 (7): 923-  
Abstract: <http://dx.doi.org/10.1016/j.dsr.2010.02.006>
- DURÁN, A.C. & RODRÍGUEZ, C. & GIL DE SOLA, L. & FERNÁNDEZ, B. & ARQUÉ, J.M. & SANS-COMA, V. (2010):** Intimal thickening of coronary arteries in the rabbitfish, *Chimaera monstrosa* L. (Chondrichthyes: Holocephali). *Journal of Fish Diseases*, 33 (8): 675-682  
Abstract: <http://dx.doi.org/10.1111/j.1365-2761.2010.01175.x>
- EBERT, D.A. & WHITE, W.T. & GOLDMAN, K.J. & COMPAGNO, L.J.V. & DALY-ENGEL, T.S. & WARD, R.D. (2010):** Resurrection and redescription of *Squalus suckleyi* (Girard, 1854) from the North Pacific, with comments on the *Squalus acanthias* subgroup (Squaliformes: Squalidae). *Zootaxa*, 2612: 22-40
- EBERT, D.A. & WINTON, M.V. (2010):** Chondrichthyans of High Latitude Seas. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 115-158
- EISLER, R. (2010):** Elasmobranchs. In: *Compendium of Trace Metals and Marine Biota*: 7-38
- EL NAGAR, a. & MCHUGH, M. & RAPP, T. & SIMS, D.W. & GENNER, M.J. (2010):** Characterisation of polymorphic microsatellite markers for skates (Elasmobranchii: Rajidae) from expressed sequence tags. *Conservation Genetics*, 11 (3): 1203-1206  
Abstract: <http://dx.doi.org/10.1007/s10592-009-9919-8>
- ENEVER, R. & REVILL, A.S. & CASLAKE, R. & GRANT, A. (2010):** Discard mitigation increases skate survival in the Bristol Channel. *Fisheries Research*, 102 (1-2): 9-15  
Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.09.013>
- ESCOBAR-SÁNCHEZ, O. & GALVÁN-MAGAÑA, F. & ROSÍLES-MARTÍNEZ, R. (2010):** Mercury and selenium bioaccumulation in the smooth hammerhead shark, *Sphyrna zygaena* Linnaeus, from the Mexican Pacific Ocean. *Bulletin of Environmental Contamination and Toxicology*, 84 (4): 488-491  
Abstract: <http://dx.doi.org/10.1007/s00128-010-9966-3>
- ESPINOZA, M. & FARRUGIA, T.J. & LOWE, C.G. (2010):** Influence of water temperature on site fidelity and habitat use of gray smooth-hound sharks in a newly restored estuarine habitat. Abstract *Bulletin of the Southern California Academy of Sciences*, 109 (2): 90  
Abstract: <http://dx.doi.org/10.3160/0038-3872-109.2.68>
- ESSUMANG, D.K. (2010):** First determination of the levels of platinum group metals in *Manta birostris* (manta ray) caught along the Ghanaian coastline. *Bulletin of Environmental Contamination and*

*Toxicology*, 84 (6): 720-725

Abstract: <http://dx.doi.org/10.1007/s00128-010-0019-8>

**EUZET, L. & DE BURON, I. (2010):** Thaumatoctyle (Monogenea: Monocotylidae) from Dasyatidae (Elasmobranchii) of the North American Atlantic coast: current issues resolved. *Journal of Parasitology*, 96 (5): 1010-1013

Abstract: <http://dx.doi.org/10.1645/GE-2521.1>

**EVANGELISTA, C. & MILLS, M. & SIEBECK, U.E. & COLLIN, S.P. (2010):** A comparison of the external morphology of the membranous inner ear in elasmobranchs. *Journal of Morphology*, 271 (4): 483-495

Abstract: <http://dx.doi.org/10.1002/jmor.10812>

**EVANS, A.N. & HENNING, T. & GELSLEICHTER, J. & NUNEZ, B.S. (2010):** Molecular classification of an elasmobranch angiotensin receptor: Quantification of angiotensin receptor and natriuretic peptide receptor mRNAs in saltwater and freshwater populations of the Atlantic stingray. *Comparative Biochemistry and Physiology - Part B: Biochemistry and Molecular Biology*, 157 (4): 423-431

Abstract: <http://dx.doi.org/10.1016/j.cbpb.2010.09.006>

**EVANS, A.N. & NUNEZ, B.S. (2010):** Regulation of mRNAs encoding the steroidogenic acute regulatory protein and cholesterol side-chain cleavage enzyme in the elasmobranch interrenal gland. *General and Comparative Endocrinology*, 168 (1): 121-132

Abstract: <http://dx.doi.org/10.1016/j.ygcen.2010.04.018>

**EVANS, A.N. & RIMOLDI, J.M. & GADEPALLI, R.S.V. & NUNEZ, B.S. (2010):** Adaptation of a corticosterone ELISA to demonstrate sequence-specific effects of angiotensin II peptides and C-type natriuretic peptide on 1 $\alpha$ -hydroxycorticosterone synthesis and steroidogenic mRNAs in the elasmobranch interrenal gland. *Journal of Steroid Biochemistry and Molecular Biology*, 120 (4-5): 149-154

Abstract: <http://dx.doi.org/10.1016/j.jsbmb.2010.03.025>

**FANG, J. (2010):** Timing is everything for sharks that smell in stereo. *Nature News*, online

Abstract: <http://dx.doi.org/10.1038/news.2010.288>

**FARRELL, E.D. & MARIANI, S. & CLARKE, M.W. (2010):** Reproductive biology of the starry smoothhound shark *Mustelus asterias*: geographic variation and implications for sustainable exploitation. *Journal of Fish Biology*, 77 (7): 1505-1525

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02771.x>

**FARRELL, E.D. & MARIANI, S. & CLARKE, M.W. (2010):** Age and growth estimates for the starry smoothhound (*Mustelus asterias*) in the Northeast Atlantic Ocean. *ICES Journal of Marine Science*, 67 (5): 931-939

**FARRUGIA, T.J. & ESPINOZA, M. & LOWE, C.G. (2010):** Abundance, habitat use and movement patterns of the shovelnose guitarfish (*Rhinobatos productus*) in a southern California estuary.

Abstract *Bulletin of the Southern California Academy of Sciences*, 109 (2): 91

Abstract: <http://dx.doi.org/10.3160/0038-3872-109.2.68>

**FELDHEIM, K.A. & CHAPMAN, D.D. & SIMPFENDORFER, C.A. & RICHARDS, V.P. & SHIVJI, M.S. & WILEY, T.R. & POULAKIS, G.R. & CARLSON, J.K. & ENG, R. & SAGARESE, S. (2010):** Genetic tools to support the conservation of the endangered smalltooth sawfish, *Pristis pectinata*. *Conservation Genetics Resources*, 2 (1): 105-113

Abstract: <http://dx.doi.org/10.1007/s12686-010-9175-8>

**FELDHEIM, K.A. & CHAPMAN, D.D. & SWEET, D. & FITZPATRICK, S. & PRODOHL, P.A. & SHIVJI, M.S. & SNOWDEN, B. (2010):** Shark virgin birth produces multiple, viable offspring. *Journal of Heredity*, 101 (3): 374-377

Abstract: <http://dx.doi.org/10.1093/jhered/esp129>

**FERRANDO, S. & GALLUS, L. & GAMBARDELLA, C. & GHIGLIOTTI, L. & RAVERA, S. & VALLARINO, M. & VACCHI, M. & TAGLIAFIERRO, G. (2010):** Cell proliferation and apoptosis in the olfactory epithelium of the shark *Scyliorhinus canicula*. *Journal of Chemical Neuroanatomy*, 40 (4): 293-300

Abstract: <http://dx.doi.org/10.1016/j.jchemneu.2010.08.004>

**FERRANDO, S. & GALLUS, L. & GAMBARDELLA, C. & VACCHI, M. & TAGLIAFIERRO, G. (2010):** G protein alpha subunits in the olfactory epithelium of the holocephalan fish *Chimaera monstrosa*. *Neuroscience Letters*, 472 (1): 65-67

Abstract: <http://dx.doi.org/10.1016/j.neulet.2010.01.059>

**FERREIRA, C.M. & FIELD, C.L. & TUTTLE, A.D. (2010):** Hematological and plasma biochemical parameters of aquarium-maintained cownose rays. *Journal of Aquatic Animal Health*, 22 (2): 123-128

Abstract: <http://dx.doi.org/10.1577/H09-048.1>

**FERREIRO-GALVE, S. & RODRIGUEZ-MOLDES, I. & ANADON, R. & CANDAL, E. (2010):** Patterns of cell proliferation and rod photoreceptor differentiation in shark retinas. *Journal of Chemical Neuroanatomy*, 39 (1): 1-14

Abstract: <http://dx.doi.org/10.1016/j.jchemneu.2009.10.001>

**FERREIRO-GALVE, S. & RODRÍGUEZ-MOLDES, I. & CANDAL, E. (2010):** Calretinin immunoreactivity in the developing retina of sharks: comparison with cell proliferation and GABAergic system markers. *Experimental eye research*, 91 (3): 378-386

Abstract: <http://dx.doi.org/10.1016/j.exer.2010.06.011>

**FLEWELLING, L.J. & ADAMS, D.H. & NAAR, J.P. & ATWOOD, K.E. & GRANHOLM, A.A. & O'DEA, S.N. & LANDSBERG, J.H. (2010):** Brevetoxins in sharks and rays (Chondrichthyes, Elasmobranchii) from Florida coastal waters. *Marine Biology*, 157 (9): 1937-1953

Abstract: <http://dx.doi.org/10.1007/s00227-010-1463-z>

**FRICK, L.H. & REINA, R.D. & WALKER, T.I. (2010):** Stress related physiological changes and post-release survival of Port Jackson sharks (*Heterodontus portusjacksoni*) and gummy sharks (*Mustelus antarcticus*) following gill-net and longline capture in captivity. *Journal of Experimental Marine Biology and Ecology*, 385 (1): 29-37

Abstract: <http://dx.doi.org/10.1016/j.jembe.2010.01.013>

**FRICK, L.H. & WALKER, T.I. & REINA, R.D. (2010):** Trawl capture of Port Jackson sharks, *Heterodontus portusjacksoni*, and gummy sharks, *Mustelus antarcticus*, in a controlled setting: Effects of tow duration, air exposure and crowding. *Fisheries Research*, 106 (3): 344-350

Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.08.016>

**FRISK, M.G. (2010):** Life History Strategies of Batoids. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 283-318

**FROESCHKE, J.T. & STUNZ, G.W. & STERBA-BOATWRIGHT, B. & WILDHABER, M.L. (2010):** An empirical test of the "shark nursery area concept" in Texas bays using a long-term fisheries-independent data set. *Aquatic Biology*, 11 (1): 65-76

Abstract: <http://dx.doi.org/10.3354/ab00290>

- GALÍNDEZ, E.J. & DÍAZ-ANDRADE, M.C. & AVACA, M.S. & ESTECONDO, S. (2010):** Morphological study of the oviductal gland in the smallnose fanskate *Sympterygia bonapartii* (Müller and Henle, 1841) (Chondrichthyes, Rajidae). *Revista Brasileira de Biologia*, 70 (2): 325-333
- GALLO, V. & CAVALCANTI, M.J. & DA.SILVA, R.F.L. & DA.SILVA, H.M.A. & PAGNONCELLI, D. (2010):** Panbiogeographical analysis of the shark genus *Rhizoprionodon* (Chondrichthyes, Carcharhiniformes, Carcharhinidae). *Journal of Fish Biology*, 76 (7): 1696-1713  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02609.x>
- GAMBARDELLA, C. & GALLUS, L. & RAVERA, S. & FASULO, S. & VACCHI, M. & FERRANDO, S. (2010):** First evidence of a leptin-like peptide in a cartilaginous fish. *Anatomical Record*, 293 (10): 1692-1697  
Abstract: <http://dx.doi.org/10.1002/ar.21238>
- GARDINER, J.M. & ATEMA, J. (2010):** The Function of Bilateral Odor Arrival Time Differences in Olfactory Orientation of Sharks. *Current Biology*, 20 (13): 1187-1191  
Abstract: <http://dx.doi.org/10.1016/j.cub.2010.04.053>
- GELSLEICHTER, J. & WALKER, C.J. (2010):** Pollutant Exposure and Effects in Sharks and Their Relatives. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 491-540
- GILMOUR, K.M. & PERRY, S.F. (2010):** Gas transfer in dogfish: A unique model of CO<sub>2</sub> excretion? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 476-485  
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.10.043>
- GLEISS, A.C. & NORMAN, B. WILSON, R.P. (2010):** Moved by that sinking feeling: variable diving geometry underlies movement strategies in whale sharks. *Functional Ecology*, 2010: in press  
Abstract: <http://dx.doi.org/10.1111/j.1365-2435.2010.01801.x>
- GODIN, A.C. & WORM, B. (2010):** Keeping the lead: how to strengthen shark conservation and management policies in Canada. *Marine Policy*, 34 (5): 995-1001  
Abstract: <http://dx.doi.org/10.1016/j.marpol.2010.02.006>
- GRAHAM, N.A.J. & SPALDING, M.D. & SHEPPARD, C.R.C. (2010):** Reef shark declines in remote atolls highlight the need for multi-faceted conservation action. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 20 (5): 543-548  
Abstract: <http://dx.doi.org/10.1002/aqc.1116>
- GRIFFITHS, A.M. & SIMS, D.W. & COTTERELL, S.P. & EL.NAGAR, A. & ELLIS, J.R. & LYNHAMMAR, A. & MCHUGH, M. & NEAT, F.C. & PADE, N.G. & QUEIROZ, N. & SERRA-PEREIRA, B. & RAPP, T. & WEARMOUTH, V.J. & GENNER, M.J. (2010):** Molecular markers reveal spatially segregated cryptic species in a critically endangered fish, the common skate (*Dipturus batis*). *Proceedings of the Royal Society of London, Series B*, 277: 1497-1503  
Abstract: <http://dx.doi.org/10.1098/rspb.2009.2111>
- GRUBBS, R.D. (2010):** Ontogenetic Shifts in Movements and Habitat Use. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 319-350
- GUBILI, C. & BILGIN, R. & KALKAN, E. & KARHAN, S.Ü. & JONES, C.S. & SIMS, D.W. & KABASAKAL, H. & MARTIN, A.P. & NOBLE, L.R. (2010):** Antipodean white sharks on a Mediterranean walkabout? Historical dispersal leads to genetic discontinuity and an endangered anomalous population. *Proceedings of the Royal Society of London, Series B: in press*  
Abstract: <http://dx.doi.org/10.1098/rspb.2010.1856>

**GUTTRIDGE, T.L. & GRUBER, S.H. & KRAUSE, J. & SIMS, D.W. (2010):** Novel Acoustic Technology for Studying Free-Ranging Shark Social Behaviour by Recording Individuals' Interactions. *PLoS ONE*, 5 (2): e9324  
Abstract: <http://dx.doi.org/10.1371/journal.pone.0009324>

- H, I, J, K -

**HADFIELD, C.A. & HAINES, A.N. & CLAYTON, L.A. & WHITAKER, B.R. (2010):** Cross matching of blood in carcharhiniform, lamniform, and orectolobiform sharks. *Journal of Zoo and Wildlife Medicine*, 41 (3): 480-486  
Abstract: <http://dx.doi.org/10.1638/2009-0236.1>

**HARRY, A.V. & SIMPFENDORFER, C.A. & TOBIN, A.J. (2010):** Improving age, growth, and maturity estimates for aseasonally reproducing chondrichthyans. *Fisheries Research*, 106 (3): 393-403  
Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.09.010>

**HEARN, A. & KETCHUM, J. & KLIMLEY, A.P. & ESPINOZA, E. & PEÑAHERRERA, C. (2010):** Hotspots within hotspots? Hammerhead shark movements around Wolf Island, Galapagos Marine Reserve *Marine Biology*, 157 (9): 1899-1915  
Abstract: <http://dx.doi.org/10.1007/s00227-010-1460-2>

**HEBERER, C. & AALBERS, S.A. & BERNAL, D. & KOHIN, S. & DIFIORE, B. & SEPULVEDA, C.A. (2010):** Insights into catch-and-release survivorship and stress-induced blood biochemistry of common thresher sharks (*Alopias vulpinus*) captured in the southern California recreational fishery. *Fisheries Research*, 106 (3): 495-500  
Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.09.024>

**HEITHAUS, M.R. & FRID, A. & VAUDO, J.J. & WORM, B. & WIRSING, A.J. (2010):** Unraveling the Ecological Importance of Elasmobranchs. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 611-638

**HENDERSON, A.C. & ARKHIPKIN, A.I. (2010):** Maturity index validation in the white-spotted skate *Bathyraja albomaculata*, from the Falkland Islands. *Journal of the Marine Biological Association of the United Kingdom*, 90 (5): 1015-1018  
Abstract: <http://dx.doi.org/10.1017/S0025315410000160>

**HERNÁNDEZ, S. & VÖGLER, R. & BUSTAMANTE, C. & LAMILLA, J. (2010):** Review of the occurrence and distribution of the basking shark (*Cetorhinus maximus*) in Chilean waters. *Marine Biodiversity Records*, 3: e67  
Abstract: <http://dx.doi.org/10.1017/S1755267210000540>

**HERNDON, A. & GALLUCCI, V.F. & DEMASTER, D. & BURKE, W. (2010):** The case for an international commission for the conservation and management of sharks (ICCMS). *Marine Policy*, 34 (6): 1239-1248  
Abstract: <http://dx.doi.org/10.1016/j.marpol.2010.05.001>

**HEUPEL, M.R. & SIMPFENDORFER, C.A. & FITZPATRICK, R. (2010):** Large-scale movement and reef fidelity of grey reef sharks. *PloS one*, 5 (3): e9650  
Abstract: <http://dx.doi.org/10.1371/journal.pone.0009650>

- HEUPEL, M.R. & YEISER, B.G. & COLLINS, A.B. & ORTEGA, L. & SIMPFENDOFER, C.A. (2010):** Long-term presence and movement patterns of juvenile bull sharks, *Carcharhinus leucas*, in an estuarine river system. *Marine and Freshwater Research*, 61 (1): 1-10  
Abstract: <http://dx.doi.org/10.1071/MF09019>
- HEYMANS, J.J. & HOWELL, K.L. & AYERS, M. & BURROWS, M.T. & GORDON, J.D.M. & JONES, E.G. & NEAT, F. (2010):** Do we have enough information to apply the ecosystem approach to management of deep-sea fisheries? An example from the West of Scotland. *ICES Journal of Marine Science*, 68: 265-280  
Abstract: <http://dx.doi.org/10.1093/icesjms/fsq065>
- HOFF, G.R. (2010):** Identification of skate nursery habitat in the eastern Bering Sea. *Marine Ecology Progress Series*, 403: 243-254  
Abstract: <http://dx.doi.org/10.3354/meps08424>
- HONDA, Y. & KONDO, H. & CAIPANG, C.M.A. & HIRONO, I. & AOKI, T. (2010):** cDNA cloning of the immunoglobulin heavy chain genes in banded houndshark *Triakis scyllium*. *Fish & Shellfish Immunology*, 29 (5): 854-861  
Abstract: <http://dx.doi.org/10.1016/j.fsi.2010.07.034>
- HUSSEY, N.E. & BRUSH, J. & MCCARTHY, I.D. & FISK, A.T. (2010):** delta15N and delta13C diet-tissue discrimination factors for large sharks under semi-controlled conditions. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 445-453  
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.09.023>
- HUSSEY, N.E. & WINTNER, S.P. & DUDLEY, S.F.J. & CLIFF, G. & COCKS, D.T. & MACNEIL, M.A. (2010):** Maternal investment and size-specific reproductive output in carcharhinid sharks. *Journal of Animal Ecology*, 79 (1): 184-193  
Abstract: <http://dx.doi.org/10.1111/j.1365-2656.2009.01623.x>
- INOUE, A. & AKIYOSHI, H. (2010):** An immunohistochemical study of Carassius RF amide in the stomach, intestine, and pancreas of the Japanese butterfly ray, *Gymnura japonica*. *Ichthyological Research*, 57 (3): 223-230  
Abstract: <http://dx.doi.org/10.1007/s10228-010-0156-4>
- INOUE, J.G. & MIYA, M. & LAM, K. & TAY, B.-H. & DANKS, J.A. & BELL, J. & WALKER, T.I. & VENKATESH, B. (2010):** Evolutionary origin and phylogeny of the modern holocephalans (Chondrichthyes: Chimaeriformes): a mitogenomic perspective. *Molecular Biology and Evolution*, 27 (11): 2576-2586  
Abstract: <http://dx.doi.org/10.1093/molbev/msq147>
- JACOBY, D.M.P. & BUSAWON, D.S. & SIMS, D.W. (2010):** Sex and social networking: the influence of male presence on social structure of female shark groups. *Behavioral Ecology*, 21 (4): 808-818  
Abstract: <http://dx.doi.org/10.1093/beheco/arq061>
- JACQUES, P.J. (2010):** The social oceanography of top oceanic predators and the decline of sharks: A call for a new field. *Progress In Oceanography*, 86 (40210): 192-203  
Abstract: <http://dx.doi.org/10.1016/j.pocean.2010.04.001>
- JANSE, M. & SCHRAMA, J.W. (2010):** Reproductive cycle, nutrition and growth of captive blue spotted stingray, *Dasyatis kuhlii* (Dasyatidae). *Journal of the Marine Biological Association of the United Kingdom*, 90 (2): 353-360  
Abstract: <http://dx.doi.org/10.1017/S002531540999035X>
- JEFFREE, R.A. & OBERSHANSLI, F. & TEYSSIE, J.-L. (2010):** Phylogenetic consistencies among chondrichthyan and teleost fishes in their bioaccumulation of multiple trace elements from seawater.

*Science of The Total Environment*, 408 (16): 3200-3210  
Abstract: <http://dx.doi.org/10.1016/j.scitotenv.2010.04.015>

**KAJIURA, S.M. (2010):** Pupil dilation and visual field in the piked dogfish, *Squalus acanthias*.  
*Environmental Biology of Fishes*, 88 (2): 133-141  
Abstract: <http://dx.doi.org/10.1007/s10641-010-9623-z>

**KAJIURA, S.M. & CORNETT, A.D. & YOPAK, K.E. (2010):** Sensory Adaptations to the Environment: Electroreceptors as a Case Study. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 393-434

**KATSU, Y. & KOHNO, S. & NARITA, H. & URUSHITANI, H. & YAMANE, K. & HARA, A. & CLAUSS, T.M. & WALSH, M.T. & MIYAGAWA, S. & GUILLETTE, L.J. & IGUCHI, T. (2010):** Cloning and functional characterization of Chondrichthyes, cloudy catshark, *Scyliorhinus torazame* and whale shark, *Rhincodon typus* estrogen receptors. *General and Comparative Endocrinology*, 168 (3): 496-504  
Abstract: <http://dx.doi.org/10.1016/j.ygcen.2010.06.010>

**KEMPER, J.M. & EBERT, D.A. & COMPAGNO, L.J.V. & DIDIER, D.A. (2010):** *Chimaera notafriicana* sp. nov. (Chondrichthyes: Chimaeriformes: Chimaeridae), a new species of chimaera from southern Africa. *Zootaxa*, 2532: 55-63

**KEMPER, J.M. & EBERT, D.A. & DIDIER, D.A. & COMPAGNO, L.J.V. (2010):** Description of a new species of chimaerid, *Chimaera bahamaensis* from the Bahamas (Holocephali: Chimaeridae). *Bulletin of Marine Science*, 86 (3): 649-659

**KING, J.R. & MCFARLANE, G.A. (2010):** Movement patterns and growth estimates of big skate (*Raja binoculata*) based on tag-recapture data. *Fisheries Research*, 101 (1-2): 50-59  
Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.09.006>

**KITAMURA, A. & OGAWA, K. & SHIMIZU, T. & KURASHIMA, A. & MANO, N. & TANIUCHI, T. & HIROSE, H. (2010):** A new species of *Calicotyle* Diesing, 1850 (Monogenea: Monocotylidae) from the shortspine spurdog *Squalus mitsukurii* Jordan & Snyder and the synonymy of *Gymnocalicotyle* Nybelin, 1941 with this genus. *Systematic Parasitology*, 75 (2): 117-124  
Abstract: <http://dx.doi.org/10.1007/s11230-009-9228-0>

**KITCHENER, P.D. & FULLER, J. & SNOW, P.J. (2010):** Central projections of primary sensory afferents to the spinal dorsal horn in the long-tailed stingray, *Himantura fai*. *Brain, Behavior and Evolution*, 76 (1): 60-70  
Abstract: <http://dx.doi.org/10.1159/000319009>

**KITCHENER, P.D. & SNOW, P.J. (2010):** Spinal reflexes in the long-tailed stingray, *Himantura fai*. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, 196 (4): 263-270  
Abstract: <http://dx.doi.org/10.1007/s00359-010-0512-x>

**KITCHEN-WHEELER, A.-M. (2010):** Visual identification of individual manta ray (*Manta alfredi*) in the Maldives Islands, Western Indian Ocean *Marine Biology Research*, 6: 351-363  
Abstract: <http://dx.doi.org/10.1080/17451000903233763>

**KITTIPHATTANABAWON, P. & BENJAKUL, S. & VISESSANGUAN, W. & KISHIMURA, H. & SHAHIDI, F. (2010):** Isolation and Characterisation of collagen from the skin of brownbanded bamboo shark (*Chiloscyllium punctatum*). *Food Chemistry*, 119 (4): 1519-1526  
Abstract: <http://dx.doi.org/10.1016/j.foodchem.2009.09.037>

**KITTIPHATTANABAWON, P. & BENJAKUL, S. & VISESSANGUAN, W. & SHAHIDI, F. (2010):** Comparative study on characteristics of gelatin from the skins of brownbanded bamboo shark and blacktip shark as affected by extraction conditions. *Food Hydrocolloids*, 24 (2-3): 164-171  
Abstract: <http://dx.doi.org/10.1016/j.foodhyd.2009.09.001>

**KNIP, D.M. & HEUPEL, M.R. & SIMPFENDORFER, C.A. (2010):** Sharks in nearshore environments: models, importance, and consequences. *Marine Ecology Progress Series*, 402: 1-11  
Abstract: <http://dx.doi.org/10.3354/meps08498>

**KOTTELAT, M. (2010):** The nominal species of rays (Chondrichthyes) described by Stephan (1779). *Zootaxa*, 2646: 63-68

**KOUSTENI, V. & KONTOPOULOU, M. & MEGALOFONO, P. (2010):** Sexual maturity and fecundity of *Scyliorhinus canicula* (Linnaeus, 1758) in the Aegean Sea. *Marine Biology Research*, 6: 390-398  
Abstract: <http://dx.doi.org/10.1080/17451000903233771>

**KRIWET, J. & ENDO, H. & STELBRINK, B. (2010):** On the occurrence of the Taiwan angel shark, *Squatina formosa* Shen & Ting, 1972 (Chondrichthyes, Squatinidae) from Japan. *Zoosystematics and Evolution*, 86 (1): 117-124  
Abstract: <http://dx.doi.org/10.1002/zoos.200900016>

**KUBA, M.J. & BYRNE, R.A. & BURGHARDT, G.M. (2010):** A new method for studying problem solving and tool use in stingrays (*Potamotrygon castexi*). *Animal Cognition*: 13 (3): 507-513  
Abstract: <http://dx.doi.org/10.1007/s10071-009-0301-5>

**KUCHTA, R. & CAIRA, J.N. (2010):** Three new species of *Echinobothrium* (Cestoda: Diphyllidea) from Indo-Pacific stingrays of the genus *Pastinachus* (Rajiformes: Dasyatidae). *Folia Parasitologica*, 57 (3): 185-196

**KYNE, P.M. & SIMPFENDORFER, C.A. (2010):** Deepwater chondrichthyans. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 37-114

- L, M, N, O -

**LAST, P.R. & FAHMI & ISHIHARA, H. (2010):** *Okamejei cairae* sp. nov. (Rajoidei: Rajidae), a new skate from the South China Sea. *CSIRO Marine and Atmospheric Research Paper*, 32: 89-100

**LAST, P.R. & FAHMI & NAYLOR, G.J.P. (2010):** *Pastinachus stellurostris* sp. nov., a new stingray (Elasmobranchii: Myliobatiformes) from Indonesian Borneo. *CSIRO Marine and Atmospheric Research Paper*, 32: 129-140

**LAST, P.R. & LIM, A.P.K. (2010):** A new species of skate *Okamejei jensenae* sp. nov. (Rajoidei: Rajidae) from the seas off Borneo, with a redescription of the Kwangtung Skate, *Dipturus kwangtungensis*. *CSIRO Marine and Atmospheric Research Paper*, 32: 101-114

**LAST, P.R. & MANJAJI-MATSUMOTO, B.M. (2010):** Description of a new stingray, *Pastinachus gracilicaudus* sp. nov. (Elasmobranchii: Myliobatiformes), based on material from the Indo-Malay Archipelago. *CSIRO Marine and Atmospheric Research Paper*, 32: 115-128



- LAST, P.R. & WHITE, W.T. & POGONOSKI, J.J. (2010):** A new wobbegong shark, *Orectolobus leptolineatus* sp. nov. (Orectolobiformes: Orectolobidae), from the Western Central Pacific. *CSIRO Marine and Atmospheric Research Paper*, 32: 1-16
- LAST, P.R. & WHITE, W.T. & PUCKRIDGE, M. (2010):** *Neotrygon ningalooensis* n. sp. (Myliobatoidei: Dasyatidae), a new maskray from Australia. *Aqua, International Journal of Ichthyology*, 16 (2): 37-50
- LEA, R.N. & ESPINOSA-PÉREZ, H. & FINDLEY, L.T. & GILBERT, C.R. & MANDRAK, N.E. & MAYDEN, R.L. & NELSON, J.S. & PAGE, L.M. (2010):** Comments on *Raja sayi* Le Sueur, 1817 (currently *Dasyatis sayi*; Chondrichthyes, Myliobatiformes, DASYATIDAE): proposed change of spelling to *Raja sayi* Le Sueur, 1817 1 (Case 3410). *Bulletin of Zoological Nomenclature*, 67 (1): 66-67
- LIM, D.D. & MOTTA, P. & MARA, K. & MARTIN, A.P. (2010):** Phylogeny of hammerhead sharks (Family Sphyrnidae) inferred from mitochondrial and nuclear genes. *Molecular Phylogenetics and Evolution*, 55 (2): 572-579  
Abstract: <http://dx.doi.org/10.1016/j.ympev.2010.01.037>
- LISNEY, T.J. (2010):** A review of the sensory biology of chimaeroid fishes (Chondrichthyes; Holocephali). *Reviews in Fish Biology and Fisheries*, 20 (4): 571-590  
Abstract: <http://dx.doi.org/10.1007/s11160-010-9162-x>
- LITVINOV, F.F. (2010):** Management measures in elasmobranch fishery: crucial points in life history of pelagic and demersal species. *ICES CM 2010/E: 04: 1-20*
- LIU, Y. & IBRAHIM, A.S. & TAY, B.-H. & RICHARDSON, S.J. & BELL, J. & WALKER, T.I. & BRENNER, S. & VENKATESH, B. & DANKS, J.A. (2010):** Parathyroid hormone gene family in a cartilaginous fish, the elephant shark (*Callorhynchus milii*). *Journal of Bone and Mineral Research*, 25 (12): 2337-2347  
Abstract: <http://dx.doi.org/10.1002/jbmr.178>
- LÓPEZ-CRUZ, R.I. & ZENTENO-SAVÍN, T. & GALVÁN-MAGAÑA, F. (2010):** Superoxide production, oxidative damage and enzymatic antioxidant defenses in shark skeletal muscle. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 156 (1): 50-  
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.12.017>
- LOPPION, G. & LAVIGNE, R. & PINEAU, C. & AUVRAY, P. & SOURDAINE, P. (2010):** Proteomic analysis of the spermatogonial stem cell compartment in dogfish *Scyliorhinus canicula* L. *Comparative Biochemistry and Physiology - Part D: Genomics and Proteomics*, 5 (2): 157-  
Abstract: <http://dx.doi.org/10.1016/j.cbd.2010.03.004>
- MacDONALD, E.E. & VOLKOFF, H. (2010):** Molecular cloning and characterization of preproorexin in winter skate (*Leucoraja ocellata*). *General and Comparative Endocrinology*, 169 (3): 192-196  
Abstract: <http://dx.doi.org/10.1016/j.ygcen.2010.09.014>
- MACDONALD, R.B. & DEBIAIS-THIBAUD, M. & MARTIN, K. & POITRAS, L. & TAY, B.-H. & VENKATESH, B. & EKKER, M. (2010):** Functional conservation of a forebrain enhancer from the elephant shark (*Callorhynchus milii*) in zebrafish and mice. *BMC Evolutionary Biology*, 10 (1): 157-  
Abstract: <http://dx.doi.org/10.1186/1471-2148-10-157>
- MACESIC, L.J. & KAJIURA, S.M. (2010):** Comparative punting kinematics and pelvic fin musculature of benthic batoids. *Journal of Morphology*, 271 (10): 1219-1228  
Abstract: <http://dx.doi.org/10.1002/jmor.10865>

- MALEK, M. & CAIRA, J.N. & HASELI, M. (2010):** Two new species of Paraorygmatobothrium Ruhnke, 1994 (Cestoda: Tetraphyllidea) from the carcharhinid shark *Carcharhinus cf. dussumieri* (Müller & Henle) in the Persian Gulf. *Systematic Parasitology*, 76 (1): 59-68
- MANSOUR, M.B. & DHAHRI, M. & HASSINE, M. & AJZENBERG, N. & VENISSE, L. & OLLIVIER, V. & CHAUBET, F. & JANDROT-PERRUS, M. & MAAROUFI, R.M. (2010):** Highly sulfated dermatan sulfate from the skin of the ray *Raja montagui*: anticoagulant activity and mechanism of action. *Comparative Biochemistry and Physiology - Part B: Biochemistry and Molecular Biology*, 156 (3): 206-210.  
Abstract: <http://dx.doi.org/10.1016/j.cbpb.2010.03.010>
- MARKAIDA, U. & SOSA-NISHIZAKI, O. (2010):** Food and feeding habits of the blue shark *Prionace glauca* caught off Ensenada, Baja California, Mexico, with a review on its feeding. *Journal of the Marine Biological Association of the United Kingdom*, 90 (5): 977-994  
Abstract: <http://dx.doi.org/10.1017/S0025315409991597>
- MARSHALL, A.D. & BENNETT, M.B. (2010):** Reproductive ecology of the reef manta ray *Manta alfredi* in southern Mozambique. *Journal of Fish Biology*, 77 (1): 169-190  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02669.x>
- MARTIN, C.S. & VAZ, S. & ELLIS, J.R. & COPPIN, F. & LE ROY, D. & CARPENTIER, A. (2010):** Spatio-temporal patterns in demersal elasmobranchs from trawl surveys in the eastern English Channel (1988–2008). *Marine Ecology Progress Series*, 417: 211-228  
Abstract: <http://dx.doi.org/10.3354/meps08802>
- McCAULEY, D.J. & PAPANASTASIOU, Y.P. & YOUNG, H.S. (2010):** An Observation of Mating in Free-Ranging Blacktip Reef Sharks, *Carcharhinus melanopterus*. *Pacific Science*, 64 (2): 349-352  
Abstract: <http://dx.doi.org/10.2984/64.2.349>
- McCOMB, D.M. & FRANK, T.M. & HUETER, R.E. & KAJIURA, S.M. (2010):** Temporal Resolution and Spectral Sensitivity of the Visual System of Three Coastal Shark Species from Different Light Environments. *Physiological and Biochemical Zoology*, 83 (2): 299-307  
Abstract: <http://dx.doi.org/10.1086/648394>
- MCELWAIN, A. & KOHL, J.W. & BOJKOVIC, J. & BENZ, G.W. (2010):** Distribution of *Kroyeriina elongata* (Kroyeriidae: Siphonostomatoida, Copepoda) in the olfactory sacs of the blue shark, *c. glauca*. *Journal of Parasitology*, 96 (5): 887-896  
Abstract: <http://dx.doi.org/10.1645/GE-2361.1>
- MENNI, R.C. & JAUREGUIZAR, A.J. & STEHMANN, M. & LUCIFORA, L.O. (2010):** Marine biodiversity at the community level: zoogeography of sharks, skates, rays and chimaeras in the southwestern Atlantic. *Biodiversity and Conservation*, 19 (3): 775-796  
Abstract: <http://dx.doi.org/10.1007/s10531-009-9734-z>
- MEYER, C.G. & PAPANASTASIOU, Y.P. & HOLLAND, K.N. (2010):** A multiple instrument approach to quantifying the movement patterns and habitat use of tiger (*Galeocerdo cuvier*) and Galapagos sharks (*Carcharhinus galapagensis*) at French Frigate Shoals, Hawaii. *Marine Biology*, 157 (8): 1857-1868  
Abstract: <http://dx.doi.org/10.1007/s00227-010-1457-x>
- MILLS, S.C. & MOURIER & GALZIN, R. (2010):** Plasma cortisol and 11-ketotestosterone enzyme immunoassay (EIA) kit validation for three fish species: the orange clownfish *Amphiprion percula*, the orangefin anemonefish *Amphiprion chrysopterus* and the blacktip reef shark *Carcharhinus melanopterus*. *Journal of Fish Biology*, 77 (3): 769-777  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02693.x>

**MOELLER, J.F. & MEREDITH, M. (2010):** Differential co-localization with choline acetyltransferase in nervus terminalis suggests functional differences for GnRH isoforms in bonnethead sharks (*Sphyrna tiburo*). *Brain Research*, 1366: 44-53

Abstract: <http://dx.doi.org/10.1097/MBC.0b013e32833b643b>

**MØLLER, P.R. & NIELSEN, J.G. & KNUDSEN, S.W. & POULSEN, J.Y. & SÛNKSEN, K. & JØRGENSEN, O.A. (2010):** A checklist of the fish fauna of Greenland waters. *Zootaxa*, 2378: 1-84

**MONTEALEGRE-QUIJANO, S. & VOOREN, C.M. (2010):** Distribution and abundance of the life stages of the blue shark *Prionace glauca* in the Southwest Atlantic. *Fisheries Research*, 101 (3): 168-179

Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.10.001>

**MORGAN, A. & CARLSON, J.K. (2010):** Capture time, size and hooking mortality of bottom longline-caught sharks. *Fisheries Research*, 101 (1-2): 32-37

Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.09.004>

**MOTTA, P.J. & MASLANKA, M. & HUETER, R.E. & DAVIS, R.L. & DE LA PARRAD, R. & MULVANYA, S.L. & HABEGGER, M.L. & STROTHER, J.A. & MARA, K.R. & GARDINER, J.M. & TYMINSKI, J.P. & ZEIGLER, L.D. (2010):** Feeding anatomy, filter-feeding rate, and diet of whale sharks *Rhincodon typus* during surface ram filter feeding off the Yucatan Peninsula, Mexico. *Zoology*, 113 (4): 199-212

Abstract: <http://dx.doi.org/10.1016/j.zool.2009.12.001>

**MOURATO, B.L. & COELHO, R. & AMORIM, A.F. & CARVALHO, F.H.V. & HAZIN, F. & BURGESS, G. (2010):** Size at maturity and length-weight relationships of the blurred lantern shark *Etmopterus bigelowi* (Squaliformes: Etmopteridae) caught off southeastern Brazil. *Ciencias Marinas*, 36 (4): 323-331

**MULL, C.G. & LOWE, C.G. & YOUNG, K.A. (2010):** Seasonal reproduction of female round stingrays (*Urobatis halleri*): Steroid hormone profiles and assessing reproductive state. *General and Comparative Endocrinology*, 166 (2): 379-387

Abstract: <http://dx.doi.org/10.1016/j.ygcen.2009.12.009>

**MULLEY, J.F. & HOLLAND, W.H. (2010):** Parallel retention of Pdx2 genes in cartilaginous fish and coelacanth. *Molecular Biology and Evolution*, 27: 2386-2391

Abstract: <http://dx.doi.org/10.1093/molbev/msq121>

**MURADO, M.A. & FRAGUAS, J. & MONTEMAYOR, M.I. & VAZQUEZ, J.A. & GONZALEZ, P. (2010):** Preparation of highly purified chondroitin sulphate from skate (*Raja clavata*) cartilage by-products. *Process. Biochemical Engineering Journal*, 49 (1): 126-132

Abstract: <http://dx.doi.org/10.1016/j.bej.2009.12.006>

**MURRAY, M.J. (2010):** Endoscopy in Sharks. *Veterinary Clinics of North America: Exotic Animal Practice*, 13 (2): 301-313

Abstract: <http://dx.doi.org/10.1016/j.cvex.2010.01.008>

**NAKADA, T. & WESTHOFF, C.M. & YAMAGUCHI, Y. & HYODO, S. & LI, X. & MURO, T. & KATO, A. & NAKAMURA, N. & HIROSE, S. (2010):** Rhesus glycoprotein p2 (Rhp2) is a novel member of the Rh family of ammonia transporters highly expressed in shark kidney. *Journal of Biological Chemistry*, 285 (4): 2653-2664

Abstract: <http://dx.doi.org/10.1074/jbc.M109.052068>

**NAM, D.-H. & ADAMS, D.H. & FLEWELLING, L.J. & BASU, N. (2010):** Neurochemical alterations in lemon shark (*Negaprion brevirostris*) brains in association with brevetoxin exposure. *Aquatic*

*Toxicology*, 99 (3): 351-359

Abstract: <http://dx.doi.org/10.1016/j.aquatox.2010.05.014>

**NAVARRO-GARCIA, G. & RAMIREZ-SUAREZ, J.C. & COTA-QUINONES, E. & MARQUEZ-FARIAS, F. & BRINGAS-ALVARADO, L. (2010):** Storage stability of liver oil from two ray (*Rhinoptera bonasus* and *Aetobatus narinari*) species from the Gulf of Mexico. *Food Chemistry*, 119 (4): 1578-1583

Abstract: <http://dx.doi.org/10.1016/j.foodchem.2009.09.045>

**NAVIA, A.F. & CORTÉS, E. & MEJÍA-FALLA, P.A. (2010):** Topological analysis of the ecological importance of elasmobranch fishes: A food web study on the Gulf of Tortugas, Colombia. *Ecological Modelling*, 221 (24): 2918-2926

Abstract: <http://dx.doi.org/10.1016/j.ecolmodel.2010.09.006>

**NEWMAN, S.P. & HANDY, R.D. & GRUBER, S.H. (2010):** Diet and prey preference of juvenile lemon sharks *Negaprion brevirostris*. *Marine Ecology Progress Series*, 398: 221-234

Abstract: <http://dx.doi.org/10.3354/meps08334>

**NG, H.H. & TAN, H.H. & YEO, D.C.J. & NG, P.K.L. (2010):** Stingers in a strange land: South American freshwater stingrays (*Potamotrygonidae*) in Singapore. *Biological Invasions*, 12 (8): 2385-2388

Abstract: <http://dx.doi.org/10.1007/s10530-009-9663-5>

**NUSNBAUM, M. & DERBY, C.D. (2010):** Effects of Sea Hare Ink Secretion and Its Escapin-Generated Components on a Variety of Predatory Fishes. *Biological Bulletin*, 218: 282-292

**OLIVEIRA, P. & HAZIN, F.H.V. & CARVALHO, F. & REGO, M. & COELHO, R. & PIERCY, A. & BURGESS, G. (2010):** Reproductive biology of the crocodile shark *Pseudocarcharias kamoharai*. *Journal of Fish Biology*, 76 (7): 1655-1670

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02606.x>

**OLSON, P.D. & CAIRA, J.N. & JENSEN, K. & OVERSTREET, R.M. & PALM, H.W. & BEVERIDGE, I. (2010):** Evolution of the trypanorhynch tapeworms: Parasite phylogeny supports independent lineages of sharks and rays? *International Journal for Parasitology*, 40 (2): 223-242

Abstract: <http://dx.doi.org/10.1016/j.ijpara.2009.07.012>

**O'SHEA, O.R. & KINGSFORD, M.J. & SEYMOUR, J. (2010):** Tide-related periodicity of manta rays and sharks to cleaning stations on a coral reef. *Marine and Freshwater Research*, 61 (1): 65-73

Abstract: <http://dx.doi.org/10.1071/MF08301>

**OULION, S. & DEBIAIS-THIBAUD, M. & D'AUBENTON-CARAFI, Y. & THERMES, C. & DA SILVA, C. & BERNARD-SAMAIN, S. & GAVORY, F. & WINCKER, P. & MAZAN, S. & CASANE, D. (2010):** Evolution of Hox gene clusters in gnathostomes: insights from a survey of a shark (*Scyliorhinus canicula*) transcriptome. *Molecular Biology and Evolution*, 27 (12): 2829-2838

Abstract: <http://dx.doi.org/10.1093/molbev/msq172>

**OVENDEN, J.R. & MORGAN, J.A.T. & KASHIWAGI, T. & BRODERICK, D. & SALINI, J. (2010):** Towards better management of Australia's shark fishery: genetic analyses reveal unexpected ratios of cryptic blacktip species *Carcharhinus tilstoni* and *C. limbatus*. *Marine and Freshwater Research*, 61 (2): 253-262

Abstract: <http://dx.doi.org/10.1071/MF09151>

- P, Q, R, S -

**PADILLA-MORALES, L.F. & MORALES-PEREZ, C.L. & DE LA CRUZ-RIVERA, P. & LOPEZ-CRUZ, L.M. & ASMAR-ROVIRA, G. & STEVENS, R. & QUESADA, O. & LASALDE-DOMICCI, J.A. (2010):** Efficient Isolation and Characterization of Nicotinic Acetylcholine Receptor from Torpedo Californica using Lipid Analog. *Biophysical Journal*, 98 (3): 132a-133a  
Abstract: <http://dx.doi.org/10.1016/j.bpj.2009.12.716>

**PAPASTAMATIOU, Y.P. & FRIEDLANDER, A.M. & CASELLE, J.E. & LOWE, C.G. (2010):** Long-term movement patterns and trophic ecology of blacktip reef sharks (*Carcharhinus melanopterus*) at Palmyra Atoll. *Journal of Experimental Marine Biology and Ecology*, 386 (1): 94-102  
Abstract: <http://dx.doi.org/10.1016/j.jembe.2010.02.009>

**PAPASTAMATIOU, Y.P. & ITANO, D.G. & DALE, J.J. & MEYER, C.G. & HOLLAND, K.N (2010):** Site fidelity and movements of sharks associated with ocean-farming cages in Hawaii. *Marine and Freshwater Research*, 61 (12): 1366-1375  
Abstract: <http://dx.doi.org/10.1071/MF10056>

**PAPASTAMATIOU, Y.P. & WETHERBEE, B.M. & O'SULLIVAN, J. & GOODMANLOWE, G.D. & LOWE, C.G. (2010):** Foraging ecology of Cookiecutter Sharks (*Isistius brasiliensis*) on pelagic fishes in Hawaii, inferred from prey bite wounds. *Environmental Biology of Fishes*, 88 (4): 361-368  
Abstract: <http://dx.doi.org/10.1007/s10641-010-9649-2>

**PARK-HOLOHAN, S-J. & WEST, T.G. & WOLEDGE, R.C. & FERENCZI, M.A. & BARCLAY, C.J. & CURTIN, N.A. (2010):** Effect of phosphate and temperature on force exerted by white muscle fibres from dogfish. *Journal of Muscle Research and Cell Motility*, 31 (1): 35-44  
Abstract: <http://dx.doi.org/10.1007/s10974-010-9198-5>

**PARTON, A. & BAYNE, C.J. & BARNES, D.W. (2010):** Analysis and functional annotation of expressed sequence tags from in vitro cell lines of elasmobranchs: Spiny dogfish shark (*Squalus acanthias*) and little skate (*Leucoraja erinacea*). *Comparative Biochemistry and Physiology - Part D: Genomics and Proteomics*, 5 (3): 199-206  
Abstract: <http://dx.doi.org/10.1016/j.cbd.2010.04.004>

**PAYÁN, L.F. & MEJÍA-FALLA, P.A. & NAVIA, A.F. & LOZANO, R.A. (2010):** New records of Gorgona guitarfish *Rhinobatos prahli* on the Colombian Pacific coast. *Marine Biodiversity Records*, 3: e52  
Abstract: <http://dx.doi.org/10.1017/S1755267210000114>

**PEREYRA, S. & GARCÍA, G. & MILLER, P. & OVIEDO, S. & DOMINGO, A. (2010):** Low genetic diversity and population structure of the Narnownose shark (*Mustelus schmitti*). *Fisheries Research*, 106 (3): 468-473  
Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.09.022>

**PÉREZ-JIMÉNEZ, J.C. & SOSA-NISHIZAKI, O. (2010):** Determining reproductive parameters for population assessments of two smoothhounds (*Mustelus californicus* and *Mustelus lunulatus*) from the northern Gulf of California, Mexico. *Bulletin of Marine Science*, 86 (1): 1-11

**PETHYBRIDGE, H. & COSSA, D. & BUTLER, E.C.V. (2010):** Mercury in 16 demersal sharks from southeast Australia: Biotic and abiotic sources of variation and consumer health implications. *Marine Environmental Research*, 69 (1): 18-26  
Abstract: <http://dx.doi.org/10.1016/j.marenvres.2009.07.006>

- PETHYBRIDGE, H. & DALEY, R. & VIRTUE, P. & NICHOLS, P. (2010):** Lipid composition and partitioning of deepwater chondrichthyans: inferences of feeding ecology and distribution . *Marine Biology*, 157 (6): 1367-1384  
Abstract: <http://dx.doi.org/10.1007/s00227-010-1416-6>
- PIERCE, S.J. & BENNETT, M.B. (2010):** Destined to decline? Intrinsic susceptibility of the threatened estuary stingray to anthropogenic impacts. *Marine and Freshwater Research*, 61: 1468-1481  
Abstract: <http://dx.doi.org/10.1071/MF10073>
- PIERCE, S.J. & MÉNDEZ-JIMÉNEZ, A. & COLLINS, K. & ROSERO-CAICEDO, M. & MONADJEM, A. (2010):** Developing a Code of Conduct for whale shark interactions in Mozambique. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 20: 782-788  
Abstract: <http://dx.doi.org/10.1002/aqc.1149>
- PIERCY, A.N. & CARLSON, J.K. & PASSEROTTI, M.S. (2010):** Age and growth of the great hammerhead shark, *Sphyrna mokarran*, in the north-western Atlantic Ocean and Gulf of Mexico. *Marine and Freshwater Research*, 61 (9): 992-998  
Abstract: <http://dx.doi.org/10.1071/MF09227>
- PIOVANO, S. & CLO, S. & GIACOMA, C. (2010):** Reducing longline bycatch: The larger the hook, the fewer the stingrays. *Biological Conservation*, 143 (1): 261-264  
Abstract: <http://dx.doi.org/10.1016/j.biocon.2009.10.001>
- PLANK, S.M. & LOWE, C.G. & FELDHEIM, K.A. & WILSON, R.R. & BRUSSLAN, J.A. (2010):** Population genetic structure of the round stingray *Urobatis halleri* (Elasmobranchii: Rajiformes) in southern California and the Gulf of California. *Journal of Fish Biology*, 77 (2): 329-340  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02677.x>
- POLKINGHORNE, A. & SCHMIDT-POSTHAUS, H. & MEIJER, A. & LEHNER, A. & VAUGHAN, L. (2010):** Novel Chlamydiales associated with epitheliocystis in a leopard shark *Triakis semifasciata*. *Diseases of Aquatic Organisms*, 91 (1): 75-81  
Abstract: <http://dx.doi.org/10.3354/dao02255>
- PORTER, M.E. & LONG, J.H. (2010):** Vertebrae in compression: Mechanical behavior of arches and centra in the gray smooth-hound shark (*Mustelus californicus*). *Journal of Morphology*, 271 (3): 366-375  
Abstract: <http://dx.doi.org/10.1002/jmor.10803>
- PORTNOY, D.S. (2010):** Molecular Insights into Elasmobranch Reproductive Behavior for Conservation and Management. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 435-458
- PORTNOY, D.S. & McDOWELL, J.R. & HEIST, E.J. & MUSICK, J.A. & GRAVES, J.E. (2010):** World phylogeography and male-mediated gene flow in the sandbar shark, *Carcharhinus plumbeus*. *Molecular Ecology*, 19 (10): 1994-2010  
Abstract: <http://dx.doi.org/10.1111/j.1365-294X.2010.04626.x>
- POWTER, D.M. & GLADSTONE, W. & PLATELL, M. (2010):** The influence of sex and maturity on the diet, mouth morphology and dentition of the Port Jackson shark, *Heterodontus portusjacksoni*. *Marine and Freshwater Research*, 61 (1): 74-85  
Abstract: <http://dx.doi.org/10.1071/MF09021>
- QUIROZ, J.C. & WIFF, R. & CANECO, B. (2010):** Incorporating uncertainty into estimation of natural mortality for two species of Rajidae fished in Chile. *Fisheries Research*: 102 (3): 297-304  
Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.01.001>

- REDON, E. & BOSSEBOEUF, A. & ROCANCOURT, C. & DA SILVA, C. & WINCKER, P. & MAZAN, S. & SOURDAINE, P. (2010):** Stage-specific gene expression during spermatogenesis in the dogfish (*Scyliorhinus canicula*). *Reproduction*, 140 (1): 57-71  
Abstract: <http://dx.doi.org/10.1530/REP-10-0021>
- REISS, K.L. & BONNAN, M.F. (2010):** Ontogenetic scaling of caudal fin shape in *Squalus acanthias* (Chondrichthyes, Elasmobranchii): a geometric morphometric analysis with implications for caudal fin functional morphology. *Anatomical Record*, 293 (7): 1184-1191  
Abstract: <http://dx.doi.org/10.1002/ar.21155>
- RENSHAW, G.M.C. & WISE, G. & DODD, P.R. (2010):** Ecophysiology of neuronal metabolism in transiently oxygen-depleted environments: Evidence that GABA is accumulated pre-synaptically in the cerebellum. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 486-492  
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.10.039>
- REY, J. & COELHO, R. & LLORIS, D. & SEACUTERET, B. & GIL-DE-SOLA, L. (2010):** Distribution pattern of *Galeus atlanticus* in the Alboracuten Sea (south western Mediterranean) and some sexual character comparison with *Galeus melastomus*. *Marine Biology Research*, 6: 364-372  
Abstract: <http://dx.doi.org/10.1080/17451000903042487>
- RILEY, M.J. & HALE, M.S. & HARMAN, A. & REES, R.G. (2010):** Analysis of whale shark *Rhincodon typus* aggregations near South Ari Atoll, Maldives Archipelago. *Aquatic Biology*, 8: 145-150  
Abstract: <http://dx.doi.org/10.3354/ab00215>
- ROSA, R.S. & CHARVET-ALMEIDA, P. & DIBAN QUIJADA, C.C. (2010):** Biology of the South American Potamotrygonid Stingrays. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 241-282
- RYTKÖNEN, K.T. & RENSCHAW, G.M.C. & ASHTON, K.J. & WILLIAMS-PRITCHARD, G. & LEDER, E.H. & NIKINMAA, M. (2010):** Elasmobranch qPCR reference genes: a case study of hypoxia preconditioned epaulette sharks. *BMC Molecular Biology*, 11 (1): 27-  
Abstract: <http://dx.doi.org/10.1186/1471-2199-11-27>
- SÁEZ, S.B. & PEQUEÑO, G. (2010):** Taxonomic dental keys for the Chilean taxa of the Superorder Squalomorphi (Chondrichthyes: Elasmobranchii). *Latin American Journal of Aquatic Research*, 38 (3): 474-484  
Abstract: <http://dx.doi.org/10.3856/vol38-issue3-fulltext-11>
- SAGARESE, S.R. & FRISK, M.G. (2010):** An investigation on the effect of photoperiod and temperature on vertebral band deposition in little skate *Leucoraja erinacea*. *Journal of Fish Biology*, 77 (4): 935-946  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02734.x>
- SAKIYAMA, T. & SENOU, H. & TARU, H. (2010):** Records of a Basking Shark, *Cetorhinus maximus* (Lamniformes: Cetorhinidae) from Sagami Bay. *Bulletin of the Kanagawa Prefectural Museum. Natural Science*, 31: 55-58
- SAMPSON, L. & GALVÁN-MAGANA, F. & DE SILVA-DAÁVILA, R. & AGUÍNIGA-GARCÍA, S. & O'SULLIVAN, J.B. (2010):** Diet and trophic position of the devil rays *Mobula thurstoni* and *Mobula japanica* as inferred from stable isotope analysis. *Journal of the Marine Biological Association of the United Kingdom*, 90 (5): 969-976  
Abstract: <http://dx.doi.org/10.1017/S0025315410000548>

- SAWADA, T. & INOUE, S. (2010):** Ultrastructure of irregular collagen fibrils of shark mandible. *Acta Zoologica (Stockholm)*, 92 (1): 62-66  
Abstract: <http://dx.doi.org/10.1111/j.1463-6395.2009.00443.x>
- SCACCO, U. & LA MESA, G. & VACCHI, M. (2010):** Body morphometrics, swimming diversity and niche in demersal sharks: a comparative case study from the Mediterranean Sea. *Scientia Marina*, 74 (1): 37-51
- SCHLUESSEL, V. & BENNETT, M.B. & BLECKMANN, H. & COLLIN, S.P. (2010):** The role of olfaction throughout juvenile development: functional adaptations in elasmobranchs. *Journal of Morphology*, 271 (4): 451-461  
Abstract: <http://dx.doi.org/10.1002/jmor.10809>
- SCHLUESSEL, V. & BENNETT, M.B. & COLLIN, S.P. (2010):** Diet and reproduction in the white-spotted eagle ray *Aetobatus narinari* from Queensland, Australia and the Penghu Islands, Taiwan. *Marine and Freshwater Research*, 61 (11): 1278-1289  
Abstract: <http://dx.doi.org/10.1071/MF09261>
- SCHMIDT, J.V. & CHEN, C.-C. & SHEIKH, S.I. & MEEKAN, M.G. & NORMAN, B.M. & JOUNG, S.-J. (2010):** Paternity analysis in a litter of whale shark embryos. *Endangered Species Research*, 12: 117-124  
Abstract: <http://dx.doi.org/10.3354/esr00300>
- SÉRET, B. (2010):** Guide des requins, des raies et des chimères des pêches françaises. *Direction de la Pêche Maritime et de L'aquaculture*, 154 pp
- SÉRET, B. & FENCHEL, T. & UIBLEIN, F. (2010):** European Research Focus on Sharks and Rays. *Marine Biology Research*, 6: 339-340  
Abstract: <http://dx.doi.org/10.1080/17451001003657729>
- SHIVJI, M.S. (2010):** DNA Forensic Applications in Shark Management and Conservation. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 593-610
- SIMS, D.W. (2010):** Tracking and Analysis Techniques for Understanding Free-Ranging Shark Movements and Behavior. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 351-392
- SKOMAL, G.B. & BERNAL, D. (2010):** Physiological Responses to Stress in Sharks. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 459-490
- SLEEMAN, J.C. & MEEKAN, M.G. & WILSON, S.G. & POLOVINA, J.J. & STEVENS, J.D. & BOGGS, G.S. & BRADSHAW, C.J.A. (2010):** To go or not to go with the flow: Environmental influences on whale shark movement patterns. *Journal of Experimental Marine Biology and Ecology*, 390 (2): 84-98  
Abstract: <http://dx.doi.org/10.1016/j.jembe.2010.05.009>
- SMITH, K. & SCARR, M. & SCARPACI, C. (2010):** Grey nurse shark (*Carcharias taurus*) diving tourism: Tourist compliance and shark behaviour at Fish Rock, Australia. *Environmental Management*, 46 (5): 699-710  
Abstract: <http://dx.doi.org/10.1007/s00267-010-9561-8>
- SPAET, J.L.Y. & KESSEL, S.T. & GRUBER, S.H. (2010):** Learned hook avoidance of lemon sharks (*Negaprion brevirostris*) based on electroreception and shock treatment. *Marine Biology Research*, 6:



399-407

Abstract: <http://dx.doi.org/10.1080/17451000903039749>

**SPEED, C.W. & FIELD, I.C. & MEEKAN, M.G. & BRADSHAW, C.J.A. (2010):** Complexities of coastal shark movements and their implications for management. *Marine Ecology Progress Series*, 408: 275-293

Abstract: <http://dx.doi.org/10.3354/meps08581>

**SPEERS-ROESCH, BEN. & TREBERG, JASON.R. (2010):** The unusual energy metabolism of elasmobranch fishes. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 417-434

Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.09.031>

**SPERONE, E. & MICARELLI, P. & ANDREOTTI, S. & SPINETTI, S. & ANDREANI, A. & SERENA, F. & BRUNELLI, E. & TRIPEPI, S. (2010):** Social interactions among bait-attracted white sharks at Dyer Island (South Africa). *Marine Biology Research*, 6: 408-414

Abstract: <http://dx.doi.org/10.1080/17451000903078648>

**SPRINGAUF, A. & GRUNDER, S. (2010):** Characterization of Shark ASIC1b, an Ancient Form of an Acid-Sensing Ion Channel. *Biophysical Journal*, 98 (3): 702a-702a

Abstract: <http://dx.doi.org/10.1016/j.bpj.2009.12.3853>

**SPRINGAUF, A. & GRÜNDER, S. (2010):** An acid-sensing ion channel from shark (*Squalus acanthias*) mediates transient and sustained responses to protons. *Journal of Physiology*, 588 (5): 809-820

Abstract: <http://dx.doi.org/10.1113/jphysiol.2009.182931>

**STELBRINK, B. & VON RINTELEN, T. & CLIFF, G. & KRIWET, J. (2010):** Molecular systematics and global phylogeography of angel sharks (Genus *Squatina*). *Molecular Phylogenetics and Evolution*, 54 (2): 395-404

Abstract: <http://dx.doi.org/10.1016/j.ympev.2009.07.029>

**STEVENS, J.D (2010):** Epipelagic Oceanic Elasmobranchs. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 3-36

**STEVENS, J.D. & BRADFORD, R.W. & WEST, G.J. (2010):** Satellite tagging of blue sharks (*Prionace glauca*) and other pelagic sharks oV eastern Australia: depth behaviour, temperature experience and movements. *Marine Biology*, 157 (3): 575-591

Abstract: <http://dx.doi.org/10.1007/s00227-009-1343-6>

**STRAUBE, N. & IGLÉSIAS, S.P. & SELLOS, D.Y. & KRIWET, J. & SCHLIEWEN, U.K. (2010):** Molecular phylogeny and node time estimation of bioluminescent Lantern Sharks (Elasmobranchii: Etmopteridae). *Molecular Phylogenetics and Evolution*, 56 (3): 905-917

Abstract: <http://dx.doi.org/10.1016/j.ympev.2010.04.042>

**STRID, A. & ATHANASSIADIS, I. & ATHANASIADOU, M. & SVAVARSSON, J. & PÄPKE, O. & BERGMAN, A. (2010):** Neutral and phenolic brominated organic compounds of natural and anthropogenic origin in northeast Atlantic Greenland shark (*Somniosus microcephalus*). *Environmental Toxicology and Chemistry*, 29 (12): 2653-2659

Abstract: <http://dx.doi.org/10.1002/etc.330>

- T, U, V, W, X, Y, Z -

**THEISS, S.M. & COLLIN, S.P. & HART, N.S. (2010):** Interspecific Visual Adaptations among Wobbegong Sharks (Orectolobidae). *Brain, Behavior and Evolution*, 76: 248-260  
Abstract: <http://dx.doi.org/10.1159/000321330>

**THEODOSIOU, N.A. & SIMEONE, A. (2010):** Evidence for a rudimentary colon in the elasmobranch, *Leucoraja erinacea*. *Developmental Biology*, 344 (1): 533  
Abstract: <http://dx.doi.org/10.1016/j.ydbio.2010.05.404>

**TIRARD, P. & MANNING, M.J. & JOLLIT, I. & DUFFY, C. & BORSA, P. (2010):** Records of Great White Sharks (*Carcharodon carcharias*) in New Caledonian Waters. *Pacific Science*, 64 (4): 567-576  
Abstract: <http://dx.doi.org/10.2984/64.4.567>

**TORRES-ROJAS, Y.E. & HERNÁNDEZ-HERRERA, A. & GALVÁN-MAGAÑA, F. & ALATORRE-RAMÍREZ, V.G. (2010):** Stomach content analysis of juvenile, scalloped hammerhead shark *Sphyrna lewini* captured off the coast of Mazatlán, Mexico. *Aquatic Ecology*, 44 (1): 301-308  
Abstract: <http://dx.doi.org/10.1007/s10452-009-9245-8>

**TOVAR-ÁVILA, J. & DAY, R.W. & WALKER, T.I. (2010):** Using rapid assessment and demographic methods to evaluate the effects of fishing on *Heterodontus portusjacksoni* off far-eastern Victoria, Australia. *Journal of Fish Biology*, 77 (7): 1564-1578  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02788.x>

**TRIBUZIO, C.A. & KRUSE, G.H. & FUJIOKA, J.T. (2010):** Age and growth of spiny dogfish (*Squalus acanthias*) in the Gulf of Alaska: analysis of alternative growth models. *Fishery Bulletin*, 106 (2): 119-135

**TSAI, W.P. & LIU, K.-M. & JOUNG, S.-J. (2010):** Demographic analysis of the pelagic thresher shark, *Alopias pelagicus*, in the north-western Pacific using a stochastic stage-based model. *Marine and Freshwater Research*, 61 (9): 1056-1066  
Abstract: <http://dx.doi.org/10.1071/MF09303>

**VAN RIJN, J.A. & REINA, R.D. (2010):** Distribution of leukocytes as indicators of stress in the Australian swellshark, *Cephaloscyllium laticeps*. *Fish & Shellfish Immunology*, 29 (3): 534-538  
Abstract: <http://dx.doi.org/10.1016/j.fsi.2010.04.016>

**VAUDO, J.J. & MATICH, P. & HEITHAUS, M.R. (2010):** Mother-offspring isotope fractionation in two species of placental sharks. *Journal of Fish Biology*, 77 (7): 1724-1727  
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02810.x>

**VAUGHAN, D.B. & CHISHOLM, L.A. (2010):** A new species of *Neoheterocotyle* Hargis, 1955 (Monogenea: Monocotylidae) from the gills of *Rhinobatos annulatus* Müller & Henle (Rhinobatidae) off the southern tip of Africa. *Systematic Parasitology*, 77 (3): 205-213  
Abstract: <http://dx.doi.org/10.1023/A:1006315005942>

**VELIKANOV, A.Y. (2010):** The record of the white shark *Carcharodon carcharias* (Lamnidae) from Aniva Bay, Sakhalin. *Journal of Ichthyology*, 50 (4): 347-350  
Abstract: <http://dx.doi.org/10.1134/S0032945210040089>

**VERÍSSIMO, A. & McDOWELL, J.R. & GRAVES, J.E. (2010):** Global population structure of the spiny dogfish *Squalus acanthias*, a temperate shark with an antitropical distribution. *Molecular*

*Ecology*, 19 (8): 1651-1662

Abstract: <http://dx.doi.org/10.1111/j.1365-294X.2010.04598.x>

**VIGNON, M. & SASAL, P. & JOHNSON, R.L. & GALZIN, R. (2010):** Impact of shark-feeding tourism on surrounding fish populations off Moorea Island (French Polynesia). *Marine and Freshwater Research*, 61 (2): 163-169

Abstract: <http://dx.doi.org/10.1071/MF09079>

**WARD-PAIGE, C.A. & MORA, C. & LOTZE, H.K. & PATTENGILL-SEMMENS, C. & MCCLENACHAN, L. & ARIAS-CASTRO, E. & MYERS, R.A. (2010):** Large-Scale Absence of Sharks on Reefs in the Greater-Caribbean: A Footprint of Human Pressures *PLoS ONE*, 5 (8): e11968

Abstract: <http://dx.doi.org/10.1371/journal.pone.0011968>

**WEGNER, N.C. & SEPULVEDA, C.A. & OLSON, K.R. & HYNDMAN, K.A. & GRAHAM, J.B. (2010):** Functional morphology of the gills of the shortfin mako, *Isurus oxyrinchus*, a lamnid shark. *Journal of Morphology*, 271 (8): 937-948

Abstract: <http://dx.doi.org/10.1002/jmor.10845>

**WHITE, W.T. & DHARMADI (2010):** Aspects of maturation and reproduction in hexanchiform and squaliform sharks. *Journal of Fish Biology*, 76 (6): 1362-1378

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02560.x>

**WHITE, W.T. & KYNE, P.M. (2010):** The status of chondrichthyan conservation in the Indo-Australasian region. *Journal of Fish Biology*, 76 (9): 2090-2117

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02654.x>

**WHITE, W.T. & LAST, P.R. & LIM, A.P.K. (2010):** Rediscovery of the rare and endangered Borneo Shark *Carcharhinus borneensis* (Bleeker, 1858) (Carcharhiniformes: Carcharhinidae). *CSIRO Marine and Atmospheric Research Paper*, 32: 17-28

**WHITE, W.T. & LAST, P.R. & NAYLOR, G.J.P. (2010):** *Scoliodon macrorhynchus* (Bleeker, 1852), a second species of spadenose shark from the Western Pacific (Carcharhiniformes: Carcharhinidae). *CSIRO Marine and Atmospheric Research Paper*, 32: 61-76

**WHITE, W.T. & LAST, P.R. & NAYLOR, G.J.P. & HARRIS, M. (2010):** Resurrection and redescription of the Borneo Broadfin Shark *Lamiopsis tephrodes* (Fowler, 1905) (Carcharhiniformes: Carcharhinidae). *CSIRO Marine and Atmospheric Research Paper*, 32: 45-60

**WHITE, W.T. & LAST, P.R. & NAYLOR, G.J.P. & JENSEN, K. & CAIRA, J.N. (2010):** Clarification of *Aetobatus ocellatus* (Kuhl, 1823) as a valid species, and a comparison with *Aetobatus narinari* (Euphrasen, 1790) (Rajiformes: Myliobatidae). *CSIRO Marine and Atmospheric Research Paper*, 32: 141-164

**WHITE, W.T. & SOMMERVILLE, E. (2010):** Elasmobranchs of Tropical Marine Ecosystems. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 159-240

**WHITENACK, L.B. & SIMKINS, D.C. & MOTTA, P.J. & HIRAI, M. & KUMAR, A. (2010):** Young's modulus and hardness of shark tooth biomaterials. *Archives of Oral Biology*, 55 (3): 203-209

Abstract: <http://dx.doi.org/10.1016/j.archoralbio.2010.01.001>

**WHITNEY, N.M. & PRATT, H.L. & PRATT, T.C. & CARRIER, J.C. (2010):** Identifying shark mating behaviour using three-dimensional acceleration loggers. *Endangered Species Research*, 10 (2): 71-82

Abstract: <http://dx.doi.org/10.3354/esr00247>

**WHITTAMORE, J.M. & BLOOMER, C. & HANNA, G.M. & MCCARTHY, I.D. (2010):** Evaluating ultrasonography as a non-lethal method for the assessment of maturity in oviparous elasmobranchs. *Marine Biology*, 157 (12): 2613-2624  
Abstract: <http://dx.doi.org/10.1007/s00227-010-1523-4>

**WILGA, C.D. (2010):** Hyoid and pharyngeal arch function during ventilation and feeding in elasmobranchs: Conservation and modification in function. *Journal of Applied Ichthyology*, 26 (2): 162-166  
Abstract: <http://dx.doi.org/10.1111/j.1439-0426.2010.01397.x>

**WILLIAMS, E.H. & BUNKLEY-WILLIAMS, L. (2010):** Comments on Raja say Le Sueur, 1817 (currently Dasyatis say; Chondrichthyes, Myliobatiformes, DASYATIDAE): proposed change of spelling to Raja sayi Le Sueur, 1817 2 (Case 3410). *Bulletin of Zoological Nomenclature*, 67 (1): 67

**WILLIAMS, E.H. & BUNKLEY-WILLIAMS, L. (2010):** Comment on Raja say Le Sueur, 1817 (currently Dasyatis say; Chondrichthyes, Myliobatiformes, DASYATIDAE). *Bulletin of Zoological Nomenclature*, 67 (2): 167-170

**WILLIAMS, E.H. & BUNKLEY-WILLIAMS, L. & EBERT, D.A. (2010):** An accidental attachment of *Elthusa raynaudii* (Isopoda, Cymothoidae) in *Etmopterus* sp. (Squaliformes, Etmopteridae). *Acta Parasitologica*, 55 (1): 99-101  
Abstract: <http://dx.doi.org/10.2478/s11686-010-0006-6>

**WILLIAMS, R. & OKEY, T.A. & WALLACE, S.S. & GALLUCCI, V.F. (2010):** Shark aggregation in coastal waters of British Columbia. *Marine Ecology Progress Series*, 414: 249-256  
Abstract: <http://dx.doi.org/10.3354/meps08718>

**WIRSING, A.J. & RIPPLE, W.J. (2010):** A comparison of shark and wolf research reveals similar behavioral responses by prey. *Frontiers in Ecology and the Environment*, 2010: in press  
Abstract: <http://dx.doi.org/10.1890/090226>

**WOOD, C.M. & WALSH, P.J. & KAJIMURA, M. & McCLELLAND, G. & CHEW, S.F. (2010):** The influence of feeding and fasting on plasma metabolites in the dogfish shark (*Squalus acanthias*). *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 435-444  
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.09.006>

**YOPAK, K.E. & LISNEY, T.J. & DARLINGTON, R.B. & COLLIN, S.P. & MONTGOMERY, J.C. & FINLAY, B.L. (2010):** A conserved pattern of brain scaling from sharks to primates. *Proceedings of the National Academy of Sciences of the United States of America*, 107 (29): 12946-12951  
Abstract: <http://dx.doi.org/10.1073/pnas.1002195107>

## Index

Aetobatus	- 28 -, - 32 -, - 35 -
Alopias	- 10 -, - 13 -, - 21 -, - 34 -
Bathyraja	- 21 -
Bythaelurus	- 15 -
Callorhinchus	- 25 -
Carcharhinus	- 12 -, - 13 -, - 15 -, - 22 -, - 26 -, - 28 -, - 29 -, - 30 -, - 35 -
Carcharias	- 6 -, - 11 -, - 32 -
Carcharodon	- 3 -, - 14 -, - 34 -
Cephaloscyllium	- 34 -
Cetorhinus	- 15 -, - 21 -, - 31 -
Chiloscyllium	- 10 -, - 15 -, - 23 -
Chimaera	- 17 -, - 19 -, - 23 -
Cretoxyrhina	- 8 -
Cruriraja	- 10 -
Dasyatis	- 10 -, - 22 -
Dipturus	- 13 -, - 20 -, - 24 -
Edaphodon	- 8 -
Etmopterus	- 14 -, - 27 -, - 36 -
Galeocerdo	- 26 -
Galeus	- 31 -
Glyphis	- 15 -
Gymnura	- 22 -
Hemiscyllium	- 10 -
Heterodontus	- 19 -, - 30 -, - 34 -
Himantura	- 23 -
Isistius	- 29 -
Isurus	- 9 -, - 35 -
Kathemacanthus	- 6 -
Lamiopsis	- 35 -
Lamna	- 7 -
Leucoraja	- 10 -, - 25 -, - 29 -, - 31 -, - 34 -
Manta	- 17 -, - 23 -, - 26 -
Mobula	- 31 -
Mustelus	- 11 -, - 12 -, - 15 -, - 18 -, - 19 -, - 29 -, - 30 -
Myliobatis	- 4 -
Negaprion	- 15 -, - 27 -, - 28 -, - 32 -
Neotrygon	- 25 -
Notorynchus	- 11 -
Okamejei	- 24 -
Orectoloboides	- 4 -
Orectolobus	- 25 -
Palaeobates	- 8 -
Palaeoxyris	- 4 -, - 5 -
Pastinachus	- 24 -
Potamotrygon	- 10 -, - 24 -
Prionace	- 16 -, - 26 -, - 27 -, - 33 -
Pristis	- 18 -
Protodus	- 9 -
Pseudocarcharias	- 28 -
Ptychodus	- 6 -, - 8 -
Raja	- 10 -, - 13 -, - 23 -, - 26 -, - 27 -
Rhincodon	- 13 -, - 23 -, - 27 -, - 31 -
	- 37 -

Rhinobatos	- 18 -, - 29 -, - 34 -
Rhinoptera	- 28 -
Rhizoprionodon	- 20 -
Rhynchobatus	- 15 -
Scoliodon	- 35 -
Scyliorhinus	- 14 -, - 15 -, - 16 -, - 19 -, - 23 -, - 24 -, - 25 -, - 28 -, - 31 -
Seretolepis	- 6 -
Somniosus	- 33 -
Sphyrna	- 17 -, - 27 -, - 30 -, - 34 -
Squaliolus	- 16 -
Squalus	- 17 -, - 23 -, - 29 -, - 31 -, - 33 -, - 34 -, - 36 -
Squatina	- 11 -, - 24 -, - 33 -
Sympterygia	- 20 -
Taeniurops	- 14 -
Thrinacodus	- 6 -
Torpedo	- 13 -, - 29 -
Triakis	- 16 -, - 22 -, - 30 -
Tribodus	- 7 -
Urobatis	- 6 -, - 27 -, - 30 -
Welcommeia	- 7 -